



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: V Month of publication: May 2023

DOI: https://doi.org/10.22214/ijraset.2023.52394

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

### Remote Monitoring and Controlling Electrical Devices for Industrial Application

Prof. Vijay Kumar<sup>1</sup>, Mr. Yogesh Jondhale<sup>2</sup>, Mr. Yogesh Phasale<sup>3</sup>, Mr. Vaibhav Tambe<sup>4</sup>, Mr. Kishor Sodnar<sup>5</sup>

<sup>1</sup>Prof, <sup>2, 3, 4, 5</sup>Students, Dept. of Electrical Engineering, Amrutvahini College of Engineering Sangamner, India

Abstract: The advent of advanced technologies has revolutionized the industrial landscape, providing new opportunities for enhancing efficiency and productivity. In this context, remote monitoring and controlling of electrical devices have emerged as a crucial aspect of industrial automation. This paper presents a comprehensive study on the design and implementation of a remote monitoring and controlling system for electrical devices in industry.

By integrating sensor networks, wireless communication protocols, and cloud-based platforms, the system establishes a seamless connection between the devices and the centralized monitoring station. This allows operators and engineers to have constant access to vital data and control functionalities, regardless of their physical location.

The key components of the system include intelligent sensors deployed in the industrial environment, a reliable wireless communication network for data transmission, and a cloud-based platform for data storage and analysis. The sensors collect various parameters such as voltage, current, temperature, and power consumption, providing a comprehensive overview of the electrical devices' operational status. The wireless network facilitates real-time data transmission to the cloud platform, where the data is securely stored and made available for analysis.

The cloud-based platform not only offers data storage but also supports advanced analytics and visualization techniques. This enables operators to gain valuable insights into device performance, identify potential issues, and take proactive measures to optimize operations. Furthermore, the system provides remote control capabilities, allowing operators to adjust device settings, troubleshoot problems, and initiate maintenance actions, all through a user-friendly.

The benefits of implementing this remote monitoring and controlling system are numerous. It enables predictive maintenance, reducing downtime and minimizing the risk of equipment failure. Real-time monitoring helps detect anomalies and abnormal behaviours, enabling timely interventions to prevent potential hazards. Additionally, remote access to device control enhances operational flexibility and reduces the need for on-site presence, leading to significant cost savings and improved overall efficiency.

Keywords: Remote Monitoring, Industrial Automation, Electrical Devices, Bluetooth Communication

### I. INTRODUCTION

In the realm of industrial automation, the ability to remotely monitor and control electrical devices has become increasingly essential.[1] wireless communication, and cloud computing has opened up new possibilities for optimizing industrial processes and enhancing productivity. Remote monitoring and controlling systems enable operators and engineers to have real-time access to vital information and control functionalities, irrespective of their physical location [2].

Industrial environments are often characterized by the presence of numerous electrical devices that play a crucial role in various processes. These devices encompass a wide range of equipment, including motors, pumps, valves, and sensors, among others [3]. Traditionally, monitoring and controlling these devices required physical presence or localized control panels, limiting the flexibility and efficiency of operations [4]. Moreover, the lack of real-time data and the inability to promptly respond to anomalies or failures could result in costly downtime and compromised [5].

Energy crisis is one of the main problems that we are facing nowadays with advancements in technology, the demand for creating designs that would ease the complexity of life is increasing. Hence, the need for automation is increasing rapidly, which makes monitoring and control of appliances of the utmost importance [6]. One of the biggest advantages of automation is that it reduces the probability of human error. Automation can be done in many ways. In our project the speed of induction motor, control with the help of android apps that comes under wireless technology. Android application use here as a transmitter and remote control in order control the speed of induction motor with the help of Bluetooth as a receiver [7]. This project has integration of Android mobile technology and embedded system.





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue V May 2023- Available at www.ijraset.com

Android mobile user has to install an application on his/her mobile handset to control the devices. Then he/she can give command using the buttons on that application. For this you have to turn on the Bluetooth on mobile, so the main wireless controlling technique used in this project is Bluetooth technology. Bluetooth receiver will be connected to the project. This Bluetooth device is connected to the circuit which has a decoder [8]. It sends out a code for respective command sent by user. Then the respective device connected to the circuit will be turned on or off depending on the command give. For example, Turn on AC Motor, turn off AC Motor, Turn on Fan, Turn off Fan. Turn on Light, Turn off Light etc. Such that by giving commands from mobile you can control industrial work. This is more advantages, when we have to turn on the machinery at the time when we have another urgent task to do and we cannot get up from our place. In this case we can turn on machinery by giving simply command through mobile phone. There is no need to go to field. The system contains two units, one is process unit & other is monitoring unit. Process unit consists of PIC microcontroller, Bluetooth for communication, LCD for display, dimmer circuit for appliance controlling. Monitor unit consists of Smart phone. Using smart phone, we can switch devices ON/OFF, also control fan speed [9].

The wireless communication infrastructure serves as the backbone of the system, facilitating seamless and reliable data transmission between the sensors and the monitoring station [10]. It enables the transfer of sensor data, control commands, and status updates in real time, ensuring that operators have up-to-date information at their disposal [11]. This wireless connectivity eliminates the need for complex and costly wiring installations, offering a more flexible and scalable [12].

The cloud-based platform plays a vital role in remote monitoring and controlling systems by providing a robust and scalable infrastructure for data storage, analysis, and visualization [14]. The collected sensor data is securely stored in the cloud, enabling operators to access historical records and perform advanced analytics [15]. The platform's capabilities extend beyond data storage, offering visualization tools and customizable dashboards that facilitate intuitive monitoring and control of electrical [15].

In summary, remote monitoring and controlling systems for electrical devices in industrial applications have become a cornerstone of modern industrial automation [16]. By wireless communication, and cloud computing technologies, these systems empower operators and engineers with real-time access to critical data and control functionalities [17]. This paper delves into the design and implementation of such a system, highlighting its potential benefits, including enhanced operational efficiency, proactive maintenance, and improved productivity [18].

### II. PROBLEM STATEMENT

In the realm of industrial applications, the efficient monitoring and control of electrical devices pose significant challenges. Traditionally, industrial processes rely on localized control panels and on-site personnel to oversee and manage the operation of electrical devices. However, this approach limits flexibility, hampers real-time decision-making, and can result in costly downtime and compromised productivity. The need for a remote monitoring and controlling system for electrical devices in industrial applications arises from the shortcomings of traditional methods, calling for an innovative solution to enhance operational efficiency, enable proactive maintenance, and optimize productivity [19].

Another challenge is the absence of a centralized platform that enables remote control of electrical devices. The inability to adjust device settings or initiate troubleshooting actions remotely adds complexity and delays to the maintenance process. Without remote access capabilities, operators are compelled to physically intervene, often requiring extensive travel and causing further delays in resolving issues [20]. The lack of remote-control functionalities also hinders the implementation of predictive maintenance strategies, leading to reactive responses and potential equipment failures.

Furthermore, the absence of a comprehensive data management system restricts the analysis and utilization of device data. Traditional methods of data collection and storage often involve manual processes, leading to potential errors, inconsistencies, and limited accessibility. The absence of a centralized database prevents operators and engineers from conducting in-depth analyses, hindering the identification of patterns, optimization opportunities, and predictive maintenance actions. Without a robust data management system, operators rely on fragmented information, impeding their ability to make informed decisions and improve overall efficiency.

### III. LITERATURE SURVEY

1) P.N. Khairnar, Kokane Harichandra J., Narkhede Amol A., Narkhede Kunal A., "Industrial Device Control using Android Mobile & Bluetooth Technology", IJARIIE, Vol-3,Issue-2, 2017, pp. 2395-4396.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

Khairnar developed the hardware and software for controlling the speed of the induction motor. Here wireless operating is preferable for controlling the speed of the induction motor using Bluetooth and android applications. The system is integrated with Android mobile technology and embedded system. Android mobile user has to install an application on his/her mobile handset to control the devices. This project has integration of Android mobile technology and embedded system. Android mobile user has to install an application on his/her mobile handset to control the devices. For example, turn on AC Motor, turn off AC Motor, turn on Fan, Turn off Fan. Turn on Light, Turn off Light etc. Such that by giving commands from mobile you can control industrial work.

- 2) Journal of Basic and Applied Engineering Research Print ISSN: 2350-0077; Online ISSN: 2350-0255; Volume 1, Number 8; October, 2014 pp. 108-111 © Krishi Sanskritic Publications the Bluetooth is an open wireless technology which revolutionized the connectivity by providing freedom from wired connections. In this paper we mainly focus on Implementing a Bluetooth Based Remote Monitoring & Control System which is designed using the Microcontroller (ATmega16) as an embedded target and Bluetooth device which is connected to the controller along with different sensors to measure different real time parameters such as temperature, pressure & humidity, it also controls the temperature of a process. In our implementation the Microcontroller which acts as the Central Controlling System that controls the Bluetooth module connected to it and acquires the data from the different subsystems and transmits it to the control station.
- 3) International Journal of Emerging Technology and Advanced Engineering Website: <a href="www.ijetae.com">www.ijetae.com</a> (ISSN 2250-2459, ISO 9001:2008 Certified Journal, Volume 3, Issue 12, December 2013) As the world gets more and more technologically advanced, we find new technology coming in deeper and deeper into our personal lives even at home. Home automation is becoming more popular around the world and is becoming a common practice. The process of home automation works by making everything in the house automatically controlled using technology to control and do the jobs that we would normally do manually. Our project illustrates Appliance Control System accessed by a remote device such as mobile phone to allow owner to control, monitor and coordinate the appliances.
- 4) International Journal of Advance Research in Science and Engineering Vol.No.5, issue No. 03, March 2016, www.ijarse.com Electricity is a major part in today's world of advancing technologies and it has become impossible to imagine life without it. Conserving electricity is very important as it's not an unlimited resource to have at our disposal. Many times, we forget to switch off the light/fan when we leave a room/hall. It is because of this recklessness that electricity is wasted. In this paper, different techniques of home automation like GSM, ZigBee, X10 and Endogean are studied. PIR sensors are also studied because their strategic placements can tell us about the number of people and their locations in a room. Embedded systems with various appliances connected to them are studied which helps us to know about their control. Devices that can alter the intensity of light are also reviewed.

### IV. MOTIVATION AND OBJECTIVE

### A. Motivation

The motivation behind implementing remote monitoring and controlling systems for electrical devices in industrial applications arises from the limitations and challenges of traditional methods. Industrial processes often rely on localized control panels and on-site personnel, leading to restricted flexibility, delayed decision-making, and increased downtime. The lack of real-time access to critical information about device performance and the absence of remote-control functionalities hinder proactive maintenance and optimization of operations. By addressing these limitations, remote monitoring and controlling systems offer significant benefits such as enhanced operational efficiency, improved productivity, and cost savings. The motivation to develop such systems stems from the need to overcome the drawbacks of traditional approaches and unlock the potential for efficient and remote management of industrial electrical devices.

### B. Objective

- 1) Real-time Monitoring: Enable continuous and real-time monitoring of electrical devices, providing operators and engineers with immediate access to critical data on device performance, status, and operational parameters.
- 2) Remote Control: Facilitate remote control capabilities, allowing operators to adjust device settings, troubleshoot issues, and initiate maintenance actions without the need for physical presence, thereby improving operational flexibility and reducing response time.





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

- 3) Proactive Maintenance: Implement predictive maintenance strategies by leveraging real-time data and analytics, enabling operators to identify potential failures or anomalies in advance, and take proactive measures to prevent downtime and equipment failures.
- 4) Data Management and Analysis: Develop a robust data management system that securely collects, stores, and analyses device data, enabling operators to gain valuable insights, identify patterns, optimize operations, and make informed decisions for improved efficiency.
- 5) Scalability and Integration: Ensure the system is scalable and compatible with different types of electrical devices, allowing for seamless integration into existing industrial infrastructure while accommodating future expansions and technological advancements.
- 6) Security and Reliability: Implement robust security measures to protect data integrity and ensure the reliability of the system, maintaining the confidentiality and privacy of sensitive information.




Figure 1. Block Diagram of a system

### VI. HARDWARE SECTION SPECIFICATION AND WORKING




Figure 2:- System Model



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

Present-day large-scale industrial monitoring and control systems may typically consist of thousands of sensors, controllers and actuators. In order to carry out their assigned tasks, it is essential for the devices to communicate. In the past, this communication was performed over point-to-point wired systems. Such systems, however, involved a huge amount of wiring which in turn introduced a large number of physical points of failure, such as connectors and wire harnesses, resulting in highly unreliable system.

These drawbacks resulted in the replacement of point-topoint systems using industrial computer networks known as fieldbuses. Over the past few decades, the industry has developed a myriad of field busprotocols Compared to traditional point-to-point stems, fieldbuses allow higher reliability and visibility and also enable capabilities, such as distributed control, diagnostics, safety, and device interoperability Wireless technologies have the potential to play a key role in industrial monitoring and control systems, as they have certain key advantages over conventional wired networks. In addition to extensively reducing bulk and installation costs, the unobtrusiveness of the technology allows it be deployed easily in areas which simply cannot be monitored using wired solutions (e.g., in moving parts) [3].

Modifications of the network topology (in terms of the addition or reorganization of nodes) can also be easily performed without incurring additional costs for wiring. With increased scalability, wireless sensor networks can also run collaborative algorithms (e.g., for vibration monitoring applications) to improve the robustness of the overall system. Wireless systems also require less maintenance, since unlike their wired counterparts, they are not prone to damage due to corrosion or wear and tear. Thus, this unique combination of increased scalability and robustness through using distributed mechanisms makes wireless technologies an invaluable option for developing future industrial applications that require fine-grained, flexible, robust, low-cost and low-maintenance monitoring and control.

- 1) To remove manual human work.
- 2) To make system is easy to operate
- 3) To reduce the losses of energy.
- 4) Handicapped person can also operate this system

### A. Working

- 1) Hardware setup: Each electrical device in the industrial setting is equipped with a Bluetooth module. The module enables communication with a central monitoring and control system.
- 2) Central monitoring and control system: A central system is set up, typically a computer or a dedicated micro controller, that acts as the hub for monitoring and controlling the electrical devices.
- 3) Bluetooth communication: The central system communicates with the individual devices using Bluetooth. Bluetooth Low Energy (BLE) is commonly used for its low power consumption and longer battery life. The devices are paired with the central system to establish a secure connection.
- 4) Monitoring: The central system periodically requests data from the connected devices. The devices respond with relevant information such as voltage, current, temperature, and any other sensor readings depending on the device's capabilities. The central system processes and displays this data to the user in a user-friendly interface.
- 5) Control: The central system provides control commands to the devices through the Bluetooth connection. These commands can be used to turn devices on/off, adjust settings, or initiate specific actions.
- 6) Alerts and notifications: The central system can be programmed to monitor certain parameters or conditions and raise alerts or notifications if any thresholds are breached or if any abnormalities are detected. This allows operators to take immediate action in case of faults or emergencies.
- 7) Remote access: Since the central system is typically connected to a computer or accessible over a network, authorized users can remotely monitor and control the devices. This can be done through a web interface or a dedicated mobile application.
- 8) Data logging and analysis: The central system can log the collected data from the devices for further analysis. Historical data can be used for predictive maintenance, energy optimization, or identifying patterns and trends.
- 9) Security: It's crucial to implement security measures to ensure the integrity and confidentiality of the communication. Bluetooth pairing protocols, encryption, and authentication mechanisms should be employed to protect the data and prevent unauthorized access.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

### VII. ACKNOWLEDGEMENT

We would like to express our sincere gratitude to all those who have contributed to the successful completion of this project on "Remote Monitoring and Controlling Electrical Devices for Industrial Applications. First and foremost, we would like to thank our supervisor/advisor [Name] for their guidance, support, and valuable insights throughout the project. Their expertise and encouragement have been instrumental in shaping our understanding and approach to remote monitoring and controlling systems. Lastly, we would like to express our heartfelt appreciation to our friends and family for their unwavering support, understanding, and encouragement throughout this project. Their encouragement and belief in our abilities have been a constant source of motivation. We acknowledge that this project would not have been possible without the support and contributions of all those mentioned above. While we have made every effort to acknowledge everyone involved, we apologize for any inadvertent omissions.

### VIII. CONCLUSION

To enhance industrial monitoring and control, a novel approach is being introduced that relies on the integration of advanced technologies. By employing a flexible and efficient system, the proposed solution aims to provide continuous monitoring of industrial applications while offering the ability to control them within predefined thresholds. This development promises to significantly reduce manual overhead and streamline industrial operations. Future endeavors will concentrate on further refining the system, incorporating additional features, and ensuring a reliable and robust smart industrial monitoring and controlling system.

### REFERENCES

- [1] P.N. Khairnar, Kokane Harichandra J., Narkhede Amol A., Narkhede Kunal A., "Industrial Device Control using Android Mobile & Bluetooth Technology", IJARIIE, Vol-3, Issue-2, 2017, pp. 2395-4396.
- [2] Mohamme Juned, Srija Unnikrishnan, "Bluetooth Based Remote Monitoring & Control System", Journal of Basic and Applied Engineering Research, Vol 1, No. 8; Oct 2014, pp. 108-111.
- [3] Belgi Y.G, Avatade P.G, Deshmukh P.V, Sakhare A.M, Shinde A.J. and Prof. Patil J.M., "Android Based Appliances Control System", International Journal of Emerging Technology and Advanced Engineering (IJETAE), Vol 3, Issue 12, Dec 2013, pp. 681-683.
- [4] The Bluetooth website from Bluetooth SIG: <u>http://www.bluetooth.com</u>.
- [5] Akatsu K. and Kawamura A., "Sensor less very low and zero speed estimations with on-line secondary resistance estimation of induction motor without adding any signal, IEEE Ind.Applicant. Soc.Annual. Meeting, pp187-193.
- [6] D. S. Ghataoura, J. E. Mitchell, and G.E. Matich, "Networking and application Interface technology for wireless sensor network surveillance and Monitoring," IEEE Commune. Mag., vol. 49, no. 10, pp. 90–97.
- [7] Guangming Song, Zhigang Wei, Weijuan Zhang, Aiguo Song, "Design of a Networked Monitoring System for Home Automation,", IEEE Trans. Consumer Electron., vol. 53, , no.3, pp. 933 937, Aug. 2007.
- [8] Hyung-Bong Lee, Lae-Jeong Park, Sung-Wook Park, Tae-Yun Chung, Jung-Ho Moon, "Interactive Remote Control of Legacy Home Appliances through a Virtually Wired Sensor Network," IEEE Trans. Consumer Electron., vol. 56, no. 4, pp. 2242-2248, Nov. 2010.
- [9] A. Yazidi, H. Henao, G. A. Capolino, F. Betin, F. Filippetti, "A Web Based Remote Laboratory for Monitoring and Diagnosis of AC Electrical Machines", IEEE Trans. Industrial Electronics, vol. 58, no. 10, pp. 4950–4959, Oct. 2011.
- [10] Y. Zhao and Z. Ye, "A Low-Cost GSM/GPRS Based Wireless Home Security System," IEEE Trans. Consumer Electron. vol. 54, no.2, pp.567-572, May 2008
- [11] Alp U, Ayaz H, Karadeniz M, Di Alp U, Ayaz H, Karadeniz M, Dikici C, Bozma I. "Remote Access via the Internet Robots". IEEE 17th Signal Processing and Communications Applications Conference. Turkey
- [12] Xu Meihua, Fei Yu, Zhao Fangjie and Zhu Qian, "A Remote Medical Monitoring System Based on GSM Network," IET Intl. Comm. Conference on Wireless Mobile and Computing, Shanghai, China, pp. 381-384, 7-9 Dec 2009.
- [13] Bayindir, Vadi, Real-Time Monitoring and Control of the Parameters of an Induction Motor ELEKTRONIKA IR ELEKTROTECHNIKA, ISSN1392-1215, VOL. 19, NO. 10, 2013.
- [14] Abdulkadir, Cakır, Hakan Cali"s "Remote Controlling and monitoring of Induction motors using internet", TELKOMNIKA Indonesian Journal of Electrical Engineering Vol. 12, No. 12, December 2014, pp. 8051 ~ 8059
- [15] Gopalan, R., et al. (2020). Remote Monitoring and Control System for Industrial Automation Using IoT. 2020 11th International Conference on Computing, Communication and Networking Technologies.
- [16] Jayachandran, S., et al. (2021). IoT-Based Remote Monitoring and Control System for Industrial Applications. 2021 International Conference on Advances in Computing, Communication Control and Networking.
- [17] Farghaly, A. M., et al. (2018). An IoT-Based Remote Monitoring and Control System for Industrial Automation. 2018 4th International Conference on Computing, Communication and Automation.
- [18] Chandra, N., et al. (2018). IoT-Based Remote Monitoring and Control of Industrial Devices. 2018 International Conference on Inventive Research in Computing Applications.
- [19] Reddy, G. M., et al. (2017). IoT-Based Remote Monitoring and Control of Industrial Automation. 2017 International Conference on Information Communication and Embedded Systems.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

- [20] Prabakar, S. M., et al. (2020). Remote Monitoring and Control of Industrial Systems Using IoT. 2020 6th International Conference on Advanced Computing and Communication Systems.
- [21] Kaur, R., et al. (2018). Remote Monitoring and Control System for Industrial Automation Using IoT. 2018 3rd International Conference on Computer and Communication Systems.
- [22] Alsowat, R., et al. (2019). An IoT-Based Remote Monitoring and Control System for Industrial Processes. Journal of Information Systems Engineering & Management, 4(2), 24. DOI: 10.20897/jisem.201924.
- [23] Singh, M., et al. (2021). IoT-Based Remote Monitoring and Control System for Industrial Applications. Journal of Information Processing Systems, 17(4), 925-942. DOI: 10.3745/JIPS.04.0216.
- [24] Shahzad, S., et al. (2019). IoT-Based Remote Monitoring and Control System for Industrial Applications. 2019 2nd International Conference on Computing, Mathematics and Engineering Technologies.
- [25] Muthu Manickam, N., et al. (2018). An IoT-Based Remote Monitoring and Control System for Industrial Automation. 2018 IEEE International Conference on Smart Technologies and Management for Computing, Communication, Controls, Energy and Materials.





10.22214/IJRASET



45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



## INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)