iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** V **Month of publication:** May 2025

DOI: https://doi.org/10.22214/ijraset.2025.70723

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue V May 2025- Available at www.ijraset.com

Respiratory Disease Classification Lungs Sounds Using Machine Learning

Pooja MD[1], Nirmala S[2], Asst. Prof. PrarthanaVGunakimath[3]
Dept. of Information Science Global Academy of Technology Bangalore, Karnataka, India

Abstract: ***Globally, respiratory conditions like asthma, pneumonia, and chronic obstructive pulmonary disease (COPD) represent a serious threat to public health. Improvingpatientoutcomesandloweringhealthcarecosts depend on early and precise diagnosis. Despite being widely used, traditional stethoscope auscultation is constrainedbysubjectivityandinter-observervariability. This study investigates the use of machine learning methods to categorize respiratory conditions from recordings of lung sounds. To improve the quality of auscultation signals, preprocessing techniques like segmentation and noise filtering are used. To capture the temporalandspectralcharacteristicsofthelungsounds,a number of featuresareextracted,suchasspectralentropy, zero-crossing rate, and Mel Frequency Cepstral Coefficients (MFCCs). Support Vector Machines (SVM), Random Forests, and Convolutional Neural Networks (CNNs) are example of supervised learning algorithms that are trained.***

Keywords: Respiratory diseases, lung sounds, auscultation, machine learning, classification, MFCC, CNN, SVM

I. INTRODUCTION

Millions of people are impacted by respiratory diseases each year, making them one of the major causes of morbidity and mortality globally. For common ailments like asthma, bronchitis, pneumonia, and chronic obstructive pulmonary disease (COPD), prompt and precise diagnosis is essential to successfulmanagementandtreatment.Traditionaldiagnostic techniques, such as physical examination and stethoscope auscultation, are frequently arbitrary and heavily depend on medical professionals' knowledge. Furthermore, early detectioncanbedifficultinsettingswithlimitedresourcesdue to limited access to qualified clinicians and diagnostic equipment.

New possibilities for improving the diagnosis of respiratory diseases have been made possible by developments in digital health technologies. Specifically, combining machine learning(ML)techniqueswithlungsoundrecordings—taken by electronic stethoscopes or microphones—offers a promisingmethodforautomaticallyclassifyingandanalyzing respiratory conditions. Important details about mucus accumulation, airflow obstructions, and other pathological alterations in the respiratory system are conveyed by lung sounds. These sounds can be used to detect anomalous patterns and aid in clinical decision-making when they are processed and examined using machine learning models.

This study examines the use of machine learning algorithms on lung sound data to classify respiratory diseases. Using a variety of supervised learning approaches, including Support VectorMachines(SVM),RandomForests,andConvolutional Neural Networks (CNNs), the study entails signal preprocessing, feature extraction, and model training. The goal is to create a reliable and accurate classification system thatwillhelpmedicalprofessionalsdiagnoserespiratory conditionsmorequickly and reliably.Theeffectivenessof the suggested system is assessed by analyzing performance metrics like accuracy, sensitivity, and specificity using lung sound datasets that are made publicly available.

Especially in low- and middle-income nations, respiratory diseases continue to be a major cause of health issues and mortality worldwide. For effective treatment, conditions like bronchitis, pneumonia, asthma, and chronic obstructive pulmonary disease (COPD) need to be diagnosed as soon as possible. However, manual auscultation—which is subjective by nature and based on the experience of the clinician—is a major component of traditional diagnostic techniques. The diagnostic process is made more difficult by inconsistent interpretations and restricted access to qualified specialists, particularly in isolated or underdeveloped areas.

Withtheadvancementofdigitalhealthtechnologies,thereisa growing interest in automating the diagnosis of respiratory diseases using computational approaches. One promising method involves the analysis of lung sounds, or auscultation data, captured using electronic stethoscopes or microphones. Theseacousticsignalscontainvaluablediagnosticinformation that can be extracted and analyzed using modern signal processing and machine learning techniques.

Machine learning (ML), particularly supervised learning algorithms, has shown considerable potential in medical diagnostics.

©IJRASET: All Rights are Reserved

BytrainingMLmodelsonlabeleddatasetsoflung sounds, systems can be developed to automatically classify different respiratory conditions with high accuracy. These modelslearnpatternsassociatedwithpathologicalsoundssuch as wheezes, crackles, and rhonchi, which are indicative of specific respiratory issues.

Inthisstudy,weproposeamachinelearning-basedframework for the classification of respiratory diseases using lung sound recordings. The framework includes data preprocessing, feature extraction using techniques such as Mel Frequency Cepstral Coefficients (MFCCs), and classification using algorithms including Support Vector Machines (SVM), RandomForests,andConvolutionalNeuralNetworks(CNNs). The system is evaluated using publicly available datasets to demonstrate its effectiveness and generalizability.

LUNG auscultation is one of the most popular diagnostic modality[1],[2]usedbythepulmonaryexpertstoanalyzethe conditionoftherespiratorysystem.Whenauscultatingvarious areas on the anterior and posterior sides of the chest [3], [4], lung sounds can be detected. Lung sounds are indicative of different anatomical flaws in the lungs and provide accurate prognoses regarding respiratory health, resulting in more trustworthymedicaltoolforidentifyingrespiratorydis-orders [5].AccordingtoarecentstudyconductedbytheWorldHealth Organization (WHO), approximately 10 million people die eachyearasaresultofrespiratorydiseases[6].AnotherWHO study suggests that the majority of people suffering.fromrespiratorydisordersaroundtheworldmayhaveoneof the following five diseases: asthma, chronic obstructive pulmonary disease (COPD), lung cancer, tuberculosis, and lower respiratory tract infection (LRTI) [6]. Early detection is critical in dealing with respiratory diseases as it improves the effectiveness of intervention, including treatment and help in restricting the spread. During lung auscultation, experts can detect various adventitious respiratory sounds such as wheeze, crackle, stridor, and so on, which indicate the presence of respiratory disorders in that individual.

II. RELATED WORK

Thissectionprovidessignificantresearchcontributionsto the domain of Respiratory Disease Classification Lung Sounds

1) A thorough systematic review of the automatic analysis of adventitious respiratory sounds was carried out by Pramono, Bowyer, and Rodriguez-Villegas (2017). They paid special attention to the use of machine learning techniques for the detection of abnormal lung sounds. Their research demonstrated the increasing interest in utilizing computational techniques to assist in the diagnosis of respiratory diseases by meansof audio signal analysis. They did, however, highlight a number of significant obstacles in this area, most notably the difficulty of precisely identifying significant characteristics from lung sound recordings because of background noise and fluctuating recording conditions.Theyalsonotedthatoneofthemainobstaclesto the creation and validation of reliable machine learning models for clinical use is the lack of sizable, well-annotated datasets.

2) Deep Auscultation, a deep learning method for the classificationofrespiratorydisordersandabnormalities,was presented by Perna and Tagarelli (2019). Their approach successfully modeled the temporal dynamics of lung sound signalsbyutilizingrecurrentneuralnetworks(RNNs),which include long short-termmemory (LSTM) units. Their model achieved high classification accuracy across a variety of respiratory conditions by capturing the temporal dependencies and sequential patterns present in respiratory sounds. The study provided a major breakthrough in automated respiratory diagnostics by showcasing the ability of RNN-based architectures to handle the time-series nature of auscultation data.

3) A convolutional neural network (CNN)-based model for theclassificationoflungsoundswasproposedbyDemirand Sengur (2020), with a focus on distinguishing between normal respiratory sounds, crackles, and wheezes. Their method eliminated the need for manual feature engineering byautomaticallylearningdiscriminativepatternsfromaudio spectrograms using CNNs' potent feature extraction capabilities.TheICBHI2017RespiratorySoundDatabase,a popularbenchmarkinthisfield,wasusedtotrainandassess the model. It showed excellent classification performance. Theirfindingsreaffirmedtheusefulnessof CNNsinmedical audio diagnostics and demonstrated the efficacy of deep learning in respiratory sound analysis.

4) Theuseofmachinelearning(ML)anddeeplearning(DL) modelsforthedetectionofCOVID-19basedonchestsounds, such as coughs and breathing patterns, was investigated by Pahar, Klopper, and colleagues in 2021. Their research sought to create an automated diagnostic method that could use audio signal analysis to differentiate COVID-19 from other respiratory conditions. The models successfully captured subtle acoustic features linked to COVID-19 infections by utilizing the power of DL architectures. The findings illustrated the potential of non- invasive, sound-based diagnostic tools in pandemic response and remotehealthcare settings by showing that deep learning techniques could achieve promising accuracy in distinguishingCOVID-19fromsimilarrespiratory conditions.

5) A comparative study on the automatic classification of adventitious respiratory sounds using different machine learning algorithms was carried out by Lopes et al. (2018).

Using lung sound datasets, the researchers assessed the effectiveness of a number of popular classifiers, such as Random Forest, Support Vector Machines (SVM), and k- Nearest Neighbors (k-NN). Their objective was to evaluate how well each technique identified aberrant respiratory sounds like crackles and wheezes. The study highlighted the significance of classifier selection and appropriate feature engineeringforattainingdependablediagnosticperformance, offering insightful information about the advantages and disadvantages of conventional ML approaches in this application domain.

6) Andresetal.(2020)usedmachinelearningtechniquesand inexpensivehardwarecomponentstocreateaportablesystem for the real-time detection and classification of respiratory sounds. For feature extraction, their system used Mel- frequency cepstral coefficients (MFCCs), a technique frequently used in audio signal processing because of its capacity to capture perceptually relevant sound characteristics. The respiratory sounds were then categorized in real-time by analyzing these features using a Random Forestclassifier.Thestudyshowed thatevenondeviceswith limited resources, efficient respiratory monitoring could be accomplished.

7) The potential of cough sound analysis as a quick, non- invasivewaytodiagnoserespiratoryconditionswasexamined byAbeyaratneetal.(2013).Inordertotrainmachinelearning classifiers that can differentiate between different respiratory conditions, their study concentrated on identifying pertinent features from recordings of cough and lung sounds. The suggested system illustrated the viability of employing acoustic biomarkers for diagnostic support by utilizing audio featuresunique to conditions like bronchitis, pneumonia, and asthma. The results demonstrated how useful cough sound analysis is for improving clinical judgment, particularly in situationswhereaccesstotraditionaldiagnosticinstrumentsis restricted.

8) AI4COVID-19, an AI-driven framework created to provide a preliminary diagnosis of COVID-19 by analyzing cough and breath sounds, was presented by Imran et al. (2020). The system classified individual audio recordings using convolutional neural networks (CNNs) in conjunction with decision-tree ensemble techniques. The model successfullydistinguishedbetweeninfectedandnon-infected cases by identifying unique acoustic characteristics linked to COVID-19-related respiratory symptoms. The study showed how deep learning and traditional machine learning techniques can be combined to provide quick and easy screening,especiallyinremoteorlow-resourceenvironments where traditional testing methods may not be as effective.

9) Withanemphasisonpreprocessingandfeatureextraction techniques, Palaniappan, Sundaraj, and Sundaraj (2013) carried out a comparative study to assess various methods used in the analysis of respiratory sounds. The quality and dependability of the extracted features used for classification were investigated in relation to different signal processing techniques, including filtering, denoising, and segmentation. They improved the accuracy of respiratory sound classificationusingmachinelearningmodelsbymethodically comparingvariousfeatureextractionstrategies,suchastime- domain, frequency-domain, and time-frequency representations. Their results highlighted how important the preprocessing pipeline is to creating reliable diagnostic systems.

10) Inordertoincreasethediagnosticprecisionofrespiratory disease detection, Ghazal et al. (2021) looked into the use of deeplearningtechniquesfortheclassificationoflungsounds. In addition to hybrid machine learning architectures that integrated deep feature extractors and conventional classifiers, their study assessed the performance of deep convolutional neural networks (CNNs). The authors showed that deep learning models, especially those that use spectrogram-based inputs, performed better than traditional techniques in classifying a rangeofrespiratory conditionsusing the ICBHI 2017RespiratorySoundDatabaseastheirmaindataset.Deep architectures have the potential to improve automated auscultation tools in clinical practice, according to the study.

11) Inoneofthefirstusesofthisarchitectureforlungsound analysis, Kim and Kim (2022) presented a novel method for thetransformer-basedmulti-labelclassificationofrespiratory diseases. They modified transformer architectures, which were initially created for natural language processing, to categorize lung sound recordings after realizing that conventional models were not able to capture long-range dependencies in audio data. By learning contextual relationships in the acoustic features, their model was able to handle the complex, overlapping symptomsthat are frequently present in respiratory diseases. In multi-label classification tasks, the study showed that transformer-based models could perform better than traditional deep learning techniques, providing a promising path for respiratory sound diagnostics in the future.

III. METHODOLOGY

A. Data Collection

Gathering a large dataset is the first stage in creating a machine learning system that uses lung sounds to categorize respiratory disorders. Usually, digital stethoscopes or other auscultationtoolsareusedtorecordthepatient'slungsounds.

A variety of respiratory disorders, including bronchitis, asthma, pneumonia, chronic obstructive pulmonary disease (COPD), and healthy controls, should be captured in these recordings.Privateclinicaldatasetsorpublicdatasetssuchas the ICBHI 2017 Challenge Dataset are frequently used. Medical experts must annotate each sound clip in order forit to be used as the ground truth for model validation and training.

B. Preprocessing of Audio Data

After being gathered, the audio data is put through a number ofpreprocessingstagestoenhanceitsqualityandgetitready for feature extraction. To get rid of background noise, noise reduction methods like band-pass filtering and denoising algorithms are used. The recordings are divided into shorter segments that match predetermined time windows or respiratorycycles. Normalizationcanalsobeusedto guarantee thatsamplevolumelevelsareconstant.To improve consistency, resamplingandsilence reduction areoccasionally also carried out.

C. Feature Extraction

Torepresentthelungsoundsinaformatthatmachinelearning algorithms can use, significant features must be taken out of the audio clips after preprocessing. Time-domain features (like zero-crossing rate), frequency-domain features (like spectral centroid), and time-frequency domain features (like spectrograms,waveletcoefficients,orMel-frequencycepstral coefficients or MFCCs) are examples of common methods. The temporal and spectral characteristics of abnormal lung sounds, such as crackles, wheezes, and rhonchi, that are suggestive of particular respiratory diseases are captured by these features.

D. Data AugmentationandBalancing

Data augmentation techniques are frequently used to address dataimbalance,wherecertaindiseaseclassesmayhavefewer examples. To boost the quantity of training samples and enhance model generalization, these could involve pitch shifting, time stretching, or the addition of synthetic noise. Thedatasetmayalsobebalancedbyemployingstrategieslike random oversampling/under sampling or SMOTE (Synthetic Minority Over-sampling Technique).

E. ModelSelectionandTraining

For classification, a variety of machine learning models can beused.ClassifierssuchasSupportVectorMachines(SVM), RandomForests,andk-NearestNeighbors(k-NN)areusedin traditionalmethods.DeeplearningmodelslikeConvolutional Neural Networks (CNNs) or Recurrent Neural Networks (RNNs), which can automatically learn features from spectrograms or raw waveforms, are frequently used to producemorerecentandaccurateresults.Labeleddataisused to train the model, and methods such as grid search and Bayesianoptimizationareusedtoadjustthehyperparameters.

F. ValidationandEvaluation:

The dataset is usually separated into training, validation, and testing sets, or k-fold cross-validation is employed to assess the model's performance. Accuracy, precision, recall, F1- score, and area under the receiver operating characteristic curve (AUC-ROC) are important metrics. Performance on individual classes is also evaluated using confusion matrices. Regularization strategies, dropout layers, or early stopping during training are used to monitor and reduce overfitting during this phase.

G. Model Interpretation and Explainability

Interpretabilityisessentialinclinicalsettings.Toexplain which features affected the model's predictions, methods like saliencymapsandSHAP(ShapleyAdditiveexplanations) values are employed. It is easier to comprehend how CNNs identify anomalous patterns in lung sounds when the learned filters or activationmaps arevisualized. This helps clinicians make decisions and increases confidence in the model.

H. Deployment and Integration:


Following validation, the trained model can be incorporated into hospital information systems, smart stethoscopes, and mobile health apps, among other real-time applications. In order to deploy the model, it must be optimized for low- latency inference, data security and privacy must be guaranteed,andmedicaldeviceregulationsmustbefollowed. Continuous model performance and accuracy in real-world situations are guaranteed by post-deployment monitoring.

I. MultimodalIntegration

Some sophisticated systems combine lung sound data with other clinical parameters, like patient age, gender, temperature,oxygensaturation,orchestX-rayresults,to improve diagnostic accuracy. Better generalization resultsfromthemachinelearningmodel'sabilitytotake into account both contextual and acoustic information thanks to this multimodal approach. For example, multimodal neural networks and other deep learning models can be built to process structured clinical data and audio signals simultaneously, combining their outputs to produce a final diagnosis.

J. TransferLearningandPretrainedModels

Transfer learning is frequentlyused in medical domains due tothedifficultyoflimited labeled data.Lung sound dataisusedtorefinepre-trainedmodels,suchasVGGish (which is adapted from VGG16 for audio tasks) or models trained on extensive environmental sound datasets. Performance is enhanced and training time is decreased, particularly when there is a limited respiratory sound dataset available. When CNNs are applied to spectrogram representations of lung sounds, transfer learning works especially well.



Flow chart:A_flowchart_in_a_digital_vector_graphic_

K. Real-TimeProcessingConsiderations

Models must function well in real time for clinical use, particularly in telemedicine or point-of-care applications. In order to minimize computational load, this calls for model architecture optimization, which includes quantization, model pruning, and the application of lightweight neural networks such as Mobile Net or Efficient Net. Fast audio segmentationandpreprocessingpipelinesmustalsobeputin place in order to preserve responsiveness without compromising diagnostic precision.

L. Handling Variability and Noise in Real-World Data:

In actual clinical settings, patient movement, stethoscope placement, and background noise can all have an impact on lungsoundrecordings.Inordertoovercomethis,modelsare either enhanced withnoise profiles to increase robustness or trained using noisy data. To concentrate on the most instructive parts of the audio, some strategies also use adaptive filtering or attention mechanisms. Modules for evaluating signal quality may also be added in order to eliminate subpar inputs prior to classification

M. EthicalandLegalConsiderations:

It is crucial to consider the ethical and legal ramifications when creating machine learning models for medical diagnosis. During data collection and deployment, patient consent,dataanonymization,andcompliancewithlawssuch asGDPR(EU)orHIPAA(USA)arecrucial.Furthermore,to guarantee equitable and precise diagnosis for all patient populations, bias in the training data—such as the underrepresentation of particular age groups or ethnicities— must be recognized and addressed.

N. ContinuousLearningandFeedbackLoops

Models that have been deployed shouldn't stay static. To record model performance over time and add fresh labeled datatothetrainingpipeline,feedbackmechanismscanbeset up.Thisallowsforongoingeducationandadjustmenttonew illnesses or changes in recording technology. Methods like recurringretrainingoronlinelearningkeepthemodelcurrent and dependable.

O. ClinicalTrialsandValidationStudies

Thorough validation in clinical trials is required to evaluate themodel'sperformanceinreal-worldsettingspriortobroad deployment. These studies, which frequently employ a double-blind methodology, contrast the model's diagnoses with those of qualified medical professionals. The evidence required for clinical adoption and regulatory approval is provided by the success of such evaluations.

IV. RESULT

Using lung sound recordings, the machine learning-based respiratory disease classification system produced encouraging results, with a weighted F1-score of 0.94 and a validation accuracy of up to 95%. Class imbalance and small sample size caused the model to perform poorly on minority classes like URTI, Bronchiolitis, and Healthy, but it performed remarkably well on the most represented class, COPD, with 98.8% accuracy. The majority of misclassifications among underrepresented diseases were found by confusion matrix analysis. Despite this, stable trainingandvalidationcurvesfreeofoverfittingindicatedthat the model had good generalization. Additionally, the system has a web-based user interface that was developed using Flask, indicating that it is ready for real-world deployment. Overall,thefindingsshowthataudio-basedmachinelearning is a useful method for classifying respiratory diseases.

A. Fileretrievalandpreprocessing

The project directory includes a number of crucial elements that support the creation and implementation of a system for classifying lung sounds. The primary Flask or Streamlit application used to launch thetrained modelasaweb service isprobablytheapp.pyfile.Thefinalizedversionofthemodel trained for respiratory disease classification based on lung sounds is represented by the best_model3.h5 file, which is a saved Keras model in HDF5 format. A reference or URL to thedatasetthatwasused,suchastheICBHIrespiratorysound database, is most likely contained in the dataset link.txt file. Additional patient information, such as age and gender, may bestoredinadifferentdemographic_info.txtfile.Multimodal integration of this data could improve model performance. Model training, evaluation, and exploratory analysis are probably done in the main. ipynb Jupiter notebook

B. Epochprocess

Everytimethemodelreachesanewbestvalidationaccuracy, the training process uses Keras' Model Checkpoint to automatically save the model, as indicated by the repeated line "accuracy improved from... saving model to best_model3.h5"Thisguaranteesthatonlythemodelversion that performs the best on unseen data is kept. The model exhibits encouraging initial learning in the early epochs, starting with a training accuracy of roughly 77% and a validationaccuracyofroughly81%.Thevalidationaccuracy significantly increases to about 89.67% by epochs 4 or 5, indicating a quick improvement in generalization. Strong overall performance is indicated by the final model's validation accuracy of 94.57% and training accuracy of 98.09% as training goes on. Crucially, the brief interval between training.

C. AccuracyGraph




Fig1:AccuracyGraph

Figure1illustratethemodel'slearningprogress over70epochsisvisualizedbythetwographs inthe training output. The model's accuracy on thetrainingdatais represented bytheblueline ontheleft graph (Accuracy), and its accuracy on the validationdataisrepresentedbytheorangeline.

Throughouttraining,bothlinesincrease steadily,withthevalidationaccuracy stabilizingat 94–95% and the training accuracy approaching99%. Strong generalization and the absenceofoverfittingtothetrainingdataaresuggested bythisclosealignment betweentraining and validation accuracy. The training lossis represented by the blue line on the right graph (Loss), and the validation set loss is represented by the orange line. After about 20 epochs, both losses level off after declining sharply in the early epochs.

D. Precisionrecallf1-scoresupport

	precision	recall	f1-score	support
COPD	0.99	0.99	0.99	165
Healthy	0.50	0.57	0.53	7
URTI	0.50	0.25	0.33	4
Bronchiectasis	1.00	0.75	0.86	4
Pneumonia	0.60	1.00	0.75	3
Bronchiolitis	0.00	0.00	0.00	1
accuracy			0.95	184
macro avg	0.60	0.59	0.58	184
weighted avg	0.95	0.95	0.94	184

Fig2Precisionrecallf1-scoresupporttable

Foreverydiseaseclassinthelungsoundclassificationmodel, comprehensive performance metrics are provided in the classification report table. Four important evaluation metrics arebrokendowninthecolumns,andeachrowcorrespondsto a distinct class (COPD, Healthy, URTI, etc.). Precision measures the model's ability to prevent false positives by showingthepercentageofaccuratepredictionsforaclassout ofallpredictionsclassifiedasthatclass.Recallhighlightsthe sensitivity of the model by quantifying the number of real instances of aclass that werecorrectly identified. Abalanced metric that takes into consideration both false positives and falsenegatives,theF1-scoreistheharmonicmeanofprecision and recall. It is particularly helpful when there is a class imbalance. Lastly, the number of real instances in the dataset is referred to as Support.

E. ConfusionMatrix




Fig3:ConfusionMatrix

The respiratory disease classification model's confusion matrixoffersimportantinformationabouthowwellthemodel works across various disease categories. The X-axis displays thepredicted labels,and theY-axisdisplaystheactuallabels. Accurateclassificationsareindicatedbyhighvaluesalongthe diagonalfromtop-lefttobottom-right.Dueinlargeparttothe large number of training samples available for this class, the model performs exceptionally well for COPD, correctly identifying 163 out of 165 cases, yielding a 98.8% accuracy.

The accuracy rate for healthy cases is only 57.1%, though, with some being incorrectly diagnosed as bronchiectasis, COPD, or

URTI. Similarly, URTI and Bronchiectasis each had four samples, with three correctly classified, resulting in 75% accuracy for both. Pneumonia cases were all correctly predicted(3outof3),whileBronchiolitis,whichhadonlyOne example was misclassified totally and showed 0% accuracy. These findings show a clear class imbalance whereby the dominant class (COPD) is learned rather well while minority classes suffer from inadequate data. Strategies including oversampling (e.g., SMote), class weight application during training(classweightinmodel.fit),anddataaugmentationfor underrepresented classes are advised in order to handle this. Furthermore,includingdemographicdataorensemblemodels could help to raise prediction accuracy for more difficult-to- differentiate circumstances

F. Displaythehomepage



Figure4:Displaythehomepage

The home page of a web-based application intended for lung disease classification using sound analysis is seen here. The title, "Lung Disease Classification from Sound," clearly shows that the system most likely employs machine learning toidentifyrespiratorydisordersbymeansofaudiorecordings oflungsounds,includingwheezesorcrackles.Thedesignhas astylizedpictureof humanlungsandasoundwavegraphicat thebottomtorepresentthecentralideaofusingaudioinputto diagnose diseases including COPD (Chronic Obstructive Pulmonary Disease). Top navigation choices on the web interface—Home, Register, and Login suggestive of users creating accounts, logging in, and perhaps uploading their own audio files for diagnosis. Given the local address (127.0.0.1:5000)atthetoptypicallyusingFlask.Thissetupis likely part of a medical or academic project focused on accessible, AI-powered respiratory diagnostics.

G. DisplaytheLoginpage




Fig5:DisplaytheLogin page

This image shows the Login Page of a respiratory disease classification web application. The interface allows users to access their accounts by entering a registered email address and password. The design features a clean, user-friendly layoutwithnavigationlinksatthetopforHome,Register,and Login, suggesting a typical authentication system for secure access. Once credentials are provided and the green Login button is clicked, users are likely redirected to the main dashboard where they can upload respiratory audio files for disease prediction. The app is hosted locally at 127.0.0.1:5000, indicating it's currently running in a developmentenvironment,likelybuiltusingFlaskorasimilar lightweight web framework.

H. Detectionofvideoprocessing



Figure6:Detectionofvideoprocessing

The page that is being shown is a component of an online application that uses lung sound analysis to classify respiratorydiseases.Userscanuploadarespiratoryaudiofile (in this case, a.wav file) for automated analysis on this particular screen, which is the audio upload and prediction interface. The user can start the analysis by clicking the "DETECT" button after choosing an audio file with the "ChooseFile"button.ThesystemshowsthePredictedResult afterprocessingtheinput,whichinthiscase is"URTI(Chest Infection)," meaning that the uploaded lung sound file has been identified as having an upper respiratory tract infection. Based on respiratory audioinputs, the interface indicates that the model has been successfully deployed (probably using Flask), allowing for real-time disease prediction. The straightforward design guarantees usability for both non- clinical and clinical users.

V. CONCULSION

A promising,non-invasive method for the early detection and diagnosis of a variety of pulmonary conditions, including COPD, pneumonia, URTI, and bronchiectasis, is the respiratory disease classification system that uses lung sound analysis and machine learning. With validation accuracy peaking between 94 and 95%, the system achieves high accuracy by utilizing deep learning models trained on audio features extracted from lung sound recordings, especially in well-represented classes like COPD. Real-time audio processing, balanced training methods, and an intuitive web interface for clinical use all contribute to the model's performance. This method has great potential for clinical integration, providing scalable, easily accessible diagnostic supportinbothhospitalandremotesettings,despiteobstacles likeclassimbalanceandmisclassificationinunderrepresented conditions.

VI. FUTURE SCOPE


Machinelearninghasenormouspotentialfortheclassification of respiratory diseases in the future in a number of ways. Advancesindeeplearningholdpromiseforgreatlyincreased diagnosticaccuracyandearlydetectionofconditionslikelung cancer, COPD, and asthma, especially when combined with multimodal data integration from imaging, spirometry, and clinical records. Continuousmonitoring andeasily accessible screening in remote locations will be made possible by real- time analysis through wearables and edge devices. Precision medicine and predictive analytics can be used to create individualized treatment plans, and federated learning guarantees inter-institution cooperation while protecting patientprivacy.ExplainableAImodelsanddecisionsupport and triage systems that integrate AI into clinical workflows will increase clinician adoption and trust. Additionally, ML isatransformativetoolthatcanhelppublichealthinitiatives byforecastingoutbreaksanddirectinghealthpolicy.making ita transformative toolin respiratory care and epidemiology

REFERENCES

[1] "Pulmo-TS2ONN:ANovelTripleScaleSelfOperational Neural Network for Pulmonary Disorder Detection Using RespiratorySounds,"byA.Roy,U.Satija,andS.Karmakar, IEEE Transactions on Instrumentation and Measurement, vol. 73, pp. 1–12, 2024, Art no. 6502812.
[2] García-Ordás, M. T., Alaiz-Moretón, H., Benítez- Andrades, J. A., García-Rodríguez, I., & Benavides, C. (2024, February). Convolutional Neural Networks and Variational Autoencoders for Unbalancing Data in the Identification of Respiratory Pathologies. arXiv preprint arXiv:2402.02183.
[3] Kavitha, M., Sreeja, S., Roopashri, G., Vidhya, K., & Muhil, P. (2024, February). RNN Framework-Based Automated Lung Disease Identification, Categorization, and Forecasting.pp.03015inE3SWebofConferences,vol.491.
[4] Chen,Z.,Yeh,C.-H.,Wang,H.,&Liu,X.(2022,
[5] August).IdentifyRespiratoryAbnormalitiesinLungSounds with a Fine-Tuned ResNet18 Network and STFT. arXiv preprint arXiv:2208.13943.

[6] Mang, L. D., Garcia Galan, S., Martinez Munoz, D., Gonzalez Martinez, F. D., & Cortina, R. (2024, November). ClassificationofUnusualSoundsUsingVisionTransformers and Cochleograms. In arXiv preprint arXiv:2411.05955.
[7] Satija,U.,andRoy,A.(2024).AnInnovativeMulti-Head Self-OrganizedOperationalNeuralNetworkStructureforthe Identification of Chronic Obstructive Pulmonary Disease ThroughLungSounds.pp.1–12inIEEE/ACMTransactions on Audio, Speech, and Language Processing, vol. 32
[8] Koppad, D., Kumar, P., Kantikar, N. A., K V, S., & Ramesh, S. (2024, April). Multi-Task Learning for ClassifyingLungSoundsandLungDiseases.ArXivpreprint arXiv:2404.03908.
[9] Deeven,V.R.,Akshitha,N.,Sai,Y.P.,Kumar,V.N.,& Kaivalya, M. (2023, November). Deep Learning-Based PulmonarySoundAnalysisforEffectiveRespiratoryDisease Classification. pp. 1–7 in Proceedings of the Second InternationalConferenceonEmergingTrendsinEngineering (ICETE 2023).
[10] Herasevich, S., Tekin, A., Pinevich, Y., Lipatov, K., Garcia-Mendez,J.P.,Lal,A.,Herasevich,S.,&Herasevich,
[11] V. (2023, October). A Systematic Review of Machine Learning for Automated Classification of Abnormal Lung Sounds from Public Databases. Bioengineering, vol. 10, no. 10, pp. 1155
[12] Jiang, J., Wu, C., and Na, Y. E. (2024, September). A Convolutional Module for Spatial and Channel Reconstruction in a Lung Sound Classification Model. Southern Medical University Journal, vol. 44, no. 9, pp. 1720–1728.
[13] Zhao,Z.,Gong,Z.,Niu,M.,Ma,J.,Wang,H.,Zhang,Z., & Li, Y. (2022, May). Classifying Respiratory Sounds Automatically with a Multi-Branch Temporal Convolutional Network. pp. 1–5 in IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP 2022).
[14] Sun, Z., and Wang, Z. (2024, April). Performance Assessment of Deep Learning-Based Lung Sound Classification with Variable Parameters. pp. 1–12 in EURASIP Journal on Advances in Signal Processing, vol. 2024, no. 51.
[15] Rajadurai,P.,andS.Balasubramanian(2023).Real-time lung sound classification of pulmonary diseases using machine learning. pp. 122–130 in International Journal of Engineering and Technology Innovation, vol. 13, no. 3.
[16] Islam, M. A., Bhattacharyya, P., Bandyopadhyaya, I., & Saha, G. (2018, April). Using multichannel lung sound signals, subjects with COPD, asthma, and normal can be categorized. pp. 290–294 in Proceedings of the International Conference on Communication and Signal Processing (ICCSP).
[17] Rocha, B. M., Filos, D., Mendes, L., Vogiatzis, I., Perantoni, E., Kaimakamis, E.,... & Maglaveras, N. (2017, February). A Database of Respiratory Sounds for Automated Classification Development. 33–37 in Proceedings of the International Conference on Biomedical and Health Informatics (BHI).

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)