



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 11      Issue: I      Month of publication: January 2023**

**DOI:      <https://doi.org/10.22214/ijraset.2023.48535>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call: ☎ 08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Review: Formulation Development of Liquid Dosage Form

Vishal Gupta<sup>1</sup>, Surya Prakash Sharma<sup>2</sup>, Deepak kumar Chaurasia<sup>3</sup>, Dr. Tarkeshwar P. Shukla<sup>4</sup>

<sup>1, 2, 3, 4</sup>SCPM College of Pharmacy, Gonda

**Abstract:** Liquid dosage forms are generally found in medicines for aged and paediatrics patients. Though, they have specific advantages, along with fast efficacy due to the devoid of dissolution time and quick absorption in the stomach and intestines than tablets. Liquid formulations have been broadly used in pharmaceuticals due to their high dosing adjustability, comfort of swallowing, and rapid onset of action.

**Keywords:** Liquid dosage forms, Suspension, Emulsion, Solution

## I. INTRODUCTION

Liquid dosage forms are a pharmaceutical preparation in which an active drug is mixed with non active components (solvent, additive). These preparations are widely used due to their better bioavailability than other dosage forms. Liquid dosage forms are prepared by dissolving the active drug in an aqueous or non aqueous solvent or by suspending the active drug into the solvent or by mixing the immiscible liquid with each other.


It can be administered by –Topically (lotions, Ear drops, Eye drops), orally (Syrups, Emulsion, Suspension), Parenterally (intramuscular, intravenous, subcutaneous injection)

### A. Advantage of liquid dosage form

- 1) It is safer than solid dosage forms.
- 2) Bioavailability of liquid dosage form is more than solid dosage form.
- 3) It is easy to administer.

### B. Classification

On the basis of their phases they are classified into two types- Monophasic & Biphasic







10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)