iJRASET
International Journal For Research in Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: https://doi.org/10.22214/ijraset.2026.81577

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com

Rice Pest Detection Using Deep Learning

Devi Saranya Movva, Mrs.B. Haritha, Lalitha Sri Thiruveedhula, Subhashini Battu
Department of Computer Science and Engineering Bapatla Women's Engineering College Srinivas Nagar, Bapatla, Andhra Pradesh, India

Abstract: Ricecrops are highly vulnerable to pest infestations,which cause significant yield losses.TraditionalDetection methods are manual and often inaccurate, leading to excessive pesticide use. This project presents a deep learning-based system that analyzes rice leaf images using CNN and ResNet50 models. The system automatically detects insects, classifies them by species and life stage, estimates egg density, and distinguishes harmful from beneficial pests. A web interface allows farmers to capture or upload images, after which the system provides pest identification, infestation severity, and tailored pesticide recommendations. By enabling early detection, accurate classification, and actionable decision support, the system improves crop protection and supports sustainable agriculture.

Index Terms –Deep Learning, Rice Pest Detection, Convolution Neural Networks(CNN), ResNet50, Image Processing, Pest Classification, Egg Information, Pesticide Recommendation, Sustainable Agriculture, Decision Support System.

I. INTRODUCTION

Rice is one of the most important worldwide, yet it is highly vulnerable to pest infestations that cause server yield losses and threaten food security. Traditional pest detection methods rely on manual observation, which is time-consuming, labor-intensive, and often inaccurate. These limitations frequently lead to excessive pesticide use, harming both the environment and crop sustainability. Existing image-based pest detection systems provide some recognition capabilities but suffer from restricted pest coverage, environmental dependency, and lack of decision support. They mainly focus on detection without offering actionable recommendations, which reduces their practical value for farmers.

Recent advances in deep learning have opened new opportunities for agricultural pest management. Convolutional Neural Networks (CNNs) and architectures like ResNet50 are capable of learning complex visual features from crop images, enabling accurate pest identification and classification. By integrating image processing with deep learning, systems can now detect insects, classify them by species and life stage, estimate egg information, and distinguish harmful from beneficial pests.

The proposed system integrates these capabilities into a web-based platform that is both fast and user-friendly. Farmers can either capture images directly through a camera or upload themFrom their devices. Once an image is provided, the system processes it through deep learning models and delivers comprehensive results: pest name, infestation severity, egg information, control strategies, and pesticide recommendations. This workflow ensures early pest detection, accurate classification, and actionable decision support.

In modern agriculture, the challenge is not only detecting pests but also providing farmers with intelligent decision support that can guide them toward sustainable crop management. The exponential growth of image datasets and computational power has made it possible to design system that go beyond simple detection. By leveraging deep learning, the proposed rice pest detection framework can uncover hidden patterns in crop images that traditional methods fail to recognize. This capability allows the system to deliver precise pest identification, assess infestation severity through egg density estimation, and recommend suitable pesticides in real time. Such integration of AI with agriculture ensures that farmers are empowered with accurate, timely, and actionable insights, ultimately reducing yield loss, minimizing environmental damage, and strengthening food security.

By combining image processing, deep learning, and a web interface, the system addresses the limitations of existing methods. Traditional approaches often stop at simple identification, but this system goes further by providing farmers with a complete analysis that includes pest classification, egg information, and actionable pesticide recommendations. This holistic design reduces crop damage by enabling early intervention, minimizes unnecessary pesticide use through precise recommendations, and promotes sustainable agriculture by balancing productivity with environmental safety. In the era of rapidly growing computational power and the unprecedented availability of agricultural image datasets, intelligent systems like this are becoming indispensable. They not only support farmers in making informed decisions but also improve overall crop protection strategies by uncovering hidden patterns in pest behavior that manual observation or rule-based systems would miss. The integration of Ai-driven detection with a user-friendly web interface ensures accessibility, allowing even non-technical users to benefit from advanced technology.

©IJRASET: All Rights are Reserved

Ultimately, this project demonstrates how modern agriculture transformed through intelligent solutions. By strengthening food security, reducing economic losses, and promoting eco-friendly farming practices, the system contributes to building a resilient agriculture ecosystem that can meet the demands of a growing global population.

Thesystemthatweareintroducingheresupportsthismain focusby combining state-of-the-artdeep learning methods with image processing and a web-based interface to develop a smart rice pest detection and management tool. the main aims of this study are given below: O1: Create a deep learning frameworkthat is capableofaccuratelydetecting and classifying rice pests.O2: Leverage image processing techniques to enhance crop images and extract relevant visual features. O3: Improve prediction capability over traditional rule-based and manual observation approaches.O4: Deliver an effective and scalable web platforms that assists farmers in making crop protection decision safer and more sustainable.

Objective	Metric	Outcome
O1	Detection Accuracy	Achieved high Accuracy in pest identification
O2	Image FeatureQuality	Reliable features extracted through preprocessing
O3	Model Comparison	Improvedperformance over traditional methods
O4	SystemUsability	Real-timedetection and recommendations via web interface

Table:ObjectiveMapping

II. LITERATURE SURVEY

It was suggested that automated computational systems can assist farmers and agricultural experts in identifyingpests in rice crops through image-based analysis. Traditional pest detection methods relied heavily on manual inspection, which is time-consuming, labor-intensive, and prone to human error. These limitations motivated researchers to explore intelligent systems for accurate and efficient pest identification.[1].

Early research in this domain focused on rule-based and image processing techniques. Methods such as color thresholding, edge detection, and segmentation were used to identify pest-affected regions in crop images. Although these techniques worked in controlled environments, they struggled with complex backgrounds and varying lighting conditions in real agriculturalfields. [2].

Subsequently, machine learning approaches were introduced to improve pest detection performance. Algorithms such as Support Vector Machines, Decision Trees, and Random Forest classifiers were applied using handcrafted features like color, texture, and shape. These methods showed improved results but required manual feature extraction. [3].

The emergence of deep learning significantly improved pest detection systems. Convolution Neural Networks (CNNs) enabled automatic feature extraction from images, reducing the

Need for human intervention and improving detection accuracy under diverse environmental conditions. [4].

Various deep learning architecture such as AlexNet, VGGNet, and ResNet50 have been applied for crop pest classification. These models can learn hierarchical image features, enabling them to identify complex patterns associated with different pest species.[5].

An object detection techniques have become increasingly important for practical pest monitoring systems. Unlike classification models that only identify whether pests are present, object detection models can locate multiple pests within a single image. This is especially important in real agricultural fields where pests may appear in clusters, partially visible, or overlapping with leaves and stems. Such capability makes object detection more suitable for real-time farming applications[6].

Advanced detection frameworks such as Faster R-CNN and SSD have been widely studied in agricultural pest detection systems. Faster R-CNN provides high detection accuracy by using region proposal networks, but it is computationally expensive and not ideal for real-time usage. On the other hand,SSD offers faster processing but may sacrifice some accuracy,especially when detecting small-sized pests in complex background. These trade-offs have encouraged researchers to search for more balanced solutions [7].

The YOLO family of models has gained significant attention due to its real-time object detection capability.

Unlike two-stage detectors, YOLO performs detection in a single forward pass, which greatly improves speed without heavily compromising accuracy. This makes it highly suitable for continuous pest monitoring in agricultural fields where real-time detection is essential for timely intervention [8].

Recent improvements in YOLO architecture such as YOLOv8 have introduced major enhancements in accuracy, speed, and model efficiency. These versions use improved backbone networks, better feature fusion strategies, and optimized loss functions.Lightweight versions are particularly useful for deployment in edge devices, drones,and IoT-based agricultural systems. However, challenges such as poor image quality, occlusion of pests by leaves, and varying lighting conditions still affect detection performance in real-world environments [9].

Earlier YOLO versions like YOLOv3 have also been applied in pest detection tasks, Although YOLOv3 was a break through in object detection at its time, it lacks modern improvements such as advanced feature pyramid networks and optimized anchor-free detection strategies. As a result, its performance in detecting small or densely packed pests is lower compared to newer YOLO versions [10].

Hybrid systems combining motion detection and deep learning have been explored to improve pest identification in dynamic agricultural environments. These systems attempt to detect movement patterns in addition to visual features, which helps in identifying active pest behavior. However, such

Systems are highly sensitive to environmental disturbances like wind, rain, or movement of leaves, often leading to incorrect detections or false alarms [11].

Research has focused heavily on improving dataset quality and model robustness using data augmentation techniques. Techniques such as image rotation, flipping, scaling, contrast adjustment, and noise injection help simulate real-world agricultural conditions. This improves the model's ability to generalize across different field environments and reduces overfitting, especially when training data is limited [12].

Transfer learning has become a widely adopted strategy in pest detection systems due to limited availability of large labeled agricultural datasets, significantly improving performance. This approach reduces training time, requires fewer computational resources, and improves accuracy even with smaller datasets [13].

Integration of IoT-based systems with deep learning models has enabled continuous real-time monitoring of agricultural fields. Cameras and sensors deployed in farms can capture images at regular intervals and send them to AI-based systems for analysis. This allows early detection of pest infestations and helps farmers take timely preventive measures, reducing crop damage and increasing yield efficiency[14].

However, Despite significant advancements in pest detection systems, several challenges still remain. These include limited availability of high-quality annotated datasets, variability in environmental conditions such as lighting and weather, and difficulty in detecting very small pests. Additionally, deploying deep learning models on resource-constrained devices remains a challenge. Future research is expected to focus on developing more lightweight, accurate, and scalable models for real-time agricultural deployment[15].

III. PROPOSED METHODOLOGY

A. System Overview

The architecture of theRice Pest Detection System using Deep Learning is designed in a modular manner to ensure scalability, efficiency, and ease of deployment in real-time agricultural environments. The system mainly focuses on automatic detection and classification of rice pests using image-based analysis. A central processing pipeline manages communication between different modules such as data preprocessing, model training, and prediction. The overall system follows a structured workflow similar to a layered architecture. Where each stage performs a specific function in the pest detection process.Thesesegments include:

- Dataset collection
- datapreprocessing and annotation
- data augmentation
- deeplearning-basedobject detection

Suchamodularstructure allows each component to be independently updated or improved without affecting the overall system performance.

B. AIArchitectureandDeepLearningIntegration

The system is built using a deep learning-based image classification framework, specifically using CNN and an advanced pretrained ResNet50 model. This model is selected due to its ability to achieve high accuracy in image classification tasks.
Somekeyfeaturesforintegrationare:

- Real-time image processing for pest detection.
- Deep learning-based feature extraction using convolutional layers.
- End-to-end object detection in a single forward pass.
- Support for efficient deployment in web-based applications using Flask and React.

The model learns complex visual patterns of pests such as shape, texture, and color variations from rice field images and uses them for accurate prediction.

C. *Pest DetectionWorkflow*

Thepest detection system follows a structured multi-stage workflow to ensure accurate identification and classification of rice pests:

- The system takes input images of rice crops captured using cameras, field devices.
- The dataset consists of labeled pest images collected from agricultural environments.
- Images are preprocessed by resizing, normalization, and annotation formatting.
- Theprocessed images are passed into the ResNet50 based deep learning model.
- The model detects pests and provides bounding boxes with class labels and confidence scores.

D. Image Processing and Feature Extraction Module

The image processing module plays a crucial role in improving the accuracy of pest detection. It prepares raw images for deep learning model training and prediction.

- Image Preprocessing: Input images are resized and normalized to maintain consistency.
- Annotation Handling: Imagesare labeled with pest classes.
- Data Augmentation: Techniques such as rotation, flipping, scaling, brightness adjustment, and noise addition are applied
- Feature Extraction: The ResNet50 model automatically extracts deep features such as edges, textures, and spatial patterns of pests.

The processes help the model generalize better across different environmental conditions.

E. Pest Detection and Classification Engine

Thepest detection engine is the core component of the system responsible for identifying rice pests. It performs the following tasks:

- Model Inference: The trained ResNet50 model processes input images to detect pests in real-time-
- Classification:Detected pests are classified into predefined categories.
- Confidence Scoring: Each detection is assigned a confidence score indicating prediction reliability.

The system is capable of detecting multiple pests in a single image, making it suitable for real agricultural environments.



Fig.3.1.System Architecture

F. Output Visualization and User Interface

The output module displays the results of pest detection in a user-friendly format. It is designed to assist farmers and agriculture experts in quickly understanding pest conditions:

- Visual bounding boxes around detected pests
- Pest name classification labels
- Confidence percentage for each detection
- Highlighted pest-affected regions in crop images

G. System Performance and Optimization

The proposed system is optimized for real-time performance and efficient computation. The main performance considerations include:

- Detection Speed: The system provides near real-time pest detection suitable for field usage.
- Accuracy:Deeplearning-based ResNet50 architecture ensures high detection accuracy.
- Scalability: Thesystem can handle large datasets and multiple pest categories.

IV. IMPLEMENTATION

A. SystemArchitecture

We have constructed a Rice Pest Detection System based on a client-server model with a React-based web front-end and a Python backend integrated with deep learning models. The architecture has been modularized and distributed across different functional layers to ensure scalability, maintainability, and efficient processing of agricultural image data.

The key layers of the system include: the User interaction Layer, which allows users to upload rice crop images and receive pest detection results. The Data Processing Layer performs image preprocessing using OpenCV techniques such as resizing, normalization, and noise reduction. The Machine Learning Layer consists of a pretrained ResNet50 convolutional neural network implemented using PyTorch for pest classification. The Database Layer uses SQL to store image data, user inputs, and prediction results.

The modular design ensures that components such as the deep learning model, preprocessing pipeline, or API services can be upgraded independently without requiring a complete system update.

B. Front-EndImplementation

Thefrontendof the system is developed using React along with HTML, CSS,JavaScript, providing a modern, responsive, and user-friendly interface. The interface is designed to be simple so that farmers and agricultural experts can easily interact with the system.

The user interface includes: a Home Page that introduces the system, an image upload module where users can upload rice crop images, and a result page that displays the predicted pest type. A visualization section shows the processed image and classification output.

The frontend communicates with backend through REST API calls, enabling real-time pest detection. Input validation mechanisms ensure that only valid image format are accepted before sending request to the backend.

C. BackendImplementation

The backend system is implemented in python using the Flask web framework, which provides RESTful API services for handling prediction request.The backend manages communication between the frontend, database.

Major backend components include:

Data Management Module- manages rice pest datasets and store prediction results using an SQL database. Image Processing Module-uses OpenCV for preprocessing operations such as resizing images to 224*224 pixels, normalization, and noise removal. Deep Learning Model Module-integrates the pretrained ResNest50 model implemented using PyTorch for image classification. Prediction API Module-receives image inputs from the frontend, processes them, and returns classification results.

The backend also includes proper exception handling to ensure system reliability and robustness.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

D. FeatureExtractionModule

Feature extraction is performed automatically using the pretrained ResNet50 convolutional neural network. The model extracts deep hierarchical from input images, enabling accurate pest classification.

The module performs: Image Feature Extraction-identifies important visual patterns such as edges, texture, and shapes of pests. Residual Learning-utilizes skip connections in ResNet50 to improve training efficiency and avoid vanishing gradient problems. Transfer Learning- leverages pretrained weights to enhance performance on limited rice pest datasets.



Fig.4.1.Rice Pest Detection Workflow

E. DataProcessingPipeline

The system processes image data through a structured pipeline consisting of multiple stages.

Rice pest images are collected from agricultural datasets and real-world sources. The dataset is cleaned by removing duplicateand irrelevant images. Imagesare resizedto224*224 pixels to match ResNet50 input requirements. OpenCV is used for preprocessing tasks such as normalization and noise reduction.Dataaugmentation techniques such as rotation, flipping, scaling, and brightness adjustment are applied to improve model generalization.

ModelTrainingWorkflowOurdeeplearningmodeltrains by the ResNet50 model fine-tuned using transfer learning. The model is trained by PyTorch with optimization techniques such as Adam optimizer.Cross-entropy loss is used for classification. Model performance is evaluated using accuracy, precision, recall, and F1-score metrices.

F. Pest Detection and Classification Subsystem

The Pest detection subsystem provides the final output by classifying the uploaded rice crop images. The trained ResNet50 model processes the input image and predicts the pest class based on learned features.

The result displays the pest name along with a confidence score indicating prediction accuracy. The system is efficient in identifying pest presence in images, although it focuses on classification rather than localization.

The system design allows future enhancements such as integration of object detection models for pest localization, IoT-based monitoring systems, and deployment on mobile or edge devices for real-time agricultural applications.

V. RESULT

The Rice Pest Detection System proposed in this work demonstrates effective performance in classifying rice pests using deep learning techniques. This system was evaluated using rice crop images collected from standard datasets and real-time sources, including variations in lighting condition, background complexity, and image quality. The results indicate that the proposed system performs significantly better than traditional image processing based pest detection methods.



The feature extraction process was carried out using a pretrained ResNet50 convolution neural network. The model extracts deep visual features such as texture, shape, and color patterns from pest images. Image preprocessing techniques implemented using OpenCV, including resizing, normalization, and noise reduction, further improved the input quality. These steps enabled the model to effectively learn distinguishing features among different pest classes.

The deep learning prediction module was implemented using PyTorch and trained using transfer learning. The model was evaluated using standard classification metrics such as accuracy, precision, recall, and F1-score. Experimental results show that the model achieved approximately 94% accuracy, 92% precision, 91% recall, and 91.5% F1-score, demonstrating strong classification performance across multiple pest categories.



Interpretation of the confusion matrix indicates that the model can correctly classify the majority of pest images with minimal misclassification. The system performs well on clear and moderately complex images, while minor errors occur in cases where pest classes have similar visual features or when image quality is low. Overall, the model shows good generalization capability when tested on unseen data.

The system is deployed through a web-based platform developed using React for the frontend and Flask for the backend. Users can upload rice crop images, and the system processes the input and returns pest classification results within a few seconds. The demonstrates the system's ability to perform real-time prediction efficiently.

RESULT AND ANALSIS



Compared to conventional pest detection approaches that rely on manual inspection or basic image processing, the proposed system shows significant improvement in terms of automation, accuracy, and speed. Traditional methods are limited in handling complex field conditions, whereas the deep learning-based approach adapts well to variations in input data. The proposed system exhibits several strengths, including automated feature extraction using ResNet50, high classification accuracy, efficient processing usingPyTorch, and a user-friendly interface built with React. The integration of OpenCV enhances image preprocessing, while the SQL database ensures proper storage and management of data.





However, certain limitations exist. The system performance may be affected by low-resolution images, poor lighting conditions, or highly occluded pests. Additionally, the availability of labeled datasets plays a crucial role in model performance, and limited data for certain pest classes may reduce prediction accuracy.

Future improvements may include expanding the dataset with more diverse pest images, integrating object detection models for pest localization, and deploying the system on mobile or edge devices for real-time field usage. Enhancing the model architecture and optimizing performance can further improve scalability and practical implementation.



Overall, the results demonstrate that the proposed Rice Pest Detection System is accurate, efficient, and suitable for real-world agricultural applications, providing a reliable tool for pest identification and crop management.



VI. CONCLUSION

The Rice Pest Detection using Deep Learning system has successfully demonstrated its effectiveness in improving agricultural productivity and supporting better decision-making. By utilizing advanced deep learning techniques such as a pretrained ResNet50 model along with image processing using OpenCV, the system is able to accurately classify pests from rice crop images. The integration of a web-based platform using Flask and React enables real-time predictions, allowing users to quickly upload images and receive results. This capability supports early identification of pest infestations ,helping to reduce crop damage and improve yield.

The system also provides a practical and scalable solution for real-world agricultural applications. With features such as automated pest classification, efficient data processing, and user-friendly interface, it reduces dependency on manual inspection and expert consultation. Although there are certain limitations related to image quality and dataset size, the system shows strong potential for future enhancements. Overall, this project highlights the importance of AI-driven approaches in modern agriculture, offering an efficient, reliable, and scalable method for pest management and sustainable farming practices

REFERENCES

[1] Ferentinos,K.P.,"Deep learning models for plant disease detection and diagnosis",Computers and Electronics in Agriculture,vol.145,pp.311-318,Jan.2019.
[2] Zhang, S.,zhang, S.,zhang,c.,Wang,X.,and Shi,Y.,"Cucumber leaf disease identification with global pooling dilated convolutional neural network,"Computers and Electronics in agriculture, vol.162,pp. 422-430,Jun.2020.
[3] Sladojevic,S., Arsenovic, M., Anderla, A., Culibrk,D.,and Stefanovic,D.,Deep neural networks based recognition of plant diseases by leaf imageclassification",Computational intelligence and neuroscience,vol.2016, pp. 1–11, Jul. 2016.
[4] Brahimi, M., Boukhalfa, K., and Moussaoui, A., "Deep learning for tomato disease: classification and symptoms visualization," Applied Artificial Intelligence, vol. 31, no. 4, pp. 299-315, Apr. 2017.
[5] Redmon, J., Divvala, S., Girshick, R., and Farhadi, A., "You Only Look Once: Unified, real-time object detection," in Proc. IEEE Conf. Computer Vision and Patterns Recognition(CVPR), 2016, pp. 779-788.
[6] Too, E. C., Yujian, L., Njuki, S., and Yingchun, L., "A comparative study of fine-tuning deep learning models for plant disease identification,"Computers and Electronics in Agriculture, vol. 161, pp. 272-279, Jun. 2019.

[7] Wu, H., et al., "Automatic insect pest detection using deep learning models," IEEE Access, vol.7, pp. 163046-163056, Nov. 2020.
[8] Ren, S., He, K., Girshick, R., and Sun, J., "Faster R-CNN: Towards real-time object detection with region proposal networks, "IEEE Transactions on Pattern Analysis and Machine Intelligence, vol, 39, no. 6, pp. 1137-1149, Jun. 2017.
[9] Howard, A. G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., Andreetto, M., and Adam, H., "MonileNets: Efficient convolutional neural networks for mobile vision applications," arXiv preprint arXiv: 1704-04861, Apr. 2017.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)