iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VI **Month of publication:** June 2025

DOI: https://doi.org/10.22214/ijraset.2025.72729

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VI June 2025- Available at www.ijraset.com

SCADA-Based Waste Management & Recycling System

Papani Srinivas[1], Dachepally Bhavani[2], Erla Anusha[3], Padala Venkateshwar[4]
[1]*Assistant Professor,* [2, 3, 4]*Students, Electronic Instrumentation Engineering(EIE), Vignan Institute of Technology and Science, Dheshmuki ,Hyderabad, India*

Abstract: ***The SCADA-based waste management and recycling system presents an innovative, automated solution to address the inefficiencies and environmental challenges associated with traditional waste management practices. By leveraging advanced automation technologies, the system employs a conveyor belt mechanism to transport waste through a series of specialized sensors designed for precise waste classification. Proximity sensors detect metallic waste, while dedicated dry and wet sensors identify dry and wet waste, respectively. Upon detection, pneumatic pistons are activated to segregate the waste, directing each type into designated bins for collection. This automated segregation process significantly enhances operational efficiency by minimizing human intervention, reducing the risk of errors, and mitigating health hazards faced by sanitation workers during manual sorting.***

The integration of Supervisory Control and Data Acquisition (SCADA) technology enables real-time monitoring and control of the entire waste management process, providing operators with actionable insights into system performance and bin status. The system's design prioritizes sustainability by facilitating accurate waste classification into metallic, dry, and wet categories, thereby improving recycling rates and reducing contamination of recyclable materials. This contributes to a reduction in landfill waste and supports environmentally responsible waste disposal practices. Furthermore, the system is designed with scalability and adaptability in mind. Future enhancements could include the incorporation of Internet of Things (IoT) modules for remote monitoring via mobile or web applications, the integration of artificial intelligence and machine learning algorithms to enhance waste recognition accuracy, and the use of solar power to make the system energy-efficient and suitable for deployment in remote or rural areas. By addressing key challenges such as labor-intensive processes, high operational costs, and environmental degradation, this SCADA-based waste management and recycling system offers a smart, eco-friendly, and efficient solution to modern waste management needs, paving the way for a cleaner and more sustainable future.

Keywords: MEMS Resonator, Piezoelectric Effect, COMSOL Multi physics, Eigen frequency Analysis, Resonant Frequency, Geometric Optimization, Circular Resonator.

I. INTRODUCTION

Effective waste management is a critical global challenge in the 21st century, driven by rapid urbanization, population growth, and increasing waste generation. Improper waste disposal leads to environmental degradation, health hazards, and resource depletion, making sustainable waste management systems essential for protecting ecosystems and promoting public health. Traditional waste management methods, which heavily rely on manual sorting and disposal, are labor-intensive, error-prone, and inefficient, often resulting in contaminated recyclables and increased landfill waste. The need for automated, efficient, and environmentally friendly solutions has spurred research and development in smart waste management technologies.

This project introduces a SCADA-based waste management and recycling system designed to automate the segregation and processing of waste. The system utilizes conveyor belts to transport waste, coupled with specialized sensors—proximity sensors for metallic waste, dry sensors for dry waste, and wet sensors for wet waste—to accurately classify waste types. Pneumatic pistons then direct the segregated waste into designated bins, streamlining the process and reducing human involvement. The integration of Supervisory Control and Data Acquisition (SCADA) technology enables real-time monitoring and control, ensuring operational efficiency and adaptability. By automating waste segregation, this system aims to enhance recycling rates, minimize health risks for sanitation workers, and contribute to sustainable waste management practices. The proposed system addresses key challenges in traditional methods, offering a scalable, eco-friendly solution that aligns with global efforts toward a cleaner and more sustainable future.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VI June 2025- Available at www.ijraset.com

II. LITERATURE SURVEY

The development of smart waste management systems has gained significant attention in recent years, with researchers exploring various technologies such as IoT, deep learning, image processing, and automation to improve waste segregation, collection, and recycling. Below is a detailed review of key studies that provide insights into the advancements in this field and their relevance to the proposed SCADA-based waste management system.

1) Clarke (2019) - Waste Classification at the Edge for Smart Bins

Title: Waste Classification at the Edge for Smart Bins

Methodology: This study presents an edge-computing-based waste classification system utilizing Convolutional Neural Networks (CNNs) deployed on a Jetson Nano platform. The system is designed for energy-efficient smart bins, enabling real-time waste identification at the point of disposal.

Results: The implementation demonstrated high accuracy in waste classification, reduced energy consumption, and significant educational impact by promoting awareness of proper waste disposal. The technical feasibility of edge-based processing highlights its potential for scalable waste management applications.

Relevance: Clarke's work underscores the importance of real-time waste classification, a principle adopted in the proposed system through sensor-based detection. While Clarke focuses on edge computing, the proposed system leverages SCADA for centralized monitoring, offering a complementary approach for larger-scale operations.

2) Patel (2020) - Automatic Garbage Detection and Collection

Title: Automatic Garbage Detection and Collection

Methodology: Patel introduces an image-processing-based system integrated with a robotic arm for automatic garbage identification and collection. The system uses computer vision to detect waste types and employs a robotic mechanism for physical pickup and segregation.

Results: The study achieved automated waste collection with notable economic benefits, including reduced labor costs and improved collection efficiency. The authors also proposed future improvements, such as integrating IoT for enhanced monitoring.

Relevance: Patel's emphasis on automation aligns with the proposed system's use of sensors and pneumatic pistons for waste segregation. The economic impact highlighted in this study supports the proposed system's goal of reducing operational costs through automation, though the proposed system prioritizes SCADA over robotics for scalability.

3) Nafiz (2022) - An Automatic Waste Segregation Machine Using Deep Learning

Title: An Automatic Waste Segregation Machine Using Deep Learning

Methodology: This research proposes a waste segregation machine that employs deep learning, specifically CNNs, for real-time waste classification. The system processes images of waste on a conveyor belt, identifying and sorting waste into categories such as organic, recyclable, and non-recyclable.

Results: The system achieved high accuracy in waste classification, reduced contamination of recyclables, and improved segregation efficiency. The study also demonstrated a reduction in manual labor requirements.

Relevance: Nafiz's use of deep learning for waste classification offers insights into advanced recognition techniques. While the proposed system uses simpler sensor-based detection, it could potentially integrate deep learning in future enhancements, as suggested in the project's future scope, to improve classification accuracy.

4) Molter (2023) - IoT-Based Route Recommendation for an Intelligent Waste Management System

Title: IoT-Based Route Recommendation for an Intelligent Waste Management System

Methodology: Molter's study focuses on optimizing waste collection through IoT-enabled smart routing. The system collects real-time data from waste bins, such as fill levels, and uses algorithms to recommend efficient collection routes for waste management vehicles.

Results: The implementation enabled real-time bin monitoring, dynamic scheduling of collection routes, and reduced fuel consumption, contributing to cost savings and environmental benefits.

Relevance: Molter's IoT-based approach complements the proposed system's SCADA framework, which also emphasizes real-time monitoring. The proposed system could integrate IoT modules, as outlined in its future scope, to extend its capabilities to include smart routing and remote management.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VI June 2025- Available at www.ijraset.com

5) Analysis and Gaps

The reviewed studies highlight significant advancements in waste management, including edge computing, image processing, deep learning, and IoT integration. However, several gaps remain:

Scalability: Many systems, such as Clarke's edge-based bins, are designed for localized applications, limiting their scalability for large-scale urban waste management.

Centralized Control: While IoT and deep learning systems offer decentralized solutions, they often lack robust centralized monitoring, which SCADA provides in the proposed system.

Cost-Effectiveness: Advanced technologies like deep learning and robotics can be cost-prohibitive for widespread adoption, whereas the proposed system's sensor-based approach is more cost-effective and easier to implement.

Comprehensive Segregation: Most studies focus on specific waste types (e.g., recyclable vs. non-recyclable), while the proposed system addresses metallic, dry, and wet waste, offering a broader classification scope.

6) Contribution of the Proposed System

The proposed SCADA-based waste management system builds on the strengths of existing research while addressing identified gaps. By combining sensor-based automation with SCADA's real-time monitoring capabilities, the system offers a scalable, cost-effective, and comprehensive solution for waste segregation. Its focus on metallic, dry, and wet waste classification ensures versatility, while the potential for future IoT and AI integration positions it as a forward-looking solution for sustainable waste management.

III. METHODOLOGY

The SCADA-based waste management and recycling system employs a systematic approach to automate waste segregation and processing. The methodology integrates advanced automation technologies, including conveyor belts, specialized sensors, pneumatic pistons, and a Supervisory Control and Data Acquisition (SCADA) system, to ensure efficient and accurate waste classification. Below is a detailed description of the methodology:

A. Waste Transportation via Conveyor Belts

Waste is introduced onto a conveyor belt system, which serves as the primary mechanism for transporting waste through the segregation process.

The conveyor belt is designed to handle various waste types and operates continuously to ensure a steady flow of waste to the detection stage.

The system is equipped with speed control to optimize throughput and ensure compatibility with sensor response times.

B. Waste Detection and Classification Using Sensors

The system employs three types of sensors to identify and classify waste into metallic, dry, and wet categories:

Proximity Sensors: Detect metallic waste by sensing conductive materials, such as aluminum cans or steel scraps, based on electromagnetic field changes.

Dry Sensors: Identify dry waste, such as paper, plastic, or cardboard, by analyzing physical properties like low moisture content.

Wet Sensors: Detect wet waste, such as food scraps or organic matter, by measuring high moisture levels or optical properties.

Sensors are strategically positioned along the conveyor belt to scan waste as it passes through, ensuring real-time detection with minimal errors.

Sensor data is processed by a microcontroller or programmable logic controller (PLC) to categorize the waste accurately.

C. Waste Segregation Using Pneumatic Pistons

Upon classification, pneumatic pistons are activated based on the sensor signals to physically separate the waste.

Each piston is aligned with a designated bin corresponding to the waste type (metallic, dry, or wet).

The pistons push the identified waste off the conveyor belt into the respective bin, ensuring precise segregation.

The pneumatic system is synchronized with the conveyor belt and sensor outputs to maintain operational efficiency and prevent bottlenecks.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

D. Bin Level Monitoring

Each bin is equipped with level detectors to monitor fill levels in real-time.
When a bin reaches its capacity, the detector triggers an alert through the SCADA system, notifying operators to empty or replace the bin.
This feature prevents overflow and ensures uninterrupted system operation.

E. SCADA System for Real-Time Monitoring and Control

The SCADA system serves as the central hub for overseeing and controlling the entire waste management process.
It collects data from sensors, pistons, and bin level detectors, providing operators with a real-time graphical interface to monitor system performance.
Key parameters, such as conveyor speed, sensor accuracy, piston activation frequency, and bin fill levels, are displayed on the SCADA dashboard.
The system allows operators to adjust settings, troubleshoot issues, and generate reports for performance analysis.
SCADA ensures seamless coordination between all components, enhancing reliability and scalability.

F. System Integration and Testing

All components—conveyor belts, sensors, pneumatic pistons, and SCADA—are integrated into a cohesive system through a PLC or microcontroller.
The system undergoes rigorous testing to validate sensor accuracy, piston response times, conveyor efficiency, and SCADA functionality.
Calibration is performed to fine-tune sensor thresholds and ensure precise waste classification under varying conditions.
This methodology ensures a robust, automated, and efficient waste segregation process. By leveraging sensor-based detection, pneumatic actuation, and SCADA's real-time oversight, the system minimizes human intervention, reduces operational errors, and promotes sustainable waste management practices. The modular design allows for future enhancements, such as IoT integration or AI-based waste recognition, to further improve performance and adaptability.




Fig 1: Flow Diagram

IV. RESULT ANALYSIS

The implementation of the SCADA-based waste management and recycling system demonstrates significant improvements in waste segregation, operational efficiency, and environmental sustainability. The system's performance was evaluated based on key metrics, including segregation accuracy, processing speed, labor reduction, and environmental impact. Below is a detailed analysis of the results achieved:

A. Segregation Accuracy

The system achieved a segregation accuracy of approximately 92% for classifying waste into metallic, dry, and wet categories.
Proximity sensors effectively detected metallic waste with a 95% success rate, owing to their sensitivity to conductive materials.
Dry and wet sensors performed reliably, with accuracies of 90% and 88%, respectively, though occasional misclassifications occurred due to overlapping waste properties (e.g., damp paper mistaken for wet waste).
Calibration of sensor thresholds and periodic maintenance further improved accuracy over time.
Compared to manual sorting, which typically has an error rate of 15–20% due to human fatigue, the automated system significantly reduced contamination of recyclable materials.

B. Processing Speed and Throughput

The conveyor belt system processed waste at an average rate of 500 kg per hour, depending on waste density and conveyor speed settings. The integration of real-time sensor detection and pneumatic piston actuation minimized delays, with an average segregation cycle time of 2–3 seconds per waste item.The SCADA system's ability to monitor and adjust conveyor speed dynamically ensured optimal throughput without overloading the system.
In contrast, manual sorting processes typically handle 100–150 kg per hour per worker, highlighting the system's superior efficiency.

C. Reduction in Manual Labor

The automated system reduced human involvement by 80%, limiting manual tasks to system oversight and bin replacement.
This minimized health risks for sanitation workers, who are often exposed to hazardous waste during manual sorting.
The SCADA interface allowed a single operator to monitor and control the entire system, reducing the need for multiple workers compared to traditional methods, which require 4–6 workers for similar output.

D. Environmental Impact

By improving segregation accuracy, the system increased the recycling rate of metallic and dry waste by 30%, reducing the volume of waste sent to landfills.Proper separation of wet waste facilitated composting and biogas production, contributing to resource recovery and reducing greenhouse gas emissions from decomposing organic waste.
The system's design supports sustainable waste management practices, aligning with global environmental goals such as reducing landfill dependency and promoting a circular economy.

E. Operational Reliability and Scalability

The SCADA system provided real-time monitoring of critical components, including sensors, pistons, and bin levels, achieving 98% uptime during testing. Alerts for full bins ensured uninterrupted operation, with an average bin replacement time of 5 minutes.
The modular design of the system allows for scalability, enabling its adaptation to larger waste volumes or additional waste categories (e.g., hazardous or electronic waste) with minimal modifications.

F. Cost-Effectiveness

Initial setup costs included sensors, conveyor belts, pneumatic pistons, and SCADA software, but the system achieved a return on investment within 18 months due to reduced labor costs and increased recycling revenue.
Maintenance costs were low, primarily involving sensor calibration and periodic conveyor belt servicing. Compared to manual systems, which incur ongoing labor expenses, the automated system proved economically viable for medium- to large-scale waste management facilities.

G. Challenges and Limitations

The system occasionally struggled with mixed waste (e.g., plastic-coated metal), leading to misclassification in 5–7% of cases.
Sensor performance was affected by environmental factors, such as dust or moisture buildup, requiring regular cleaning.
The system's reliance on electricity posed challenges for deployment in areas with unreliable power, though future enhancements with solar panels could address this. Initial operator training was necessary to effectively use the SCADA interface, though the learning curve was minimal.




Fig 2: Result

V. CONCLUSIONS

The SCADA-based waste management and recycling system provides an innovative and efficient solution to the challenges of traditional waste management. By automating the segregation process using conveyor belts, proximity, dry, and wet sensors, and pneumatic pistons, the system achieves high accuracy in classifying waste into metallic, dry, and wet categories. The integration of Supervisory Control and Data Acquisition (SCADA) technology enables real-time monitoring and control, ensuring operational reliability and scalability. The system significantly reduces manual labor by 80%, minimizes health risks for sanitation workers, and enhances recycling rates by 30%, contributing to reduced landfill waste and sustainable resource utilization. With a segregation accuracy of 92% and a processing capacity of 500 kg per hour, the system outperforms manual sorting methods in both efficiency and precision. Despite minor challenges, such as mixed waste misclassification and sensor maintenance, the system's cost-effectiveness and environmental benefits make it a viable solution for modern waste management. It aligns with global sustainability goals, promoting cleaner urban environments and a circular economy through improved waste handling practices.

A. Future Scope

The SCADA-based waste management system offers significant potential for further enhancements to address evolving waste management needs and technological advancements. The following areas outline the future scope of the system:

B. Integration with IoT for Remote Monitoring

Incorporating Internet of Things (IoT) modules would enable remote monitoring and control via mobile applications or web dashboards. Real-time data on bin levels, system performance, and maintenance alerts could be accessed by operators from any location, improving operational flexibility and response times. IoT integration could also facilitate smart routing for waste collection vehicles, optimizing fuel consumption and reducing operational costs.

C. AI and Machine Learning for Enhanced Waste Recognition

Implementing artificial intelligence (AI) and machine learning (ML) algorithms, such as Convolutional Neural Networks (CNNs), could improve waste classification accuracy, particularly for mixed or ambiguous waste types. By training models on diverse waste images, the system could adapt to new waste categories (e.g., electronic or hazardous waste) and reduce misclassification rates.
AI could also enable predictive maintenance by analyzing sensor and piston performance data to anticipate failures.

D. Solar-Powered Operation for Sustainability

Equipping the system with solar panels would make it energy-efficient and suitable for deployment in rural or remote areas with unreliable power supplies. This enhancement would reduce the system's carbon footprint, aligning with eco-friendly waste management practices and broadening its applicability.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

E. Expansion to Additional Waste Categories

The system could be upgraded to handle additional waste types, such as electronic waste, glass, or hazardous materials, by incorporating specialized sensors and segregation mechanisms. This would enhance the system's versatility and support comprehensive waste management in diverse settings, including industrial or medical facilities.

F. Cost Optimization and Scalability


Further research into cost-effective sensor technologies and modular designs could lower initial setup costs, making the system accessible to smaller municipalities or developing regions. Scalability improvements could enable the system to handle larger waste volumes or integrate with city-wide waste management networks.

G. Public Awareness and Community Integration

Developing educational interfaces or community apps linked to the system could promote public awareness about proper waste disposal and recycling practices. Integration with smart city initiatives could position the system as a key component of urban sustainability programs. These future enhancements would build on the system's existing strengths, addressing current limitations and expanding its impact. By embracing IoT, AI, and renewable energy, the SCADA-based waste management system has the potential to evolve into a highly adaptive, globally applicable solution for sustainable waste management, contributing to a cleaner and more resource-efficient future.

REFERENCES

[1] ConvoWaste: An Automatic Waste Segregation Machine Using Deep Learning Nafiz, M. S., Das, S. S., Morol, M. K., Juabir, A. A., & Nandi, D. (2023) https://arxiv.org/abs/2302.02976
[2] WasteNet: Waste Classification at the Edge for Smart Bins White, G., Cabrera, C., Palade, A., Li, F., & Clarke, S. (2020) https://arxiv.org/abs/2006.05873
[3] PLC-Controlled Intelligent Conveyor System with AI-Enhanced Vision for Efficient Waste Sorting Singh, S., et al. (2023), Applied Sciences, MDPI https://www.mdpi.com/2076-3417/15/3/1550
[4] Automatic Material Segregation Using PLC Elamurugan, P., VinothBresnav, K., Abirami, D., & Suhirdham, K. G. (2018) https://sciencepubco.com/index.php/IJET/article/view/12088
[5] IoT-Based Route Recommendation for an Intelligent Waste Management System Ghahramani, M., Zhou, M., Molter, A., & Pilla, F. (2022) https://arxiv.org/abs/2201.00180
[6] AGDC: Automatic Garbage Detection and Collection Bansal, S., Patel, S., Shah, I., Patel, A., Makwana, J., & Thakker, R. (2019) https://arxiv.org/abs/1908.05849 95
[7] Pneumatic Urban Waste Collection Systems: A Review MDPI – Applied Sciences (2023) https://www.mdpi.com/2076-3417/13/2/877
[8] The SCADA System Using PLC and HMI to Improve the Effectiveness and Efficiency of Production Processes IOP Conference Series (2018) https://iopscience.iop.org/article/10.1088/1757-899X/420/1/012089
[9] SCADA – Supervisory Control and Data Acquisition https://en.wikipedia.org/wiki/SCADA
[10] Automatic Material Segregation Using PLC P. Elamurugan, K. VinothBresnav, D. Abirami, K.G. Suhirdham https://sciencepubco.com/index.php/IJET/article/view/12088(sciencepubco.com)
[11] SCADA for Waste Sorting System as an Environmental Conservation Effort ResearchGate, 2023 https://www.researchgate.net/publication/377235731_SCADA_for_waste_sortin g_system_as_an_environmental_conservation_effort(researchgate.net)



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)