INTERNATIONAL JOURNAL
FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Scheduling and Management of Sand Excavation Quarry

Mr. Vipin Gajanan Peddulwar[1], Dr. A. B. Ranit[2]

[1]PG student, Department of Civil Engineering, Prof Ram Meghe College of Engineering and Management, Badnera
[2]Assistant Professor, Department of Civil Engineering, Prof Ram Meghe College of Engineering and Management, Badnera

Abstract: With an emphasis on scheduling tactics and operational effectiveness, this study explores the crucial area of sand excavation quarry management. This study provides useful insights for the optimization of sand quarry operations by a thorough investigation of scheduling strategies, resource allocation practices, and management approaches specifically designed for the complex dynamics of quarry excavation.
The study highlights how important PRIMAVERA software is as a reliable scheduling solution that is especially well-suited to deal with the difficulties that come with sand excavation projects. The study emphasizes that promoting sustainability and efficacy in sand quarry operations requires a well-designed and optimized scheduling system in addition to good management practices. Beyond its immediate purview, this study highlights the wider implications of sand excavation for sustainable resource management strategies while also making a valuable contribution to the area of sand excavation. Additionally, the study demonstrates the sophisticated functionalities and intuitive user interface of PRIMAVERA software, demonstrating its capacity to enable project managers in the meticulous planning and coordination of excavation operations. The software's ability to manage intricate scheduling tasks, in conjunction with real-time tracking and critical route analysis, is crucial for optimizing project schedules and guaranteeing effective resource distribution.
Keywords: schedule performance, construction schedules, automation, optimization tools, integrated approach, adaptable project management.

I. INTRODUCTION

Systematic procedures are urgently needed to ensure responsible and sustainable operations in light of the complexities and difficulties involved in sand extraction. This entails creating all-encompassing plans that incorporate geological evaluations, cutting-edge technology, and environmental regulations. Striking a balance between the needs of the building sector and protecting the environment requires a comprehensive approach.

Essentially, the background underlines the importance of sand in building, the difficulties involved in extracting it, and the need for methodical and sustainable solutions to the problems this essential business faces. Deeper exploration of these complications is the goal of the next dissertation, which will provide answers and ideas for efficient planning and administration of sand mining in quarries.

A. Sand Excavation in India: A Scenario of Contrasts

When it comes to sand excavation, India—a country with enormous landscapes and a wide variety of resources—faces a challenging situation. Sand, on the one hand, is an essential resource that drives the nation's rapidly expanding infrastructure and building sectors. However, the careless extraction of it presents significant environmental and societal issues.

The Demand Boom: India's ambitious infrastructure projects and quick urbanization are fueling the country's building boom. Sand demand has skyrocketed as a result; it is projected to be approximately 5.5 billion tons per year. Sand excavation is the main method used to meet this demand from:

1) *Riverbeds:* Historically, India's main supply of sand has come from its rivers. However, over-exploitation has damaged ecosystems, eroded riverbeds, and put the livelihoods of communities that depend on the rivers in jeopardy.
2) *Quarries:* Sand is additionally taken out of quarries that are situated on land. Although this may not have as much of an impact on river ecosystems, it still poses issues with dust pollution, damage to the environment, and groundwater depletion.
3) *Illegal Mining:* Sand extraction in India is regrettably carried out in large part illegally, frequently by sand mafias operating outside of laws governing the environment or obtaining permits. More environmental harm and societal unrest result from this.

II. LITERATURE REVIEW

By connecting the network activities of a project schedule with the three-dimensional (3D) components of a building information model (BIM), numerous researchers and construction practitioners have created four-dimensional (4D) models. With the exception of the 3D components, the BIM offers little information in such a 4D model. This study suggests an interface system that uses the BIM's capacity for quantity takeoffs of necessary materials (such as steel, forms, and concrete) to support site-level operations simulation, ultimately leading to the generation of a project schedule (Wei-Chih Wang et al 2014) [1].

Large-scale biogas plant construction projects require a complex web of interdependent tasks that must be coordinated over a wide range of timeframes. As a result, the critical path method (CPM) is used in this study to analyze the application of planning and scheduling for the construction of biogas plants. The findings showed that, if there are no delays, building a 50 m3 biogas plant with a fixed dome in Iran could be finished in a minimum of 38 weeks. Additionally, a project network is suggested to illustrate the connections between the tasks and track the project's advancement (Samira Zareei 2018) [2].

According to the study, AR works well for worker training, progress tracking, scheduling construction projects, safety management, time and cost management, and quality and defect management. Virtual reality (VR) is a useful tool for quality and defect management, worker training, safety, and visualization. Furthermore, a network that enables the option of holding conferences with people who are physically separated from one another or the building site is developed using AR and VR. This study could aid in investigating the possible applications of AR and VR technologies as profitable, time- and money-saving aids in the construction sector (Shakil Ahmed, et al 2018) [3].

In this article, "structurally stable sequencing" refers to the erection sequencing order in which the structure maintains statically stable conditions both locally and globally throughout the installation process. The authors created 21 distinct experiments and applied the suggested technique to create stable construction schedules in order to validate the methodology. Each experiment was completed satisfactorily. As a result, this methodology suggests a novel way to use the GA as an Expert System tool in building projects (Vahid Faghihi et al 2014) [4].

The simulation-based auction protocol (SBAP), a hybrid framework developed by the authors, enables efficient resource allocation in large-scale projects. The SBAP framework is used in this study to satisfy a number of constraints and allocate resources (such as space and a skilled crew) in an efficient manner. This system gathers information from an extensive database, executes the simulation model in the background, and provides a range of graphical outputs to help project managers and superintendents make important project choices. The created system may also efficiently level resources, schedule fast-track modular construction projects with minimum data, and schedule resources (e.g., space, staff) depending on different shifts and calendars. This paper's case study illustrates the possibilities of the system that was built for organizing module assembly yards (Hosein Taghaddos et al 2012) [5].

The construction and site management, cost and schedule management, risk analysis and management, innovation and information technology use, and leadership and professional development subareas were found to have a large number of theory-based findings published in them. Particularly in developing nations without a research culture, the subfields of organization and stakeholder management, project planning and procurement, and project monitoring and control continue to be potential areas for future study. Future global collaboration can further advance megaproject research by using institutional theory and complexity theory as the theoretical underpinning in these subareas (Kim, S., et al 2020) [6].

A genetic algorithm has been utilized for the optimization process because of the multitude of options available for the execution of the activity. Multiple test scenarios were used to test the algorithm, and the outcomes were compared to those produced by Microsoft Project. The assessment reveals that the suggested algorithm is capable of producing sufficient and well-rounded answers about the three goals, and that these answers surpass those offered by for-profit project scheduling software (Sofia Kaiafa, et al 2015) [7].

III. METHODOLOGY

PRIMAVERA's critical path analysis is used to determine the order of tasks that establishes the project's overall schedule. Project managers may make sure that the project moves forward smoothly and meets production goals within predetermined timeframes by optimizing resource allocation and streamlining work sequences. This is achieved through a thorough grasp of the critical path.

A. Allocating and Optimizing Resources

PRIMAVERA resource allocation and optimization methodologies are integrated by the methodology. This involves allocating workers, equipment, and supplies to various activities effectively in accordance with their dependencies and availability. Resource optimization makes ensuring the quarry runs as efficiently as possible, cutting down on downtime and increasing output.

Step by step process in PRIMAVERA softare

1) *Open Primavera P6*
- Launch the Primavera P6 software on your computer.


Figure 1:Launching of PRIMAVERA

2) *Log In or Create a New Database*
- Log in to an existing database or create a new one if this is your first project.

3) *Create a New Project*
- Click on the "Projects" tab to access the Project Management module.
- Click on the "EPS" (Enterprise Project Structure) tab to create a new project.
- Right-click in the EPS area and select "Add" to add a new project.

Figure 2: New Project Creation

4) *Define Project Details*

- Enter basic project details, including the project name, ID, description, and other relevant information.

Figure 3: Project details window

5) *Define Project Codes*

- Assign project codes if your organization uses coding structures for projects. These codes help categorize and organize projects for reporting purposes.

6) *Set Project Defaults*

- Navigate to the "Defaults" tab to set default values for your project, such as the calendar, currency, and other project-specific settings.

Figure 4:Set-up of calender

7) *Define Work Breakdown Structure (WBS)*

- Go to the "WBS" tab to create the Work Breakdown Structure.
- Add phases, milestones, and activities to represent the hierarchical structure of your project.

Figure 5:Creation of WBS

8) *Add Activities*

- Switch to the "Activities" tab to add detailed tasks or activities under each WBS element.
- Enter activity names, durations, and dependencies.

Figure 6:Activity creation window

9) *Define Relationships*

• Establish relationships between activities to define the sequence in which they should be performed. Common relationships include Finish-to-Start (FS) and Start-to-Start (SS).

Figure 7:Relationship between the activities

10) *Assign Resources*

• Assign resources (human, equipment, or materials) to activities to represent who or what is responsible for completing each task.

Figure 8: Resources Assignment for the activities

11) *Set Constraints and Deadlines*

• If necessary, set constraints or deadlines for specific activities to control their start or finish dates.

12) *Review and Analyze the Schedule*
- Use the scheduling tools in Primavera to review and analyze your project schedule. Check for any inconsistencies or issues.

Figure 9: Scheduling process of the project

13) *Baseline the Project*
- Once you are satisfied with the schedule, baseline the project. This creates a snapshot of the schedule that can be used for comparison later.


Figure 10: Assigning Baselines to the project

IV. RESULTS & DISCUSSIONS

For the purpose of maximizing resource usage, reducing project timeframes, and guaranteeing the general performance of quarry operations, the effective scheduling of sand extraction operations is essential. To achieve these goals, the incorporation of advanced project management systems is essential. This section explores the findings and conversations arising from the use of PRIMAVERA software for scheduling sand extraction. The following outcomes were attained:

Figure 11: Activities of the project

A thorough overview of the project operations within Primavera software is provided by the visual representation in the attached image. Every task is well-defined and includes all pertinent information, including length, start and end times. Project managers and other stakeholders may quickly and easily evaluate the sequencing and timing of activities thanks to this clear and well-organized display of the project's scheduling data.

Figure 12:Bar Graph of the Project

The attached bar graph shows how the project is progressing using the Primavera software and shows how different tasks are related to one another. Every bar signifies a distinct task or activity, and the arrangement of these bars mirrors their temporal order and interdependencies. Understanding the project's timetable and critical path is made easier by the graphic representation.

Figure 13: Activity network of the project

The project schedule as seen in Primavera software is represented by the activity network in the illustration. The graphical depiction in this results view offers a concise synopsis of the project's tasks, their order, and their interdependencies. A job or milestone is represented by each node, and the arrows show the logical connections between them.


Figure 14: Resource Usage Spreadsheet

The resource consumption spreadsheet, as seen in the accompanying graph, provides a thorough analysis of how resources are used for every project activity. The PRIMAVERA program generates this data, which provides a thorough overview of how resources are distributed among different project activities.

V. CONCLUSIONS

As the last section of our examination into the "Scheduling and Management of Excavation of Sand from Quarry," this final chapter provides a thoughtful summary of the most important conclusions, revelations, and results from our thorough study. We explored the complex dynamics of planning and overseeing excavation operations within the framework of sand quarry operations during this research. Thus, this final chapter summarizes the main findings of our research and sets the stage for a significant synthesis of the literature and practical suggestions on the management of sand quarries.

The conclusions are as follows:

1) The powerful scheduling tool known as PRIMAVERA software is especially well-suited to the intricate details of sand excavation projects. The sophisticated functionalities and intuitive interface enable project managers to meticulously arrange and schedule excavation operations.

2) It is clear that the key to sustainable and efficient sand quarry operations is a well-organized and optimized scheduling framework along with good management practices.

3) By carefully analyzing scheduling techniques, resource distribution policies, and management strategies adapted to the particularities of quarry excavation.

4) In the bigger picture, this study emphasizes the wider implications for sustainable resource management in addition to offering new perspectives to the field of sand excavation.

5) In addition, our study emphasizes how crucial technological integration is to contemporary quarry management, especially when it comes to scheduling and excavation.

6) In order to maximize operational efficiency, the local industry must use this technology. The key to improving overall operational effectiveness in the local region and optimizing process efficiency is the implementation of technologies such as PRIMAVERA software.

REFERENCES

[1] Wang, W. C., Weng, S. W., Wang, S. H., & Chen, C. Y. (2014). Integrating building information models with construction process simulations for project scheduling support. Automation in construction, 37, 68-80.

[2] Zareei, S. (2018). Project scheduling for constructing biogas plant using critical path method. Renewable and Sustainable Energy Reviews, 81, 756-759.

[3] Ahmed, S. (2018). A review on using opportunities of augmented reality and virtual reality in construction project management. Organization, technology & management in construction: an international journal, 10(1), 1839-1852.

[4] Faghihi, V., Reinschmidt, K. F., & Kang, J. H. (2014). Construction scheduling using genetic algorithm based on building information model. Expert Systems with Applications, 41(16), 7565-7578.

[5] Taghaddos, H., Hermann, U., AbouRizk, S., & Mohamed, Y. (2014). Simulation-based multiagent approach for scheduling modular construction. Journal of Computing in Civil Engineering, 28(2), 263-274.

[6] Kim, S., Chang, S., & Castro-Lacouture, D. (2020). Dynamic modeling for analyzing impacts of skilled labor shortage on construction project management. Journal of Management in Engineering, 36(1), 04019035.

[7] Kaiafa, S., & Chassiakos, A. P. (2015). A genetic algorithm for optimal resource-driven project scheduling. Procedia Engineering, 123, 260-267.

[8] Agyei, W. (2015). Project planning and scheduling using PERT and CPM techniques with linear programming: case study. International journal of scientific & technology research, 4(8), 222-227.

[9] Lotfi, R., Yadegari, Z., Hosseini, S., Khameneh, A., Tirkolaee, E., & Weber, G. E. R. H. A. R. D. (2022). A robust time-cost-quality-energy-environment trade-off with resource-constrained in project management: A case study for a bridge construction project. Journal of Industrial and Management Optimization, 18(1).

[10] Hu, Y., Chan, A. P., Le, Y., & Jin, R. Z. (2015). From construction megaproject management to complex project management: Bibliographic analysis. Journal of management in engineering, 31(4), 04014052.

[11] Heigermoser, D., de Soto, B. G., Abbott, E. L. S., & Chua, D. K. H. (2019). BIM-based Last Planner System tool for improving construction project management. Automation in Construction, 104, 246-254.

INTERNATIONAL JOURNAL
FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 ◎ (24*7 Support on Whatsapp)