



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: III Month of publication: March 2023 DOI: https://doi.org/10.22214/ijraset.2023.49738

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Seismic Behaviour PSC Box Girder and PSC Precast I Girder Bridge

Narendra Singh¹, Dr. Savita Maru²

¹M.E. Student, ²Professer, Department of Civil Engineering, Ujjain Engineering Collage, Ujjain (M.P.), India

Abstract: Bridge is the structure that provide passage over an obstacle. The prestressed concrete bridges have excellent riding characteristics that minimize traffic vibrations, torsional rigidity, less likely to crack prematurely continuous span, strength and the most noteworthy characteristic is natural frequency of vibration hardly matches with vehicle frequency therefore attained spacious acceptance in freeway, highway flyovers, and in modern metro rail systems.

As bridges are the important structures should be capable to withstand static as well as dynamic loads specially, earthquakeinduced load to achieve a structure that behave at the level of life safety under enormous earthquakes.

There are different types of bridge structure base on material & geometric parameters, from which prestress concrete precast I girder bridge and box girder bridge are widely used for medium to long span rang. Box girder bridge are the bridge where the main beam consists of girder in hollow shape, where as in I girder bridge main beam consist of I-shape girder are used as main girder beam.

In this research article study about dynamic analysis of PSC precast I-girder bridge and PSC box girder bridge for different parametric variation and different span range have been studied. Response spectrum analysis has been performed by using FEM based software. The parameters are geometric parameters, span range, bending moment, shear force, displacement, base shear, base moment, time period, natural frequency, and method of analysis based on different codes. On the above parameters base reaction, base moment, time period, natural frequency, absolute displacement and girder forces of bridge is essential and major concern for the analysis of bridge structure.

Keywords: Box girder, Prestressed concrete, PSC I girder, CSI Bridge.

I. INTRODUCTION

Bridges are the structure that provide passage over an obstacle. There are different types of bridge structure base on material & geometric parameters, from which prestress concrete I girder bridge and box girder bridge are widely used for medium to long span rang. Analysis of box girder and PSC I girder in a systematic manner is very necessary in the present condition. So far there are many journals published on analysis of box girder & PSC I girder on different aspects. There are papers published on parametric study, & performance analysis alone. In this research, analysis of box girder & PSC I girder bridge is carried down in a systematic manner. finally, a Response spectrum for various span has done. Box girders are known for their structural efficiency. Major addons of using box girders are that they have high stability, high aesthetic beauty, high serviceability and better economy in construction. Analysis of box girders is complex due to bending, torsion and distortion in both transverse and longitudinal direction. Box girders can be classified under different basis such as shape, use, method of construction.

The present study focus on comparative analysis of PSC I girder bridge and PSC box girder bridge for different span range. Response spectrum analysis have been used as per IS 1893:2016 & IRC 112:2011 for earthquake zone V and soil type II. Loading condition are based on IRC 6:2016. IRC class A and IRC class AA wheel vehicle have been used.

A. Prestress Precast I Girder Bridge

Girder is a term used in construction to refer to a supporting, horizontal beam that can be made from a variety of construction materials such as stainless steel, concrete, or a combination of these materials. A girder bridge is a basic, common type of bridge where the bridge deck is built on top of such supporting beams, that have in turn been placed on piers and abutments that support the span of the bridge. The types of beams used for girder bridges are usually either I beam girders or T beam girder, so called because their shape is reminiscent of a capital Roman letter I or T respectively. The precast prestressed concrete girders of I-type section are frequently employed to design the short-to-medium span bridges. However, its beam depth is greatly increased as its span length is increased over about 30 m. Therefore, the economic and aesthetic effectiveness is rapidly decreased in the case of the span length over 30 m.



B. Prestress Concrete Box Girder Bridge

A Box Girder Bridge is a Bridge in which the primary Beam involve girder in the shape of an hollow box. The box girder typically involves either prestressed concrete, structural steel, or a composite of steel and reinforced cement. The box is ordinarily rectangular or trapezoidal in cross-area. Box Girder Bridge is generally utilized for highway flyovers and for present day elevated structures of light rail transport. Although regularly the crate box girder bridge is a type of beam bridge, box girder may likewise be utilized on cable stayed bridges and different structures.

II. MODELLING AND ANALYSIS

As per Indian standard, the prestress concrete precast I girder bridge and prestress concrete box girder bridge are analyzed. Static and dynamic analysis has performed. In static analysis dead load and live analysis has perform as per IRC 6:2016 whereas in dynamic analysis response spectrum analysis has performed as per IS 1893 (part 3) for earthquake zone 5the and soil condition as type II. Three span bridge are considered where as having span length as 30 m, 40 m, & 50 m. in dead load analysis self-weight of structure and superimposed dead load of the structure is considered, whereas in Live load analysis IRC class A & IRC class AA vehicle (as per IRC 6:2016) is considered. The design parameter are consider as per IRC 112:2011, & IRC 18 specifications. The analysis of post tensioned box girder bridge and precast I girder bridge is done using CSI bridge 2021 software and prestressed with parabolic tendons. The Freyssinet system of post tensioning anchorages is selected for the present study.

Table T Geometric Taranteler				
SPECIFICATION	PSC BOX GIRDER BRIDGE/ I GIRDER BRIDGE			
Span	30 M, 40	30 M, 40M, 50M,		
No. of span	3	3		
Width of deck section	10.4	10.4 M.		
Depth of deck section	21	2 M.		
Width of carriageway	7 M.			
Center line offset	1.875 M.			
Width of barrier	0.2 M.			
Width of footpath	1.25			
Span /depth ratio	15			
No. of overhang	2			
No. of interior girder	2			
Precast girder type	ASSTHO type VI			
Diaphragm	Depth	1.8 m.		
	Thickness	0.3 m.		
Bent	Width	1.2 m.		
	Depth	15 m.		
Abutment	Width 1.2 m.			
	depth	1.5 m.		
Pier	Pier Dimeter 1.2			

Table 1 Geometric Parameter

Table 2 Material Property (Concrete)

Grade of concrete	M 40for super structure & M25 for substructure
Unit weight of concrete ¥c	25 (KN/m ³)
modules of elasticity Ec	31622.78(MPa)
Poisons ratio (U)	0.2
Coefficient of thermal expansion	5.50X10 ⁻⁶
Shear modules of elasticity G (MPa)	13176.157 (MPa)



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue III Mar 2023- Available at www.ijraset.com

Table 3 Material Property (Steel Rebar)

Uncoated stress relived strand
$1.965 \times 10^5 (\text{MPa})$
1.170x10 ⁻⁵ /°C
1861.54 (MPa)
1689.90 (MPa)
15.2mm 7-ply strand
140 mm^2
221.5 KN
260.7 KN

Table 4 Primary Load Case

Dead load	Automatic taken by CSI bridge software
Barrier load	3KN/m
Pedestrian live load	5KN/m ²
Dead load due to wearing coarse	1.75KN/m ²
Vehicle live load	IRC CLASS AA & IRC CLASS A WHEEL VEHICAL
	as per IRC 6:2016

Table 5 Seismic Properties

Seismic Zone	V		
Zone Factor (Z)	0.36		
Response Reduction Factor (R)	2.5		
Importance Factor (I)	1.2		
Soil Type	Π		
Damping Ratio	0.05		
Analysis Software - CSI Bridge 2021			





Fig 1 3D View of Prestress Concrete Box Girder Bridge



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue III Mar 2023- Available at www.ijraset.com

0

×



Fig.3 Vehicle Live Load Movement



Fig.4 Bending Moment Diagram Due to Vehicle Live Load

III. RESULT AND DISCUSSION

Prestress concrete BOX girder bridge & prestress precast I girder bridge are analyzed by static and dynamic analysis method conducted for different six model using CSI Bridge 2021. The results are obtained after analysis, which has been discussed in this chapter. By static and dynamic analysis of seismic load are being carried out in accordance with Indian Codes. The result of time period, frequency and Base shear are compared in Modal Analysis. Also, in static analysis bridge object girder forces as bending moment, shear forces and girder displacement are compared for 30 m., 40m and 50 m span.

A. Model Analysis

The modal participation time period of six models is compared in figure in 4.1. & 4.2 The model time period of box girder for 30meter span is 1.09 sec. it has been increases to 1.254 for 40m. span MODAL and 1.399 for 50 m span bridge, whereas model time period for precast I girder bridge model for 30-meter span is 1.09 sec. it has been increases to 1.254 for 40m. span MODAL and 1.399 for 50 m span bridge. For each span first mode shape gives least frequency and max. time period. For shorter span frequency is on higher side which goes in reducing with the increase in span and with the increase in span, time period goes on increasing.



Fig 5 Time Period of Box Girder Bridge in Various Modes





Fig 6 Time Period of Precast I Girder Bridge In Various Modes

B. Response Spectrum Analysis

The maximum displacements at the top of the bent cap and base shear in both X and Y directions are shown in table 4.4. It is also observed that the displacement and base shear increases with increasing span of the bridge because of seismic weight increasing.

Tuble o Maximum Displacement Comparison of Dox Onder and Tonder Dilage				
SPAN	Max. Displacement	in X direction (mm)	Max. Displacement in Y direction (mm)	
	BOX GIRDER	I GIRDER	BOX GIRDER	I GIRDER
30 m.	7.82	5.92	2.06	1.54
40 m.	8.81	6.75	3.16	2.32
50 m.	9.91	7.54	4.29	2.64

Table 6 Maximum Displacement Comparison of Box Girder and I Girder Bridge



Fig.7 Maximum Displacement in PSC Box Girder and Precast I Girder Bridge

Tuble 7 Maximum Buse Shear Comparison of Box Onder and Tonder Bridge				
SPAN	Max. Base Shear X direction (KN)		Max. Base Shear Y direction (KN)	
	BOX GIRDER	I GIRDER	BOX GIRDER	I GIRDER
30 m.	444.271	401.355	726.769	586.274
40 m.	506.139	456.23	958.607	818.90
50 m.	560.569	504.89	1193.635	983.18

Fable 7 Maximum Base Shear	Comparison of	Box Girder and I	Girder Bridge
-----------------------------------	---------------	------------------	---------------



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue III Mar 2023- Available at www.ijraset.com



Fig.8 Maximum Base Shear in PSC Box Girder and Precast I Girder Bridge

IV. CONCLUSION

According to result of investigation conduct the following are the salient conclusion obtain from the present study.

- 1) According to the result obtain with increase in span natural time period of bridge are also increasing and natural frequency goes on decreasing. Also, the natural time period of box girder is higher than natural time period of I girder bridge. For 30 m span natural time period of box girder is 9.55% higher than the natural time period of PSC Precast I girder bridge.
- 2) With increase in span base shear is also increasing. The base shear in Y direction is higher than the base shear in X direction. For 30m span base shear of box girder is 10.62% higher than the PSC I girder bridge.
- *3)* The displacement at top of bent cap also increasing with increasing span. Also, the displacement of box girder bridge is higher than the displacement of precast I girder bridge. For 30m span the displacement at top of bent cap of box girder is 9.55% higher than the I girder bridge. also, the displacement of bent cap in X direction is higher than the displacement in Y direction for both box girder and I girder bridge.
- 4) For box girder bridge the moment due to all load (Dead load super imposed dead load live load) are on higher side than the I girder bridge. The girder forces increasing when increasing the span of the bridge since the mass of super structure is increasing.

REFERENCES

- By Paul J. Barr, Marc O. Eberhard, And John F. Stanton "Live-Load Distribution Factors in Prestressed Concrete Girder Bridges" Journal Of Bridge Engineering (2001).
- [2] P.K. Gupta*, K K Singh and A. Mishra "Parametric Study On Behaviour Of Box-Girder Bridges Using Finite Element Method" Asian Journal Of Civil Engineering (Building And Housing) Vol. 11, NO. 1 (2010).
- [3] Chen Cheng, Kaiyin Zhang "Research on temperature field and temperature stress of prestressed concrete girders". I.J. Intelligent Systems and Applications, 2011, 1, 25-32, Published Online in MECS on February 2011.
- [4] Bhruguli Gandhi, Dr.B.J.Shah "Performance Based Seismic Design of Reinforced Concrete Bridges" International Research Journal of Engineering and Technology (IRJET) Vol. 1 Issue 5, July – 2012.
- [5] Vikash Khatri, Pramod Kumar Singh and P.R.Maiti "Comparative study of prestressed steel concrete composite bridge of different span length and girder spacing" International Journal of Modern Engineering Research (IJMER) Vol.2, Issue.5, Sep-Oct. 2012.
- [6] Durgesh C. Rai, M.ASCE; Srinaganjaneyulu Komaraneni; and Tripti Pradhan "Strengthening of Slab Action in Transverse Direction of Damaged Deck of Prestressed Box Girder Bridge" Journal of Bridge Engineering, Vol. 18, No. 1, January 1, 2013.
- [7] Amit Saxena, Dr.Savita maru "Comparative Study of the Analysis and Design of T-Beam Girder and Box Girder Superstructure" IJREAT International Journal of Research in Engineering & Advanced Technology, Volume 1, Issue 2, April-May, 2013.
- [8] Rajesh F. Kale, N.G.Gore, P.J.Salunke "Cost Optimization of R.C.C. T-Beam Girder" International Journal of Soft Computing and Engineering (IJSCE), Volume-3, Issue-6 January 2014.
- [9] Vishal U. Misal, N. G. Gore, P. J. Salunke "Analysis and Design of Prestressed Concrete Girder" International Journal of Emerging Science and Engineering (IJESE) ISSN: 2319–6378, Volume-2 Issue-9, July 2014.
- [10] Rajamoori Arun Kumar, B. Vamsi Krishna "Design of Pre-Stressed Concrete T-Beams" International Journal of Scientific Engineering and Research (IJSER) Volume 2 Issue 8, ISSN (Online): 2347-3878 August 2014.
- [11] Payoshni Mali, Shilpa Kewate, Savita Lokare "Comparison of Rectangular and Trapezoidal sections of Post Tensioned Box Girder" International Journal of Scientific & Engineering Research, Volume 6, Issue 12, December-2015.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue III Mar 2023- Available at www.ijraset.com

- [12] Chetan T Naik, Dr.M M Achar, K Lakshmi "Analysis and Design of Multi Cell Post-Tensioned PSC Box Girder" IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE) Volume 12, Issue 4 Ver. VII (Jul. - Aug. 2015).
- [13] Pranathi Reddy, Karuna S "COMPARATIVE STUDY ON NORMAL AND SKEW BRIDGE OF PSC BOX GIRDER" International Journal of Research in Engineering and Technology (IJRET) Volume: 04 Issue: 06 | June-2015.
- [14] Bhawar P.D, Wakchaure M.R, Nagare P.N "OPTIMIZATION OF PRESTRESSED CONCRETE GIRDER" International Journal of Research in Engineering and Technology (IJRET) Volume: 04 Issue: 03 | Mar-2015.
- [15] J.M. Jara, J.R. Reynoso, B.A. Olmos, M. Jara "Expected seismic performance of irregular medium-span simply supported bridges on soft and hard soils" Civil Engineering School, University of Michoacan, Morelia, Mexico Elsevier (2015).
- [16] Ajith Kumar R., Dr. J. K. Dattatreya "Study on the Structural Behavior and Design of a Typical Single Cell Post Tensioned Concrete Box Girder Bridge" Journal of Civil Engineering and Environmental Technology Volume 2, Number 11; April – June, 2015.
- [17] Punil Kumar M P, Shilpa B S "Dynamic analysis of box girder bridges" International Research Journal of Engineering and Technology (IRJET) Volume: 03 Issue: 07 | July-2016.
- [18] Phani Kumar.Ch D.Aditya Sai Ram, M.Tech "Analysis and Design of Prestressed Box Girder Bridge by IRC: 112-2011" International Journal of Constructive Research in Civil Engineering (IJCRCE) Volume 2, Issue 2, 2016.
- [19] SANKET PATEL, UMANG PAREKH "Comparative Study of PSC. Tee Girder and PSC. Box Girder" IJSTE International Journal of Science Technology & Engineering | Volume 2 | Issue 11 | May 2016.
- [20] H. Thanushree and H. Siddesha "Analysis of RCC and PSC Bridge Deck Slabs for Various Spans" Bonfring International Journal of Man Machine Interface, Vol. 4, Special Issue, July 2016.
- [21] Satwik Mohan Bhat, Ashwin K N and J K Dattatreya "Comparative Study of Rectangular and Trapezoidal Concrete Box Girder using Finite Element Method" Journal of Civil Engineering and Environmental Technology; Volume 3, Issue 6; April-June, 2016.
- [22] Jefeena Sali, Kashif Quamar Inqualabi, Reji P Mohan "Parametric Study of Behaviour of Box Girder Bridges Under Different Radius of Curvature" International Journal of Science and Research (IJSR) Volume 5 Issue 6, June 2016.
- [23] Sandesh Upadhyaya K. F. Sahaya Sachin "A COMPARATIVE STUDY OF T-BEAM BRIDGES FOR VARYING SPAN LENGTHS" IJRET: International Journal of Research in Engineering and Technology Volume: 05 Issue: 06 | Jun-2016.
- [24] Ankush H. Patel and Spurti MamadapurA "Comparative Study on T-beam Girder and Box Girder Bridges for Different Skew Angles" Bonfring International Journal of Man Machine Interface, Vol. 4, Special Issue, July 2016.
- [25] Prajwal Raj, Mr.Vasantha.D "STRUCTURAL BEHAVIOUR OF BOX GIRDER BRIDGE USING "Csi Bridge 2015" International Research Journal of Engineering and Technology (IRJET) Volume: 04 Issue: 04 | Apr -2017.
- [26] Najla Yas V, Priyanka Dilip P "Performance Analysis of Box Girder Using ANSYS Software" International Journal of Innovative Research in Science, Engineering and Technology Vol. 6, ISSN(Online): 2319-8753, Issue 12, December 2017.
- [27] Balamurugan M Hemalatha N "Static and Dynamic Analysis of Tee Beam Bridge Deck" IJSRD International Journal for Scientific Research & Development Vol. 5, Issue 04, 2017.
- [28] Nidhi P. Tiwari, Dr.P.Y.Pawade "Dynamic Analysis & Optimization of Prestressed Concrete T-Beam & Box Girder Bridge Superstructure" IJSTE -International Journal of Science Technology & Engineering | Volume 3 | Issue 10 | April 2017
- [29] Abrar Ahemad Prof. R.B. Lokhande "COMPARATIVE ANALYSIS AND DESIGN OF T-BEAM AND BOX GIRDERS" International Research Journal of Engineering and Technology (IRJET) Volume: 04 Issue: 07 | July -2017.
- [30] Rohit M and Dr. J. Jegan "Transverse Analysis of PSC Box Girder Bridge" Volume.06 (5, May 2017).s
- [31] Harish M K, Chethan V R, Ashwini B T "ANALYSIS OF BOX GIRDER BRIDGES UNDER IRC LOADING" International Journal of Scientific Development and Research (IJSDR) | Volume 2, Issue 9 | September 2017.
- [32] Ravikant, Jagdish Chand "Design and Analysis of Bridge Girders using Different Codes" International Journal of Engineering Research & Technology (IJERT) Vol. 8 Issue 07, July-2019.
- [33] Babita Sharma, Dr Rajan Suwal "Seismic Vulnerability Evaluation of Simply Supported Multi Span RCC Bridge Pier" International Journal of Latest Engineering and Management Research (IJLEMR) Volume 05 - Issue 08 August 2020.
- [34] Preeti Agarwal, Priyaranjan Pal, Pradeep Kumar Mehta "Parametric study on skew-curved RC box-girder bridges" Institution of Structural Engineers. Published by Elsevier Ltd (2020).
- [35] Rushikesh Vijaykumar Bandal, Prof. Dilip J. Chaudhari "Performance Based Seismic Design of T-Section and Box Girder Bridges" International Research Journal of Engineering and Technology (IRJET) Volume: 07 Issue: 07 | July 2020.
- [36] K. Hemalatha, C. James, L. Natrayan et al., "Analysis of RCC T-beam and prestressed concrete box girder bridges super structure under different span conditions" Institution of Structural Engineers. Published by Elsevier Ltd (2020).
- [37] Rao Jang Sher, Muhammad Irfan-ul-Hassan, Muhammad Talha Ghafoor, Atif Qayyum "Analysis and Design of Box Girder and T-Beam Bridge Superstructure - A Comparative Study" Mehran University Research Journal of Engineering and Technology Vol. 39, No.3, 453 - 465, July 2020.
- [38] Aniket Deshpande, Subhash Deshpande, Prof. Chetan Patil "Comparison of RC Bridges using Pushover Analysis" International Research Journal of Engineering and Technology (IRJET), Volume: 08 Issue: 01 Jan 2021.
- [39] Shilpa S, Thejashwini P T, Shruthi N P "Seismic Analysis of Integral Bridges" International Research Journal of Engineering and Technology (IRJET), Volume: 08 Issue: 04 | Apr 2021.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)