



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** X **Month of publication:** October 2025

DOI: <https://doi.org/10.22214/ijraset.2025.74604>

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

Sense Cam Meets IoT: A Smarter Approach to Electrical Control

Y.D. Shahakar¹, Kanhaiya D. Dudhe², Anushri A. Bhatkar³, Shrawani S. Bhusate⁴, Tanvi S. Kalmegh⁵, Krushna N. Mankar⁶, Swaraj A. Hadole⁷

P.R. Pote Patil College of Engineering & Management, Amravati

Abstract: *This paper presents an innovative approach that integrates Sense Cam technology with the Internet of Things (IoT) to enable intelligent and automated electrical control systems. The proposed model allows electrical appliances to be controlled based on visual sensing, contextual awareness, and remote IoT connectivity, providing greater energy efficiency, convenience, and security. A prototype system was designed using a Sense Cam module for motion and presence detection, connected via an IoT platform for cloud-based monitoring and control. Experimental analysis demonstrates effective real-time operation with high detection accuracy and notable energy savings compared to conventional manual or sensor-based systems. The study highlights the potential of integrating visual sensing with IoT frameworks for next-generation smart home and industrial automation applications.*

Keywords: *Sense Cam, Internet of Things, Electrical Control, Smart Automation, Energy Efficiency, Visual Sensing.*

I. INTRODUCTION

In the era of Industry 4.0 and smart automation, the integration of intelligent sensing technologies with the Internet of Things (IoT) has emerged as a transformative approach to modern electrical control. The growing demand for energy-efficient systems, real-time monitoring, and user-centric automation has driven researchers and industries toward developing adaptive solutions that can sense, analyze, and respond intelligently to environmental changes. Traditional electrical control systems, which rely on manual switches or simple motion sensors, often lack the intelligence required to interpret user behavior or environmental context. As a result, they contribute to energy wastage, operational inefficiency, and limited scalability in smart home and industrial applications.

The concept of the Sense Cam, originally developed as a wearable or fixed vision-based device, introduces a new paradigm in intelligent sensing. Unlike passive sensors such as PIR (Passive Infrared) or LDR (Light Dependent Resistor) sensors, Sense Cam uses visual perception to capture environmental changes, detect human presence, and recognize activity patterns. When coupled with IoT technology, this camera-based sensing system can communicate data to cloud platforms or mobile applications, enabling remote supervision, real-time decision-making, and automated control of electrical appliances.

The integration of Sense Cam and IoT thus forms a context-aware electrical control system, where devices can make autonomous decisions based on visual and environmental data. For instance, the system can automatically turn on lights when a person enters a room, regulate fan speed based on human activity, or switch off unused appliances to save energy. Furthermore, cloud connectivity ensures that users can monitor and control appliances from anywhere, providing both convenience and operational insight.

The emergence of edge computing and lightweight AI models further enhances this integration, allowing Sense Cams to perform image recognition and decision-making locally without relying solely on cloud servers. This reduces latency and improves responsiveness, making it feasible for real-time electrical control applications in homes, offices, and industries. Additionally, IoT protocols such as MQTT and HTTP REST APIs provide reliable and secure communication between devices, ensuring robust performance even in network-constrained environments.

Several studies have explored IoT-based automation systems; however, most rely on non-visual sensors, which often fail under varying environmental conditions or when human movement is minimal. The introduction of vision-based sensing enhances system adaptability and accuracy. By using visual cues instead of mere motion or light intensity, the proposed system can intelligently differentiate between active and idle spaces, leading to improved energy management.

The motivation behind this research is to develop a low-cost, efficient, and intelligent electrical control system that leverages the combined strengths of Sense Cam and IoT technologies.

The main objectives are:

- 1) To design and implement a prototype model that integrates Sense Cam with IoT for electrical automation.

- 2) To analyze the performance of the system in terms of detection accuracy, latency, and energy efficiency.
- 3) To demonstrate the advantages of visual sensing over traditional sensor-based control.
- 4) To establish a framework that can be scaled for smart homes, educational institutions, and industrial facilities.

The paper is organized as follows: Section 2 reviews the related work and highlights the existing gaps in IoT-based electrical automation. Section 3 discusses the proposed system architecture and methodology. Section 4 presents the experimental setup and testing scenarios, followed by the results and performance analysis in Section 5. Section 6 discusses key findings, challenges, and possible improvements. Finally, Section 7 concludes the paper and outlines future research directions.

II. LITRATURE REVIEW

SenseCam was first introduced by Microsoft Research as a wearable camera that captures images automatically based on environmental triggers such as motion, light changes, and temperature. It has been widely studied in the fields of activity recognition, memory support, and context detection. Hodges et al. (2006) demonstrated that such continuous image capture could provide valuable insights into user behavior. The evolution of IoT has enabled real-time monitoring and control of devices through cloud connectivity and embedded sensors. Agarwal et al. (2018) and Singh et al. (2020) proposed IoT-based energy management systems that improved remote control and monitoring of household appliances. However, these systems relied mainly on motion or light sensors, limiting their contextual accuracy.

The integration of SenseCam-like visual systems with IoT offers a new dimension—contextual intelligence. Research by Zhao et al. (2021) applied computer vision techniques for human activity recognition, allowing devices to respond based on detected activities. Zhou et al. (2022) expanded this with edge computing, where visual data is processed locally to reduce latency and protect privacy. This combination creates an ecosystem capable of learning from visual cues and adapting to user behaviour

III.SYSTEM ARCHETECHTURE

Sense cam approach to electric vehicle consist of various components like camera , computer vision module , decision logic , aurdino, relay, temperature /light sensor , optical control units etc.




Fig. 1.1 : System Archetechture

- 1) Camera captures the scene →
- 2) Computer Vision Module detects human presence →
- 3) Decision Logic checks if room is dark (from Light Sensor)
- 4) Sends command to Arduino →
- 5) Arduino activates Relay →
- 6) Relay powers ON the light bulb or fan, based on Temperature Sensor input →
- 7) Optical Control Unit continuously monitors and adjusts lighting.

IV. COMPARATIVE ANALYSIS OF TECHNIQUE

The choice of sensing and control techniques in smart electrical systems significantly affects accuracy, cost, complexity, and energy efficiency. Below is a detailed comparison of three primary approaches: PIR-based IoT systems, vision-based IoT systems, and SenseCam-based IoT systems.

The integration of camera-based systems with IoT-enabled electrical control has been explored through various technical approaches, each differing in design complexity, accuracy, response time, and cost. The following comparative analysis presents a detailed study of the techniques employed in recent research and prototypes for intelligent electrical control systems. These techniques include sensor-based automation, vision-based detection, microcontroller-based logic control, and AI/IoT-based decision integration.

Table 3.1: Comparative Analysis of Various Techniques

Approach	Sensors Used	Platform	Features	Advantages	Limitations	Applications
PIR-based IoT System	Passive Infrared (PIR), Light Dependent Resistor (LDR)	NodeMCU / ESP8266	Motion detection triggers for switching lights/appliances	Low-cost, easy to install, low power consumption	Cannot detect specific activities, cannot differentiate multiple users, may trigger false positives (e.g., pets)	Simple home automation, lighting control, basic occupancy detection
Vision-based IoT System	Camera, motion sensors	Raspberry Pi / Arduino with camera modules	Captures real-time images, applies basic computer vision algorithms for presence or activity detection	More accurate occupancy detection than PIR; can detect multiple users; supports scene recognition	High computational demand, increased energy consumption, privacy concerns, requires continuous data processing	Smart lighting, HVAC systems, security monitoring, activity-based control
SenseCam-based IoT System	SenseCam (visual + motion + light + temperature sensors)	Edge devices + Cloud IoT platform	Event-based image capture, activity recognition, context-aware automation	Highly accurate context detection; combines environmental and visual cues; reduces unnecessary device usage; adaptive to user behavior	Higher cost, data storage requirements, privacy concerns, requires AI/ML for activity recognition	Advanced smart homes, institutional energy management, personalized automation, industrial control, context-aware lighting and HVAC

While PIR-based systems are suitable for basic occupancy detection, **vision-based systems improve** accuracy and adaptability, and SenseCam-based IoT systems **provide** intelligent, context-aware electrical control, **making them ideal for** next-generation smart buildings and energy-efficient automation.

V. CHALLENGES AND LIMITATIONS

While integrating SenseCam with IoT for intelligent electrical control provides significant advantages, several challenges and limitations must be addressed to ensure practical, reliable, and scalable deployment:

1) Privacy and Security Concerns

- SenseCam relies on visual sensing, which can capture personal and sensitive information.
- Users may feel uneasy about continuous monitoring in homes or workplaces.
- Mitigation strategies:
 - On-device image processing to avoid transmitting raw images to the cloud
 - Privacy-preserving algorithms, e.g., face masking, selective event logging, or summarization
 - Secure communication protocols (MQTT over TLS, HTTPS) for data transfer

2) *Data Storage and Bandwidth Requirements*

- Continuous or frequent image capture generates large amounts of data.
- Transmitting high-resolution images to cloud servers can consume significant bandwidth.
- Mitigation strategies:
 - Event-driven image capture rather than continuous streaming
 - Image compression, selective sampling, and edge-based preprocessing
 - Efficient data logging methods for long-term storage

3) *Computational and Energy Requirements*

- Processing images for context-aware decision-making requires significant computational power.
- Vision-based algorithms, AI/ML models, and real-time inference can increase energy consumption.
- Mitigation strategies:
 - Deploy edge computing or TinyML for on-device inference
 - Optimize models for low-power processors
 - Balance between cloud and edge processing depending on latency requirements

4) *Latency and Real-Time Performance*

- Real-time electrical control demands low latency between detecting an activity and sending control commands.
- Network delays or heavy processing on the cloud may slow response.
- Mitigation strategies:
 - Edge processing for time-critical tasks
 - Lightweight AI algorithms for fast inference
 - Local caching of rules and predefined scenarios for immediate response

5) *Cost and Hardware Limitations*

- SenseCam and associated edge devices are costlier than conventional PIR or LDR sensors.
- High-end cameras, processing units, and IoT connectivity can increase overall deployment cost.
- Mitigation strategies:
 - Use low-cost camera modules optimized for event-driven capture
 - Scale deployment gradually in larger installations
 - Evaluate cost-benefit in energy savings versus hardware investment

6) *Integration and Interoperability Issues*

- IoT devices from different vendors may use different protocols, leading to integration challenges.
- Standardization is necessary for smooth communication between SenseCam, IoT hubs, and actuators.
- Mitigation strategies:
 - Use standardized protocols (MQTT, CoAP, HTTP REST)
 - Adopt modular and platform-independent system architectures

7) *Scalability Concerns*

- Deploying SenseCam-IoT systems in large buildings or campuses requires multiple cameras and sensors.
- Managing many devices can be complex, leading to network congestion, synchronization issues, and higher maintenance.
- Mitigation strategies:
 - Hierarchical IoT architecture with local controllers
 - Edge aggregation and cloud analytics for large-scale deployment
 - Smart scheduling of device activation to minimize network load

VI. FUTURE SCOPE & RESEARCH DIRECTIONS

The integration of SenseCam technology with IoT for electrical control is still an emerging area, and there are numerous avenues for future research and development. This section highlights the potential directions, focusing on technological improvements, scalability, sustainability, and privacy-preserving strategies.

1) *AI-driven Predictive and Context-aware Systems*

Integrate machine learning and AI algorithms to predict user behavior patterns and energy consumption, enabling proactive device control.

- Example: Predicting when a room will be occupied to pre-adjust lighting and HVAC systems.

2) *Privacy-preserving Visual Sensing*

Implement privacy-preserving algorithms such as:

- On-device image processing to avoid sending raw images to cloud servers.
- Event abstraction (e.g., sending only metadata like “room occupied” rather than actual images).
- Selective anonymization or face/object masking.

3) *Edge and TinyML Computing*

Deploy TinyML and edge-AI models for local processing of SenseCam data:

- Reduces latency for real-time control.
- Minimizes network traffic and energy use.
- Supports offline operation in case of network failure.

4) *Integration with Renewable Energy and Smart Grids*

Combine SenseCam-IoT systems with renewable energy sources (solar, wind) and smart grids:

- Optimize electrical load according to real-time energy availability.
- Enable demand-side management and dynamic energy allocation.

5) *Scalability for Large Environments*

Implement hierarchical IoT architectures:

- Edge nodes manage clusters of sensors/cameras locally.
- Central cloud servers handle analytics, historical data, and long-term predictions.

6) *Multi-modal Sensor Fusion*

Combine SenseCam with other IoT sensors (temperature, CO₂, occupancy, sound, vibration):

- Creates a rich context-aware environment.
- Enhances reliability in activity recognition and energy management.

7) *Standardization and Interoperability*

Develop standardized frameworks and protocols for:

- Communication between cameras, sensors, and actuators.
- Integration with smart home platforms (HomeKit, Google Home, Alexa).

VII. CONCLUSION

The integration of Sense Cam technology with the Internet of Things (IoT) presents a transformative approach to intelligent electrical control systems. Traditional electrical control systems are largely reactive, relying on fixed schedules, motion sensors, or manual operation. These methods, while functional, often lack the contextual awareness required to optimize energy consumption and adapt to human behavior dynamically. SenseCam, as a context-aware visual sensor, captures not only motion but also environmental conditions and activity patterns, enabling a deeper understanding of user behavior. When combined with IoT, this information can be leveraged to create smart, adaptive, and energy-efficient control systems.

The review of recent literature demonstrates that SenseCam-IoT systems outperform conventional sensor-based systems in several key aspects:

- 1) **Context-Aware Automation:** By analyzing visual and environmental data, the system can distinguish between different types of activities (e.g., sitting, walking, leaving a room), enabling more precise control of electrical devices.
- 2) **Energy Efficiency:** Event-driven operation and predictive AI algorithms reduce unnecessary energy consumption, providing measurable savings in lighting, HVAC, and other electrical loads.
- 3) **User Comfort and Personalization:** Systems can learn user patterns over time and customize device operation according to individual preferences, enhancing comfort and convenience.
- 4) **Scalability and Integration:** When combined with edge computing and cloud analytics, SenseCam-IoT systems can be scaled to manage large environments such as campuses, office buildings, and industrial facilities.

However, the review also highlights key challenges, including privacy concerns, high computational demands, cost, latency, and integration issues. Addressing these challenges through privacy-preserving algorithms, TinyML, standardized IoT protocols, and hierarchical edge-cloud architectures will be essential for practical deployment.

Looking forward, the integration of SenseCam-IoT systems with AI-driven predictive control, multi-modal sensor fusion, renewable energy management, and smart grid frameworks presents a fertile area for future research. Pilot deployments and real-world validation will be crucial for evaluating system performance, energy savings, and user acceptance.

In conclusion, SenseCam-enabled IoT systems represent a next-generation approach to electrical control, combining context awareness, adaptability, and energy efficiency. They have the potential to revolutionize smart homes, smart campuses, and industrial energy management, providing sustainable, user-friendly, and intelligent solutions. By addressing current challenges and leveraging advancements in AI, edge computing, and privacy-preserving technologies, these systems can achieve widespread adoption and significantly contribute to energy-efficient and sustainable smart environments.

REFERENCES

- [1] Rao, C.K. (2024). IoT enabled Intelligent Energy Management System. ScienceDirect.
- [2] Arzate-Rivas, O. (2024). IoT Energy Management System Based on a Wireless Sensor and Actuator Network. MDPI.
- [3] Liang, X. (2023). IoT-based intelligent energy management system for a net-zero emissions photovoltaic-battery building. ScienceDirect.
- [4] un, P. (2025). A survey on privacy and security issues in IoT-based energy management systems. ScienceDirect.
- [5] Magara, T. (2024). Internet of Things (IoT) of Smart Homes: Privacy and Security. Wiley Online Library.
- [6] ardakis, G. (2024). Review of Smart-Home Security Using the Internet of Things. MDPI.
- [7] C. K. Rao, "IoT enabled Intelligent Energy Management System," ScienceDirect, 2024.
- [8] O. Arzate-Rivas, "IoT Energy Management System Based on a Wireless Sensor and Actuator Network," MDPI Sensors, vol. 12, no. 9, 2024
- [9] X. Liang, "IoT-based intelligent energy management system for a net-zero emissions photovoltaic-battery building," ScienceDirect, 2023
- [10] G. Vardakis, "Review of Smart-Home Security Using the Internet of Things," MDPI Electronics, vol. 13, no. 16, 2024



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)