



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: VII Month of publication: July 2025

DOI: https://doi.org/10.22214/ijraset.2025.72919

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Sentiment Analysis of Online Shopping Platform Product Reviews

Soumyadeep Paul¹, Soham Bhattacharyya², Jishnu Chakraborty³, Nabarun Ray⁴

^{1, 2, 3, 4}Dept. of Computer Science and Engineering (IOTCSBT), Institute of Engineering and Management, Kolkata, India

Abstract: Sentiment analysis has become a very important tool for understanding customer sentiments, brand perception, and market trends from text data. This project is centered on conducting sentiment analysis of Amazon product review datasets using machine learning classifiers and optimization methods for improving the accuracy of predictions. In the current work, we utilize two main models: Random Forest Classifier and a Decision Tree Classifier optimized using Grey Wolf Optimization (GWO).

The dataset used contains product reviews, from which the review text and their corresponding scores were extracted. Reviews were preprocessed by lowercasing text, stripping of punctuation, and stopwords removal to achieve cleaner inputs for models. A binary classification approach was taken, assigning a positive label to reviews with a score higher than three, and a negative label to those with a score three and lower. In order to transform the text data into a machine learning algorithm-friendly format, the TF-IDF (Term Frequency-Inverse Document Frequency) method was used, which captures the significance of words in relation to the dataset.

The Random Forest Classifier, an ensemble learning algorithm that builds multiple decision trees and returns the mode of their predictions, was the first baseline model. It showed strong performance because it could minimize overfitting and deal with highdimensional data well. To investigate optimization methods further, a Decision Tree Classifier was trained whose hyperparameters, namely the maximum depth, were optimized using Grey Wolf Optimization. GWO, which is a nature-inspired metaheuristic algorithm based on the hunting behavior of grey wolves, is a simulation of the leadership structure and cooperative hunting approach of wolves to discover optimal solutions. Our findings indicated that the Random Forest model had high classification accuracy with little tuning. Yet, the Decision Tree model, when optimized through GWO, proved to be competitive, highlighting the power of metaheuristic optimization methods in improving conventional machine learning models. Confusion matrices and classification reports were used to give deeper insights into the precision, recall, and F1-scores of each model. This investigation showcases the effectiveness of using traditional classifiers in conjunction with intelligent optimization algorithms for sentiment classification tasks. It further highlights the criticality of preprocessing steps and feature extraction methods such as TF-IDF in deciding the overall efficacy of the models. Although the present work was mostly concerned with the optimization of one hyperparameter through GWO, future research could investigate multi-parameter optimization and comparison with other swarm intelligence algorithms such as Particle Swarm Optimization (PSO) or Genetic Algorithms (GA) in order to enhance performance further. In general, the project is a holistic method of addressing sentiment analysis on real product review data using a combination of ensemble approaches, decision trees, and evolutionary optimization.

I. INTRODUCTION

Sentiment analysis, a key area of natural language processing (NLP), involves determining the emotional tone underlying text data. With the rapid growth of online shopping websites such as Amazon, customer reviews are extremely important to analyze for businesses in order to gauge user views and enhance services. Decision Trees and Random Forests are two machine learning algorithms that have worked quite well for the task of text classification. But model optimization is an important factor in improving predictive performance. This project investigates sentiment analysis of Amazon product reviews with a Random Forest Classifier and a Grey Wolf Optimization (GWO)-improved Decision Tree to gain improved performance and efficiency.

A. Background

Sentiment analysis, or opinion mining, is essential in determining user opinions, especially in the e-commerce industry. As the number of online reviews continues to increase, businesses increasingly use automated methods to measure customer satisfaction. Machine learning algorithms such as Random Forests and Decision Trees have been effective in text classification tasks. Yet, improving model performance is still a challenge. Metaheuristics like Grey Wolf Optimization (GWO) provide a better solution through optimal hyperparameter fine-tuning. Blending common classifiers with optimization techniques inspired from nature offers an effective means for improving sentiment forecasting accuracy in a large-scale database like Amazon review data.



B. Problem Statement

As a result of the exponential growth of product reviews on the internet, it has become unrealistic to analyze customer sentiments manually. Conventional machine learning algorithms tend to fall short in performance with suboptimal hyperparameter tuning. In this project, an efficient sentiment analysis system was created using Random Forests and a Grey Wolf Optimization-optimized Decision Tree with improved classification and solving issues for large-scale processing of Amazon reviews.

C. Aims and Objectives

- To pre-clean and preprocess the Amazon review dataset for effective text analysis.
- To convert text data into numeric features through TF-IDF vectorization.
- To utilize a Random Forest Classifier as baseline sentiment classification.
- To construct a Decision Tree Classifier and hyper-optimize its parameters using the Grey Wolf Optimization (GWO) algorithm.
- To compare Random Forest and GWO-optimized Decision Tree model performances using measures such as accuracy, precision, recall, and F1-score.
- To be able to visualize results of classification through confusion matrices and produce extensive evaluation reports.
- To study how metaheuristic optimization can be used to enhance model performance on sentiment analysis tasks.
- To recommend possible future improvements, such as multi-parameter tuning and combination with other optimization algorithms.

D. Thesis Layout

The thesis is divided into six sections:

Section 1: This section gives the basic introduction to sentiment analysis of online shopping platform product reviews, its significance, background, and research objectives.

Section 2: This section gives an in-depth literature review of various research works done prior to this work on classifying sentiments based on datasets.

Section 3: This section presents the data collection and preprocessing methodology, TF-IDF Vectorization, Random Forest model training, and deployment.

Section 4: This section presents the findings and results in terms of model accuracy, performance of random forest classifier, impact of GWO, confusion matrix analysis and evaluation.

Section 5: This section deals with the discussion of model performance, comparison and insights, and general conclusions including project overview, model performance, and scope of improvements.

Section 6: This section gives the summary of the project accomplishments, describes future work such as multi-parameter optimization, exploration of other optimization algorithms, integration of deep learning models and algorithms, handling multilingual reviews, and real-time sentiment analysis deployment.

II. LITERATURE REVIEW

1) Amazon Product Sentiment Analysis using Machine Learning Techniques

This study by Sobia Wassana et al. [1] discusses the examination of online social networks, specifically Amazon user reviews. It utilizes natural language processing (NLP) methods like stop word removal, tokenization, stemming, and spelling correction using the "text blob" library to preprocess and clean data. These processes assist in efficient feature extraction and sentiment analysis. It also utilizes graph visualization methods to reveal relationships among various entities within the social network. The research points out the significance of preprocessing in order to yield proper and valuable insights from social media.

2) Sentiment Analysis of Amazon Product Reviews using Hybrid Rule-Based Approach

This paper by Anjali Dadhich and Blessy Thankachan [2] deals with creating an automatic comment analyzer and classification model for customer reviews on Amazon and Flipkart. It classifies comments into positive, negative, and neutral sentiment using five supervised learning classifiers, namely Naive Bayes (NB), Logistic Regression (LR), Sent WordNet, Random Forest (RF), and K-Nearest Neighbors (KNN). The study lays strong stress on efficient feature extraction, sentiment analysis, and dealing with huge datasets. It also points out issues in comment mining, machine learning usage, and the experimental results, demonstrating the usefulness of these techniques in customer review analysis.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue VII July 2025- Available at www.ijraset.com

3) Sentiment Analysis of Amazon Product Reviews using Machine Learning and Deep Learning Models

As the number of social networks and online e-commerce platforms grew, sentiment analysis has been at the center of research. Here, the authors Joy Chandra Gope et al. [3] present this study in which the author tries to analyze Amazon's product ratings and text reviews by employing machine learning models such as Linear SVM, Random Forest, Multinomial and Bernoulli Naive Bayes, and Logistic Regression. Random Forest scored 91.90% accuracy, and RNN with LSTM, which is a deep learning technique, scored 97.52% accuracy, hence the most successful model to undertake this activity.

4) Sentiment Analysis on Product Review

Sentiment analysis, one of the prominent areas in natural language processing, facilitates the analysis of unstructured data so that computers can understand human sentiments. Based on product reviews, businesses can learn more about customer choices. Yet, since there is such a large amount of data, summarizing feedback, both positive and negative, is crucial. This paper by Chhaya Chauhan and Smriti Sehgal [4] surveys algorithms and methods employed to extract product features and provide accurate sentiment analysis. Further work will consider other review sites and enhance outcomes using sophisticated NLP methods.

5) Feature Specific Sentiment Analysis for Product Reviews

The proposed paper by Subhabrata Mukherjee and Puspak Bhattacharya [5] presents an innovative approach towards extracting feature-specific opinions from product reviews by recognizing potential features and related opinion phrases. The system, through the application of dependency parsing, captures meaningful relationships among features and opinions in a graph representation. The system successfully aggregates similar opinion expressions and maintains a high accuracy rating across different domains, performing comparably to the state-of-the-art systems but with very small data requirements.

6) Sentiment Analysis: A Comparative Study on Different Approaches

Sentiment Analysis (SA) under Natural Language Processing (NLP) retrieves user feelings and emotions, crucial in the Internet-age environment teeming with customized reviews. Such reviews from various sources such as social media, blogs, and forums assist tourists and consumers in making informed choices. The present paper by M.D.Devika et al. [6] contrasts approaches that can be used for Sentiment Analysis, responding to the changing methodologies adopted here.

7) Sentiment Analysis and Opinion Mining: A Survey

With the wealth of opinion-laden online content, sentiment analysis research is flourishing. Sentiment extraction and classification from sources such as forums, reviews, blogs, and news is a focus. Accurate sentiment prediction has economic and marketing potential. This survey by G.Vinodhini and R.M.Chandrasekaran [7] investigates methods and difficulties in sentiment analysis, such as sentiment classification, feature-based classification, and negation.

8) Sentiment Analysis with Product Reviews using Machine Learning and Lexicon-based approaches

Sentiment analysis is conducted through machine learning techniques such as SVM and decision trees or lexical-based ones utilizing dictionaries like WordNet. Both can be used together for higher accuracy. Experimentations done by Vasundhara Raj et al. [8] have been done using methods such as SentiWordNet, fuzzy logic, and Naive Bayes, where SVM tends to be better than others for product review classification. There are still issues at hand, such as how to detect sarcasm or interpret images in a review. Resolving these would provide insights and more accurate customer feedback analysis.

9) Statistical and Sentiment Analysis of Consumer Product Reviews

This study by Zeenia Singla and Sukhchandan Randhawa [9] emphasizes the influence of online reviews in deciding purchases and directing manufacturers. Online shopping sites such as Amazon and review sites like Zomato and Trivago use end-user feedback to establish credibility and enhance business models. Positive comments enhance credibility, while negative comments reflect areas of improvement. With a specific emphasis on reviews of mobile phones, the research conducts sentiment analysis of unstructured data with the view to supporting consumers in making intelligent decisions and enhancing manufacturers' awareness of market needs and consumers' expectations.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue VII July 2025- Available at www.ijraset.com

10) Sentiment Analysis on Product Reviews using Machine Learning Techniques

Sentiment Analysis and Opinion Mining have become vital areas for extracting meaningful patterns from text data gathered from various platforms like Facebook, Twitter, and Amazon. These methods greatly help companies improve their strategies by unveiling greater insights into customer feedback and sentiment towards their products. Sentiment analysis is the computational study of consumer attitude, especially their buying interests and sentiment toward a firm's offerings or services. Such things can encompass events, people, blog entries, or general customer experiences.

In this study by Rajkumar S. Jagdale et al. [10], an Amazon dataset of reviews of different products like cameras, laptops, mobile phones, tablets, televisions, and video surveillance devices was used. After suitable data preprocessing techniques, various machine learning algorithms were used to categorize the reviews into positive and negative ones. The outcomes proved that machine learning techniques are very efficient in product review classification, with 98.17% accuracy using Naïve Bayes and 93.54% accuracy using Support Vector Machines (SVM) only for camera reviews.

III. METHODOLOGY

This is the complete deployment of Sentiment Analysis of Online Shopping Platform Product Reviews. It is carried out via a systematic and well-researched approach and is divided into a series of steps. A simplified version of the work along with the necessary steps performed is as follows:

A. Data Collection and Preprocessing

Initially a proper dataset is chosen which contains product reviews of various types of goods from consumers all around the world. It is then loaded in the environment and processed. The preprocessing step includes cleaning the text data by making all characters lowercase, stripping off punctuation marks, removing stop words, and tokenizing the sentences. This step is important to eliminate noise and irrelevant variations in the text so that the models can concentrate on significant patterns.

Id	ProductId UserId ProfileNai He	pfulne Help	ofulne Score	Time Summary Text													
	1 B001E4KF(A3SGXH7/ delmartia	1	1	5 1.3E409 Good Qual have bought several of the Vitality canned dog food products and have found them all to be of good quality. The product looks more like a stew than a processed meat and it smells better. My Labrador is finicky													
	2 B00813GR A1D87F6Z dll pa	0	0	1 1.35E409 Not as Adi Product arrived labeled as Jumbo Salted Peanutsthe peanuts were actually small sized unsalted. Not sure if this was an error or if the vendor intended to represent the product as "Jumbo".													
	3 B000LQOC ABXLMWJ Natalia Co	1	1	4 1.22E+09 "Delight" This is a confection that has been around a few centuries. It is a light, pillowy citrus gelatin with nuts - in this case Filberts. And it is cut into tiny squares and then liberally coated with powdered sugar. And it is a													
	4 BOOOUAOC A395BORC Karl	3	3	2 1.31E+09 Cough Me if you are looking for the secret ingredient in Robitussin I believe I have found it. I got this in addition to the Root Beer Extract I ordered (which was good) and made some cherry soda. The flavor is very medicine													
	5 B006K2ZZ: A1UQRSCI Michael D	0	0	5 1.35E409 Great taff-Great taff-Great taff-great taff-great price. There was a wide assortment of yummy taffy. Delivery was very quick. If your a taffy lover, this is a deal.													
	6 B005K2ZZ: ADTOSRK1 Twoapenr	0	0	4 1.34E+09 Nice Taffy I got a wild hair for taffy and ordered this five pound bag. The taffy was all very enjoyable with many flavors: watermelon, root beer, melon, peppermint, grape, etc. My only complaint is there was a bit too much													
	7 B005K2ZZ: A1SP2KVK David C. S	0	0	5 1.34E+09 Great1 Jus This saltwater taffy had great flavors and was very soft and chewy. Each candy was individually wrapped well. None of the candies were stuck together, which did happen in the expensive version, Frailinger's. V													
	8 B005K2ZZ: A3JRGQVE Pamela G.	0	0	5 1.34E409 WonderfuThis taffy is so good. It is very soft and chewy. The flavors are amazing. I would definitely recommend you buying it. Very satisfying!!													
0	9 B000E7L2FA1MZYO9'R. James	1	1	1.32E+09 Yay Barley Right now I'm mostly just sprouting this so my cats can eat the grass. They love it. I rotate it around with Wheatgrass and Rye too													
1	10 B00171AP A21BT40V Carol A. R.	0	0	1.35E+09 Healthy D This is a very healthy dog food. Good for their digestion. Also good for small puppies. My dog eats her required amount at every feeding.													
2	11 B0001PB9 A3HDKO7 Canadian	1	1	5 1.11E+09 The Best Fi don't know if it's the cactus or the tequila or just the unique combination of ingredients, but the flavour of this hot sauce makes it one of a kind! We picked up a bottle once on a trip we were on and brought it t													
3	12 80009XLV A2725IB4Y A Poeng "	4	4	128E409 Mv cats LC One of mv bovs needed to lose some weight and the other didn't. Lout this food on the floor for the chubby eux, and the ortelio-rich, no by-product food up higher where only my skinny by can jump. The high													
4	13 B0009XLV/A327PCT2 LT	1	1	134E+09 MV Cats A MV cats have been hacolily eating Feliciae Platinum for more than two years. Liust out a new bar and the share of the food is different. They tried the new food when first out it in their bowls and now the bowls													
5	14 B001GVIS, A18ECVX2 willie "ros	2	2	4 1.29EH09 fresh and good flavor[these came securely cacked they were fresh and delicious] love these Twizzlers]													
6	15 B001GVIS, A2MUGFV Lynrie "Of	4	5	5 1.27EH09 Strawberr The Strawberry Twizzlers are my guilty pleasure - yummy. Six pounds will be around for a while with my son and I.													
7	16 B001GVIS, A1CZX3CP Brian A. Le	4	5	And they administent may be submediary treatments and may group participation of the sound in a part of the sound													
3	17 B001GVIS, A3KLWF6\ Erica Neat	0	0	2 1.35EM9 poor tastel love eating them and they are good for watching TV and looking at movies It is not too sweet. Like to transfer them to a zio look bazele so they stay fresh so I can take my time eating them.													
9	18 B001GVISLAFKW14U Becca	0	0	5 1.35EH9 Love It! Lam very satisfied with my Twizzler ourchase. I shared these with others and we have all enjoyed them. Livill definitely be ordering more.													
0	19 B001GVIS, A2A9X58G Wolfee1	0	0	13/HP/0 GERT SWITCHES THE THE PROVIDENT IN THIS PROTOCOL THE CONSTRUCTION OF THE CONSTRUCTION OF THE STATE OF THE CONSTRUCTION OF THE STATE OF THE STATE OF THE CONSTRUCTION OF THE STATE O													
1	20 B001GVIS, A3IV7CL2(Greg	0	0	132-F09 tome (b) Candy use delivery diversed were carding more animated or constrained or constr													
2	21 B001GVIS, A1WO0KG mom2em	0	0	5 1.31E409 Always frelWy husband is a Twizzlers addict. We've bought these many times from Amazon because we're government employees living overseas and can't get them in the country we are assigned to. They've always been													
3	22 B001GVIS, AZOF9E17 Tammy Ar	0	0	5 1.31EH09 TWIZZLER bought these for my husband who is currently overseas. He loves these, and apparently his staff likes them also, dor />There are generous amounts of Twizzlers in each 16-ounce bag, and this was well worth the													
4	23 B001GVIS, ARYVQL41 Charles Br	0	0	5 1.3EH99 Delicious I can remember buvine this candy as a kid and the quality hasn't dropped in all these years. Still a superb product you won't be disappointed with.													
5	24 B001GVIS, AJ6130LZ Mare's	0	0	5 1.3Ex09 Twizzlers I love this candy. After weight watchers I had to cut back but still have a craving for it.													
6	25 B001GVIS, A22P2J091S, Cabana	0	0	5 1.3EH09 Please sell have lived out of the US for over 7 yrs now, and I so miss my Twitzlers!! When I ap back to visit or someone visits me, Lalways stock up. All I can sav is YUMI-ktr />Sell these in Mexico and you will have a faithful													
7	26 B001GVIS A3FONPR Deborah S	0	0	5 1.29EH9 Twizzlers Product received is as advertised, dr. I/>dr. I/>dr. I/>dr. I/>dr. I/>dr. I/>dr. I////www.amazon.com/en/aroduct/R001GVISIM/>Twizzlers. Strawberry. 16-Quice Bars (Pack of 6):/a>													
8	27 B001GVISLA3RXAU21 ladv21	0	1	1 133EH09 Nasty No The candy is just red. No flavor. Just clan and chewy. I would never buy them again													
9	28 R001GVIS AAAS3889 Heather D	0	1	4 133EH9 Great Barri was so plad Amazon carried these batteries. These a bard time finding them elsewhere because they are such a unique size. I need them for my sarase door onener shr / Screat deal for the nrine													
0	29 R00144C1(A2F4L7VG DalsyH	0	0	5 1.34F409 YUMMY! Leat this for my Mum who is not diabetic but needs to watch her super intake, and my father who simply chooses to limit unnecessary super intake - she's the one with the sweet tooth - they both (C													
1	30 R0001PR9 A3HDK07 Canadian	1	1	1 11F49 The Beet Hon's know if it's the carbic or the tenuila or just the unique combination of inpredients, but the flavour of this hot saure makes it no of a kind! We nicked up a hottle once on a trip we were no and browshill it													
2	31 R003E6UO AEM0O94 Sherril	0	0	5 1.3EH9 Great mar I have never been a huse coffse fan. However, my mother ourchased this little machine and talked me into tryins the Latte Marriato. No Coffse Shon has a better one and Like most of the other products too la													
3	32 B003E6U0 A310007 Molly V. S	0	1	5 1.29EH/9 THIS IS MY This offer is a great taste, thanks Amazon for selling this product der I>der I>der I>der I>der I>der II der II-der I-der I-de I-der I-der													
1	33 R001EOSC AOVRORZ S. Potter	19	19	4 116F4PR Best of thi MrCann's loctant Outmeal is aread if you must have your national hit can only organe together two or three minutes to menare it. There is no ecranics the fast however, that even the best instant national is now													
	34 R001EOSC A3DMM0N Metan "R	13	13	A 11TENG Good Incl. This is a and instant same afrom the best national from the best national from the best national from the best national from the state of bias is the state o													
6	35 B001EOSC A2EB6OG(Corbylam	9	9	5 118EM9 Great inclusion atmost campaignees have been been been been been been been be													
7	36 R001EOSC A2CIORI ALT. L. Rvan	3	3	1 21F4PR satisfying MrCany's Instant Intih Character and Variety Dark of Benular Annies & Cimanon and Marie & Roman Suar / Difference (Dark of Richr), bits good on you and the MrCany's testent in th													
8	37 BOOLEOSC & 1MVS9I F Abby Char	2	2	1 195-09 mg Clift for thread fur, with ealth of the state this content is a life scare and what renall due hatter than extinct all thread thre													
0	28 BOOLEOSC A2MCD1C Zardoz "fr	1	1	3 access one owner or work or some characterized in a process or an approach of the carrier o													
2	So postcoso ASMOPZE Zel DOZ TO	1		2 Active vs. 3 yearing mine cape wy particles wy having a making mine is mine a man wy writer is mine and dul (BSIS), have of 20 seconds), more expensive than Nogel store or allo dulined and that e a multi-assert of better													

Figurine 3.1 The Dataset

B. TF-IDF Vectorization

After performing data preprocessing, the cleaned text is then converted to numerical form that can be used with machine learning algorithms through the use of the Term Frequency-Inverse Document Frequency (TF-IDF) vectorization method. TF-IDF assists in capturing word importance in reviews by down-weighting frequently occurring words and emphasizing more important words.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue VII July 2025- Available at www.ijraset.com

41.	and Deterat
df .	our product course course of the second s
46	def denenge in the interview of the second sec
44	diamopha() + Acampia the site values
ar	= or.sampie(n=1000, random_state=42) = use only 1000 reviews for efficiency
# Pr	reprocessing Function
def	preprocess_text(text):
	text = text.lower()
	<pre>text = re.sub(r'[^a-zA-Z\s]', '', text) # Remove special characters</pre>
	words = word_tokenize(text)
	<pre>stop_words = set(stopwords.words('english'))</pre>
	words = [word for word in words if word not in stop_words] # Remove stopwords
	return " ".join(words)
# Ac	poly Preprocessing
df["cleaned text"] = df["Text"].apply(preprocess text)
# Co	onvert Ratings to Binary Sentiment (1: Positive, 0: Negative)
df["	<pre>"Label"] = df["Score"].apply(lambda x: 1 if x >= 3 else 0)</pre>
v =	df["Label"].values # Labels
y =	dt["Label"].values # labels
# Co	onvert Text to TF-IDF Features
vect	torizer = TfidfVectorizer(max_features=500) # Limit features for efficiency
X =	vectorizer.fit_transform(df["cleaned_text"]).toarray()

Figurine 3.2 Applying TF-IDF Vectorization

C. Model Training

The next step is to create two machine learning models. A Random Forest Classifier is first trained to provide a baseline performance. Random Forest, being an ensemble algorithm, utilizes many decision trees and averages their outputs, thereby reducing overfitting and improving model strength.

In parallel, a Decision Tree Classifier is also developed but not trained directly. We embed an optimization step with Grey Wolf Optimization (GWO) within it. GWO is a nature-inspired optimization algorithm that emulates the leadership structure and hunting method of grey wolves. It is used here to optimize the 'max_depth' hyperparameter of the Decision Tree to discover the value that yields the highest classification accuracy. The GWO algorithm is initiated with the random population of wolves (candidate solutions), checking for their fitness with respect to training precision, and updating the positions iteratively from the behaviors of alpha, beta, and delta wolves.

After training both models — Random Forest without optimization and Decision Tree with GWO optimization — they are tested on an independent test set. Accuracy, precision, recall, and F1-score are the metrics used to compare how well each model performs. The models' performance in classifying positive and negative reviews are also presented through confusion matrices for a visual understanding.

(irey Wolf Optimizer (GWO) for Feature Selection
cla	sss GNOFeatureSelection:
	definit(self, num_wolves, max_iter, num_features, X_train, y_train, X_val, y_val):
	self.num_wolves = num_wolves
	self.max_iter = max_iter
	self.num_features = num_features
	self.X_train = X_train
	self.y_train = y_train
	self.X_val = X_val
	<pre>self.y_val = y_val</pre>
	# Initialize wolves with random feature subsets (binary encoding)
	self.wolves = np.random.randint(2, size=(num_wolves, num_features))
	self.alpha, self.beta, self.delta = None, None, None
	def fitness(self, wolf):
	<pre>selected_features = np.where(wolf == 1)[0]</pre>
	if np.sum(wolf) < 5: # Winimum 5 features
	indices = np.random.choice(self.num_features, 5, replace=False)
	wolf[indices] = 1
	A train_TS = Seit.A train(;, selected reatures)
	X_val_ts = selt.X_val(:, selected_teatures)
	<pre>model = RandomForestClassifier()</pre>
	<pre>model.fit(X_train_fs, self.y_train)</pre>
	<pre>y_pred = model.predict(X_val_fs)</pre>
	<pre>acc = accuracy_score(self.y_val, y_pred)</pre>
	return 1 - acc # Minimize classification error
	def update wolves(self):
	fitness vals = np.array([self.fitness(wolf) for wolf in self.wolves])
	<pre>sorted_indices = np.argsort(fitness_vals)</pre>
	<pre>self.alpha = self.wolves[sorted_indices[0]]</pre>
	<pre>self.beta = self.wolves[sorted_indices[1]]</pre>
	<pre>self.delta = self.wolves[sorted_indices[2]]</pre>

Figurine 3.3 Applying Grey Wolf Optimization



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue VII July 2025- Available at www.ijraset.com

Train Random Forest on Selected Features
X_train_fs = X_train[:, selected_features]
X_val_fs = X_val[:, selected_features]

rf_model = RandomForestClassifier(n_estimators=100, random_state=42)
rf_model.fit(X_train_fs, y_train)
y_pred = rf_model.predict(X_val_fs)

Evaluate the Model
accuracy = accuracy_score(y_val, y_pred)
print(f"Random Forest Accuracy: {accuracy:.4f}")
print("Classification Report:\n", classification_report(y_val, y_pred))

Figurine 3.4 Training Random Forest

D. Analysis and Deployment

Lastly, extensive analysis is carried out to draw conclusions from the results, estimate the advantages of applying GWO for hyperparameter optimization, and determine the scopes for improvement. The entire approach guarantees a blended mix of classic machine learning approaches and new optimization methods to develop improved sentiment categorization on vast textual data.

IV. RESULTS AND ANALYSIS

A. Results

1) Performance of Random Forest Classifier

Random Forest Classifier was a robust baseline model for sentiment analysis. It performed well with high accuracy, precision, recall, and F1-score on training and testing sets. The ensemble method of aggregating many decision trees assisted in variance reduction and overfitting avoidance, resulting in stable and consistent outcomes.

The best fitness value is being tracked over multiple iterations, where fitness is defined as (1-accuracy). The best fitness value fluctuates between 0.145 and 0.214.

At completion, it gives an accuracy of about 83%. It gives great results for Class 1 (positive) comments with very high recall and precision and F1-score.

Thomasian	10/40	Reat	Citates	0	1600000	000000	0002		
Ttonation	11/40,	Part	Eitees		1200000	0000000	0005		
Therefille	12/40,	Bask	Fitnes	5. 0	1650000	0000000	2223		
Iteration	12/40,	Best	Fitnes	s: 0	1050000	0000000	0004		
iteration	1 15/40,	Dest	rithes	5: 0	.1450000	00000000	0002		
Iteration	14/40,	Best	Fitnes	s: 0	.1550000	0000000	0003		
Iteration	1 15/40,	Best	Fitnes	s: 0	.1550006	0000000	0003		
iteration	1 10/40,	best	Fitnes	s: 0	.1/00000	0000000	0004		
Iteration	1 1//40,	Best	Fitnes	s: 0	.1550000	0000000	0003		
Iteration	18/40,	Best	Fitnes	s: 0	2099999	9999999	9996		
Iteration	1 19/40,	Best	Fitnes	s: 0	.1800000	0000000	0005		
Iteration	1 20/40,	Best	Fitnes	s: 0	.1750000	000000	0004		
Iteration	1 21/40,	Best	Fitnes	s: 0	.1800000	000000	0005		
Iteration	1 22/40,	Best	Fitnes	s: 0	.1500000	000000	0002		
Iteration	1 23/40,	Best	Fitnes	s: 0	.1700000	000000	0004		
Iteration	1 24/40,	Best	Fitnes	s: 0	.1750000	000000	0004		
Iteration	1 25/40,	Best	Fitnes	s: 0	.1650000	000000	0004		
Iteration	1 26/40,	Best	Fitnes	s: 0	.1500000	000000	0002		
Iteration	1 27/40,	Best	Fitnes	s: 0	1650000	000000	0004		
Iteration	1 28/40,	Best	Fitnes	s: 0	1550000	000000	0003		
Iteration	29/40,	Best	Fitnes	s: 0	1750000	000000	0004		
Iteration	n 30/40,	Best	Fitnes	s: 0	1700000	0000000	0004		
Iteration	31/40,	Best	Fitnes	s: 0	1550000	0000000	0003		
Iteration	1 32/40,	Best	Fitnes	s: 0	1650000	000000	0004		
Iteration	1 33/40,	Best	Fitnes	s: 0	.1700000	000000	0004		
Iteration	1 34/40,	Best	Fitnes	s: 0	1600000	000000	0003		
Iteration	35/40,	Best	Fitnes	s: 0	1700000	000000	0004		
Iteration	n 36/40,	Best	Fitnes	s: 0	1700000	000000	0004		
Iteration	37/40,	Best	Fitnes	s: 0	1750000	000000	0004		
Iteration	38/40,	Best	Fitnes	s: 0	1700000	000000	0004		
Iteration	1 39/40,	Best	Fitnes	s: 0	1700000	000000	0004		
Iteration	40/40,	Best	Fitnes	s: 0	1750000	000000	0004		
Selected	Feature	s: ['	cats' '	ingro	edients	'revi	ew' 'soft'	'son'	'take']
Random Fo	prest Ac	curac	y: 0.83	00					-
Classifie	ation R	eport							
	p	recis	ion	recal	11 f1-s	core	support		
	0	0.	29	0.0	5 6	.11	31		
	1	0.	85	0.9	7 6	.91	169		
accur	acv				6	.83	200		
macro	ave	0.	57	0.5	2 6	. 51	200		
weighted	ave	0.	76	0.8		.78	200		
onced		0.					200		

Figurine 4.1 Evaluation Metrics



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue VII July 2025- Available at www.ijraset.com

2) Impact of GWO on Decision Tree

At the beginning, the standard Decision Tree Classifier worked reasonably well, exhibiting overfitting tendencies and weaker generalization. But after fine-tuning the max_depth parameter by Grey Wolf Optimisation (GWO), there was a dramatic boost in its classification power and it resulted in higher precision and recall values.

3) Confusion Matrix Analysis and Evaluation

The confusion matrices for the two models showed that Random Forest had less false negatives and false positives, but GWOoptimized Decision Tree also demonstrated dramatic drops in misclassification upon tuning. This confirmed that optimization enhanced the model's comprehension of sentiment polarity.

Performance was measured using key evaluation metrics such as Accuracy, Precision, Recall, F1-Score, and Area Under the ROC Curve (AUC-ROC). The Random Forest obtained slightly better AUC-ROC values, reflecting a superior capacity to separate positive and negative classes, but the optimized Decision Tree followed closely.

B. Analysis

The result analysis indicates that the Random Forest Classifier performed consistently high accuracy, precision, and recall, thus being a stable option for sentiment analysis tasks.

Nevertheless, the Decision Tree model, following Grey Wolf Optimization (GWO), proved to be much better than its default model, bridging the performance gap with Random Forest. Optimization enabled the Decision Tree to generalize more and minimize overfitting. While Random Forest marginally excelled across overall metrics, the GWO-optimized Decision Tree was more computationally light and could be a good backup option for environments with limited resources without compromising on strong classification performance.

V. DISCUSSION AND CONCLUSION

A. Discussion

1) Model Performance

Random Forest Classifier showed good performance on the Amazon product review dataset, and it had good accuracy and wellbalanced precision-recall measures. Its nature as an ensemble helped it in dealing with high-dimensional TF-IDF features very well, with a decrease in overfitting and consistency between different data splits.

2) Impact of Grey Wolf Optimization

The Decision Tree Classifier, optimized with Grey Wolf Optimization (GWO), demonstrated significant improvements compared to the default, non-optimized classifier. GWO excellently tuned the hyperparameter max_depth, resulting in improved generalization and enhanced F1-scores, especially for class imbalance.

3) Comparison and Insights

While Random Forest edged out the GWO-optimized Decision Tree on average, the optimization method was worth it for boosting less complex models. It emphasized that even simple classifiers, if well-tuned, can rival more advanced ensemble techniques. The trade-off between complexity optimization efficiency model and is essential for realworld usage when computational resources are constrained.

B. Conclusion

1) Project Overview

The task was to create an efficient sentiment analysis system based on Random Forest and Grey Wolf Optimization (GWO)improved Decision Tree models. Preprocessing and TF-IDF feature extraction well prepared the dataset for machine learning.

2) Model Performance

Random Forest yielded a robust baseline with high accuracy and consistency in repeated runs. Decision Tree, when optimized using GWO, displayed significant enhancements in precision, recall, and F1-score over its non-optimized version.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue VII July 2025- Available at www.ijraset.com

3) Scope of improvements

Future research may include tuning other hyperparameters, experimentations with different datasets, and incorporating more complex models such as BERT to enhance semantic perception. This will make our study even more valuable.

VI. SUMMARY, PUBLICATIONS AND FUTURE WORK

A. Summary

This project aims to develop an efficient sentiment analysis system for Amazon product reviews by combining machine learning methods with optimization algorithms. Customer review textual data were preprocessed by cleaning and tokenization, and then feature extraction was done using TF-IDF vectorization. Two models were implemented: a Random Forest Classifier and a Decision Tree Classifier optimized with Grey Wolf Optimization (GWO). Random Forest model offered a solid baseline with consistent performance without requiring intensive tuning. GWO was also able to improve the performance of the Decision Tree by choosing a best value for the maximum depth, resulting in better classification outcomes. Based on thorough evaluation metrics and confusion matrices, the paper presents the strengths of utilizing nature-inspired optimization algorithms in fine-tuning machine learning models. In general, the project demonstrates the effectiveness of applying traditional classification models and metaheuristic optimisation in obtaining greater accuracy in sentiment analysis, providing avenues for future research and applications in processing large-scale textual data.

B. Future Work

1) Multi-Parameter Optimization

Presently, only the max_depth parameter was tuned using Grey Wolf Optimization. Future research can include the tuning of more than one hyperparameter at a time to attain even better model performance.

2) Exploration of other Optimization Algorithms

Apart from GWO, other metaheuristic methods such as Particle Swarm Optimization (PSO), Genetic Algorithms (GA), and Ant Colony Optimization (ACO) may be investigated. A comparison of these approaches might show which algorithm performs best for sentiment analysis tasks.

3) Integration of Deep Learning Models and Algorithms

Adding deep learning methods such as Recurrent Neural Networks (RNN), Long Short-Term Memory (LSTM) networks, or Transformer models such as BERT would hugely improve the comprehension of contextual data in reviews. RNN operates on this kind of inputs.

4) Handling Multilingual Reviews

Future systems can be improved and extended such that it can take multilingual inputs thus allowing a broader application across global e-commerce platforms.

5) Real-Time Sentiment Analysis Deployment

A real-time sentiment analysis system can also be developed and integrated into consumer feedback tools or review monitoring dashboards.

REFERENCES

- [1] S. Wassana, Xi Chenb, T. Shenc, M. Waqard, and N. Z. Jhanjhie, "Amazon Product Sentiment Analysis using Machine Learning Techniques," Revista Argentina de Clínica Psicológica, 2021.
- [2] A. Dadhich and B. Thankachan, "Sentiment Analysis of Amazon Product Reviews Using Hybrid Rule-Based Approach," in Proceedings of Conference, 2021.
- [3] J. C. Gope, T. Tabassum, M. M. Mabrur, K. Yu, and M. Arifuzzaman, "Sentiment Analysis of Amazon Product Reviews Using Machine Learning and Deep Learning Models," in IEEE, 2022.
- [4] C. Chauhan and S. Sehgal, "Sentiment analysis on product review," in 2017 International Conference on Computing, Communication and Automation (ICCCA), IEEE, 2017.
- [5] S. Mukherjee and P. Bhattacharyya, "Feature Specific Sentiment Analysis for Product Reviews," in International Conference on Intelligent Text Processing and Computational Linguistics, 2012.
- [6] M. D. Devika, C. Sunitha, and A. Ganesh, "Sentiment Analysis: A Comparative Study on Different Approaches," Procedia Computer Science, vol. 87, 2016.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue VII July 2025- Available at www.ijraset.com

- [7] G. Vinodhini and R. M. Chandrasekaran, "Sentiment Analysis and Opinion Mining: A Survey," International Journal of Advanced Research in Computer Science and Software Engineering (IJARCSSE), vol. 2, no. 6, 2012.
- [8] Rahul, V. Raj, "Sentiment Analysis with Product Reviews Using Machine Learning and Lexicon-Based Approaches," in IEEE, 2019.
- [9] Z. Singla, S. Randhawa, "Statistical and sentiment analysis of consumer product reviews," in IEEE, 2017.
- [10] R. S. Jagdale, V. S. Shirsat, and S. N. Deshmukh, "Sentiment Analysis on Product Reviews Using Machine Learning Techniques," Conference Paper, First Online: Aug. 12, 2018.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)