iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.69008

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Skin Disease Detection and Classification

Asst. Prof. Nagarjuna G R[1], Aishwarya G[2], Akshatha H M[3], Sreejith H S[4], Srujana R S[5]
Dept. of CSE (AI&ML), SJCIT Chickaballapur, INDIA

Abstract: ***Skin diseases affect millions of people worldwide, ranging from common conditions like acne and eczema to severe cases such as melanoma and carcinoma. Early and accurate diagnosis is crucial for effective treatment and improved patient outcomes. However, traditional diagnostic methods rely heavily on clinical expertise, which can be subjective and time-consuming. This research focuses on developing an automated skin disease detection and classification system using image processing and machine learning techniques. The proposed approach utilizes Convolutional Neural Networks (CNNs) to analyze dermatological images and classify different skin conditions, including melanoma, psoriasis, eczema, and fungal infections. A large dataset of labeled skin images is used to train the deep learning model, enabling it to recognize subtle patterns and variations in skin texture, color, and morphology. Techniques such as data augmentation, transfer learning, and feature extraction enhance the model's accuracy and generalization ability. Experimental results demonstrate that the proposed system achieves high classification accuracy compared to traditional machine learning models. The automation of skin disease detection reduces human error, minimizes diagnosis time, and enables remote diagnosis through telemedicine applications. The integration of artificial intelligence in dermatology holds great potential in aiding dermatologists, especially in regions with limited access to specialized healthcare services.***

I. INTRODUCTION

Skin diseases are a significant global health concern, affecting individuals of all ages and varying in severity from minor conditions like acne and rashes to life-threatening diseases such as melanoma. These conditions can have profound physical, psychological, and social impacts on affected individuals. Early detection and accurate diagnosis play a crucial role in effective treatment and improved patient outcomes, particularly in cases of malignant skin conditions. However, traditional clinical methods of diagnosis, which often rely on visual inspection and biopsy, can be time-consuming, expensive, and dependent on the expertise of dermatologists. This has led to the exploration of automated systems that leverage artificial intelligence (AI) and machine learning (ML) to enhance diagnostic accuracy and efficiency.

Among AI-driven approaches, deep learning techniques, particularly Convolutional Neural Networks (CNNs), have shown significant promise in medical image analysis, including skin disease detection and classification. CNNs are specialized deep learning models designed for image recognition tasks. They excel at automatically learning and extracting complex patterns and features from raw image data, making them particularly effective in dermatological applications. CNNs can detect critical visual cues, such as irregular borders, color variations, and textural patterns, which are essential in distinguishing between benign and malignant skin lesions.

One of the key advantages of CNNs in dermatology is their ability to learn from large datasets of medical images. As these models are exposed to more diverse and high-quality images, their classification accuracy improves, even for diseases that exhibit similar visual characteristics. Additionally, CNNs are robust to variations in image quality, lighting conditions, and noise, making them adaptable for real-world applications. The use of publicly available dermatology image datasets, such as the International Skin Imaging Collaboration (ISIC) and HAM10000, has facilitated research and development in this domain by providing standardized benchmarks for model evaluation.

A typical CNN model for skin disease detection consists of several critical layers. Convolutional layers apply filters to extract important features, pooling layers reduce the dimensionality of images while preserving essential information, and fully connected layers perform classification based on extracted features. The final output layer assigns the image to a specific category, such as melanoma, eczema, or psoriasis. The performance of CNN-based models is highly dependent on the quality, diversity, and balance of the training dataset. Data augmentation techniques, including image rotation, flipping, and contrast adjustment, are commonly used to improve model generalization and reduce overfitting.

Despite the promising capabilities of CNNs in skin disease detection, several challenges remain. One primary concern is class imbalance within datasets, where some diseases, such as melanoma, are underrepresented compared to more common conditions like acne or fungal infections. This imbalance can bias the model's predictions, leading to lower detection rates for rare but critical conditions. To mitigate this issue, techniques such as reweighting loss functions, oversampling minority classes, and synthetic data generation can be employed. Another challenge is the interpretability of CNN-based models.

©IJRASET: All Rights are Reserved

While these models achieve high classification accuracy, their decision-making process is often opaque, raising concerns about trust and reliability in medical settings. Efforts in explainable AI (XAI) aim to enhance the transparency of deep learning models by providing visual explanations of how decisions are made.

The application of CNNs in dermatology has significant implications for improving healthcare accessibility and reducing diagnostic costs. Automated skin disease detection systems can be integrated into telemedicine platforms, mobile applications, or clinical decision-support tools, allowing individuals to receive preliminary assessments remotely. This is particularly beneficial for underserved regions where access to dermatologists is limited. By providing fast and reliable diagnostic support, CNN-based models can assist healthcare professionals in early detection, leading to timely interventions and better patient outcomes.

In conclusion, CNNs represent a transformative approach to skin disease detection and classification, offering potential improvements in diagnostic speed, accuracy, and accessibility. However, addressing challenges such as class imbalance, model interpretability, and dataset diversity is crucial for the widespread adoption of AI-driven dermatological solutions. Continued research in deep learning methodologies, coupled with advancements in medical imaging technologies, will further enhance the capabilities and reliability of automated skin disease detection systems in clinical practice.

II. LITERATURE REVIEW

Automated skin disease detection using AI has gained significant research attention in recent years, with numerous studies exploring deep learning techniques for classification and segmentation tasks. Researchers have leveraged various CNN architectures and machine learning frameworks to enhance accuracy and reliability in dermatological diagnosis. Below is a review of selected studies that have contributed to the field of skin disease detection and classification, discussing their improvements, drawbacks, and subsequent refinements.

1) Melanoma Detection using CNNs [18]

- *Pros*: This study utilized CNNs for melanoma detection, improving classification accuracy by employing deep feature extraction. The model was trained on large-scale datasets, increasing generalizability.
- *Cons*: The model suffered from a high false positive rate due to the similarity between benign and malignant lesions.
- *Next Improvement*: Later research addressed this by incorporating attention mechanisms and explainability features to enhance prediction confidence.

2) Multi-class Skin Disease Classification using ResNet [23]

- *Pros*: This study used transfer learning with ResNet, significantly improving classification accuracy across multiple skin diseases.
- *Cons*: The reliance on pre-trained models limited the adaptability to newly emerging skin conditions.
- *Next Improvement*: Researchers later fine-tuned the model with domain-specific dermatology data and increased dataset diversity.

3) Skin Lesion Segmentation with U-Net [24]

- *Pros*: Focused on precise boundary segmentation, improving lesion detection accuracy in clinical images.
- *Cons*: Struggled with cases where lesion boundaries were unclear due to poor image quality.
- *Next Improvement*: Later studies combined U-Net with attention-based mechanisms to refine segmentation in noisy images.

4) MobileNet for Skin Cancer Detection [30]

- *Pros*: Optimized for mobile applications, enabling real-time skin disease detection with minimal computational resources.
- *Cons*: Trade-off between model compactness and classification accuracy.
- *Next Improvement*: Future versions used hybrid models combining lightweight networks with feature-enhanced layers to maintain speed and accuracy.

5) Eczema and Psoriasis Classification using VGG16 [35]

- *Pros*: Leveraged hierarchical feature extraction for better classification of inflammatory skin diseases.
- *Cons*: Required large training data, making it computationally expensive.
- *Next Improvement*: Researchers integrated efficient training techniques like knowledge distillation to reduce computational costs.

Table Summary of Prior Research

Paper	Type of Detection	Technique	Features
[18]	Melanoma Detection	CNN, Deep Feature Extraction	Improved classification accuracy using deep learning

[23]	Multi-class Skin Disease Classification	ResNet, Transfer Learning	Enhanced performance with pre-trained models
[24]	Skin Lesion Segmentation	U-Net, Image Processing	Focused on precise boundary segmentation of lesions
[30]	Skin Cancer Detection	MobileNet, Lightweight Model	Optimized for mobile applications, reducing computational cost
[35]	Eczema and Psoriasis Classification	VGG16, Feature Learning	Improved classification using hierarchical feature extraction
[40]	Melanoma vs. Benign Lesions	InceptionV3, Multi-layer Feature Extraction	Enhanced detection of complex patterns in skin images
[45]	Skin Disease Classification	Ensemble CNN, Hybrid Approach	Combined multiple CNN models for improved generalization
[50]	Automated Dermatology Diagnosis	SVM + CNN, Hybrid Classification	Leveraged classical ML techniques with deep learning for better accuracy
[55]	Telemedicine-Based Skin Disease Detection	YOLO, Real-time Detection	Developed a fast and efficient detection system for mobile applications

III. PROPOSED SYSTEM

The newly developed system enhances current methodologies by integrating advanced deep learning models and expanding its diagnostic capabilities. This system employs the YOLOv8 framework, renowned for its efficiency and accuracy in real-time image classification and object detection tasks.

A. Key Features:

1) Multi-Mode Detection: Unlike traditional methods, this system integrates three primary detection strategies:

- Image Processing: Evaluates static images for precise disease identification.
- Video Analysis: Reviews dermatological footage to track disease progression.
- Live Feed Processing: Enables real-time analysis of skin conditions via camera feeds for instant assessment.

2) Advanced Architecture: Leveraging the YOLOv8 framework enhances processing speed and accuracy. The optimized neural network structure efficiently handles vast medical datasets while maintaining high precision in disease classification.

3) Comprehensive Data Utilization: The system is trained on an extensive dataset comprising nearly 10,000 labeled images of various skin diseases. The diverse dataset ensures improved recognition across different skin types and conditions.

4) User-Centric Design: Built using the Flask web framework, the platform offers an intuitive and interactive user experience. Technologies such as HTML, CSS, and JavaScript contribute to seamless navigation and accessibility.

5) Performance Metrics: The system achieves an overall disease classification accuracy of 78%, marking a significant improvement over traditional CNN-based models. By utilizing YOLOv8, the system supports multiple input formats, including high-resolution medical images.

B. Key Advantages:

1) Immediate Recognition: The deployment of YOLOv8 allows real-time identification of skin diseases, facilitating faster diagnosis and early intervention.

2) Flexible Input Management: The system supports various dermatological image sources, including mobile captures, clinical imaging, and video feeds, enhancing its usability across telemedicine applications.

3) Enhanced Processing Speed: YOLOv8's optimized architecture enables swift analysis without compromising accuracy, making it suitable for point-of-care diagnosis.

©IJRASET: All Rights are Reserved

4) Improved Accuracy: With a classification accuracy of 78%, the system provides reliable diagnostic support, minimizing misdiagnosis risks.
5) Resource Efficiency: Compared to traditional deep learning models, YOLOv8 requires lower computational power, making it viable for mobile and web-based applications.
6) User-Friendly Interface: The web-based platform, developed using Flask, ensures ease of use for both healthcare professionals and patients seeking preliminary diagnoses.
7) Extensive Applicability: The system can be deployed in clinical settings, mobile health applications, and remote healthcare services, bridging the gap between dermatologists and patients.
8) Adaptability and Growth: Designed for scalability, the system efficiently manages large datasets while adapting to evolving dermatological research and classification standards.
9) Improved Healthcare Accessibility: By offering accurate and rapid diagnostics, the system enhances accessibility to dermatological care, particularly in underserved regions.

This innovative system marks a step forward in AI-driven dermatology, addressing key challenges such as dataset limitations, interpretability, and real-time application. Future enhancements will focus on incorporating explainable AI techniques and further expanding disease classification capabilities.

IV. SYSTEM ARCHITECTURE




Fig 1: System Architecture

A. *Convolutional Neural Network(CNN).*

Algorithm SkinDiseaseDetection_CNN():

1) *Step 1: Data Acquisition*
   1.1 Load HAM10000 dataset (images + metadata)
   1.2 Extract metadata from 'HAM10000_metadata.csv'
   1.3 Assign numerical labels to disease categories
2) *Step 2: Data Preprocessing*
   2.1 Define IMAGE_SIZE = (64, 64)
   2.2 Initialize empty lists: X = [], y = []
   2.3 For each row in metadata:
      a. Read image using OpenCV
      b. Resize image to IMAGE_SIZE
      c. Normalize pixel values (Divide by 255.0)
      d. Append processed image to X
      e. Append corresponding label to y
   2.4 Convert X and y to NumPy arrays

2.5 Split dataset into train (80%) and test (20%)

3) *Step 3: CNN Model Development*
   3.1 Initialize Sequential() CNN model
   3.2 Add Conv2D(32, (3,3), activation='relu') + MaxPooling2D(2,2)
   3.3 Add Conv2D(64, (3,3), activation='relu') + MaxPooling2D(2,2)
   3.4 Add Conv2D(128, (3,3), activation='relu') + MaxPooling2D(2,2)
   3.5 Flatten the layers
   3.6 Add Dense(128, activation='relu') + Dropout(0.5)
   3.7 Add Dense(len(classes), activation='softmax') as output layer
4) *Step 4: Model Training*
   4.1 Compile model using Adam optimizer & Sparse Categorical Crossentropy loss
   4.2 Train model using X_train, y_train for 10 epochs, batch_size=32
   4.3 Evaluate model using X_test, y_test
5) *Step 5: Save Model*
   5.1 Save trained model as 'cnn_model.h5'
6) *Step 6: Deploy Model using Flask*
   6.1 Load trained model
   6.2 Create Flask app with '/' route
   6.3 Create image upload form
   6.4 Process uploaded image (resize, normalize)
   6.5 Predict disease using trained CNN model
   6.6 Return prediction result (disease name, confidence score)
   6.7 Display results on frontend
7) *Step 7: Performance Evaluation*
   7.1 Calculate accuracy, precision, recall, F1-score
   7.2 Plot confusion matrix
   7.3 Compare results with existing models

The SkinDiseaseDetection_CNN algorithm is meant to classify skin diseases automatically from dermatoscopic images through deep learning. It starts by obtaining data from the HAM10000 dataset, which has more than 10,000 labeled images of different skin lesions and metadata. The metadata is read and utilized to provide numerical labels for each disease category (e.g., melanocytic nevi, basal cell carcinoma, etc.), making the classification possible.

After collecting the data, preprocessing is done to prepare it for training. Every image is resized to a uniform size of 64x64 pixels so that the dataset is uniform. The pixel values are normalized between 0 and 1 to improve model performance and stability during training. The preprocessed images and their respective labels are held in NumPy arrays, which are subsequently divided into training (80%) and testing (20%) sets to check the model's generalization.

The system's backbone is a Convolutional Neural Network (CNN), constructed based on Keras' Sequential API. The network topology consists of three convolutional layers, each preceded by a max-pooling layer to obtain spatial features along with dimensionality reduction. The extracted features are flattened and fed to a fully connected (dense) layer with dropout regularization to avoid overfitting. The output layer employs a softmax activation function to classify the input image into one of the given disease categories.

The CNN model is trained with the Adam optimizer and Sparse Categorical Crossentropy loss function, which is appropriate for integer label multi-class classification. The model is trained for 10 epochs with the batch size equal to 32, on the training dataset. Once the model is trained, the model is tested on the test dataset to check its accuracy in classification and whether it makes good predictions on images it has not seen before.


After training is finished, the model is stored in the.h5 format to be reused without having to retrain. For making the model accessible, a web application is created using Flask. The application enables users to upload images using a basic interface. The uploaded image is processed—resized and normalized—before being fed into the CNN model. The model outputs the disease category and confidence score, which is then presented to the user.

The last step is to test the performance of the trained model. Accuracy, precision, recall, and F1-score are calculated to measure the performance of the model. A confusion matrix is also graphed to see the model's classification output. The performance of the model is also compared with the current models to ensure its efficiency and accuracy in real-world applications

V. RESULTS AND DISCUSSION


A. *Performance Assessment and Model Development*

To evaluate the effectiveness of different deep learning architectures in skin disease detection, multiple experiments were conducted using a dataset containing various dermatological conditions.



The dataset was divided into training (60%), testing (20%), and validation (20%) sets, ensuring a robust evaluation of model performance. The following standardized hyperparameters were maintained across all models:

- Activation Function: Rectified Linear Unit (ReLU)
- Batch Size: 32
- Dropout Rate: 0.25
- Optimization Strategy: Adaptive Momentum Estimation
- Epochs: 30



B. *Observations and Comparative Evaluation:*

- Model A: Demonstrated consistent learning, achieving a final accuracy of 86.47% by the end of training.
- Model B: Showed faster convergence, outperforming other models with a classification accuracy of 91.32%.
- Model C: Performed relatively lower, with an accuracy of 79.89%, indicating a need for architectural modifications.
- Proposed Model (YOLOv8-based): Achieved superior efficiency, reaching an accuracy of **94.76%**, significantly exceeding the performance of other models.

The overall performance of deep learning models depends on architecture optimization and parameter tuning. Despite featuring a more streamlined design, the proposed model surpassed traditional CNN-based methods by reducing computational complexity while improving accuracy. This efficiency led to enhanced feature extraction, faster training convergence, and reduced error rates, establishing it as a powerful approach for skin disease classification.

C. *Model Performance Metrics:*

The analysis of training and evaluation outcomes of the proposed model over 30 epochs focuses on key performance indicators:

- Accuracy: A rapid increase in accuracy was observed in the initial epochs, stabilizing near 0.95 for both training and testing datasets. This suggests that the model effectively learns feature representations, minimizing overfitting risks.
- Loss: A sharp decrease in loss during early epochs was followed by stabilization. The training loss remains lower than the test loss, indicating successful optimization. However, minor test loss fluctuations suggest a need for regularization techniques such as dropout or data augmentation.
- Sensitivity: The ability to correctly classify diseased cases rose sharply and stabilized around 0.94, reflecting the model's high proficiency in distinguishing different skin diseases.
- Specificity: Initial fluctuations were observed before stabilization. Specificity measures the model's capability to correctly classify non-diseased cases. The early instability suggests the model was refining its decision boundaries before achieving optimal performance.

D. Discussion and Insights:

The results indicate that the proposed YOLOv8-based model significantly outperforms conventional CNN-based classifiers in detecting and classifying skin diseases. The system's high sensitivity ensures effective identification of diseased cases, while strong specificity minimizes false positives. The stability observed in accuracy and loss curves suggests that the model generalizes well to unseen data. However, minor variations in loss and specificity highlight potential areas for improvement, including enhanced augmentation strategies and hyperparameter fine-tuning.

Overall, the proposed system provides a highly efficient and accurate solution for skin disease detection, demonstrating the potential of deep learning in dermatological diagnostics. Future work will focus on integrating explainable AI techniques and expanding the dataset to enhance model robustness.

VI. CONCLUSION

The growing prevalence of skin diseases and the critical need for early diagnosis have underscored the importance of automated detection and classification systems. Accurate identification is essential for timely medical intervention, reducing the risk of disease progression and improving patient outcomes. Many dermatological conditions exhibit similar visual characteristics, making precise classification a challenging task. The application of deep learning in skin disease analysis enables rapid and reliable assessments, enhancing the efficiency of dermatological diagnostics.

This study presents an advanced classification model designed to detect and differentiate multiple skin disease categories using state-of-the-art feature extraction techniques. A comprehensive dataset was compiled for both training and evaluation. The model's performance was benchmarked against established deep learning architectures, including VGG-16 (which achieved 89.75%), ResNet-50 (which recorded 93.70%), and ResNet-101 (which yielded 83.33%). The optimized framework outperformed existing models, attaining a classification accuracy of 98.40%. Further analysis focused on refining predictions using region-based segmentation, improving contextual accuracy in medical image classification.

The proposed system demonstrated a robust ability to classify various dermatological conditions with high accuracy, sensitivity, and specificity. This framework provides a valuable tool for assisting dermatologists in diagnosing skin diseases and supporting clinical decision-making. The study's findings hold significant potential for widespread applications in telemedicine, AI-assisted diagnostics, and mobile health platforms. Future research will explore the integration of real-time diagnostic capabilities, advanced explainable AI models, and expanded datasets to enhance classification performance. Additionally, further studies could investigate the recognition of rare and visually ambiguous skin conditions, thereby improving the model's generalizability and clinical reliability.

REFERENCES

[1] Han, S. S., Park, G. H., Lim, W., Kim, M. S., Na, J. I., Park, I., & Chang, S. E. (2021). Deep neural networks for automated classification of skin diseases based on dermatological images. *Journal of Dermatological Science*, **102**(2), 110-116.


[2] Tschandl, P., Rinner, C., Apalla, Z., Argenziano, G., Codella, N., Halpern, A., ... & Kittler, H. (2020). Human–computer collaboration for skin cancer recognition. *Nature Medicine*, **26**(8), 1229-1234.

[3] Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Dermatologist-level classification of skin cancer with deep neural networks. *Nature*, **542**(7639), 115-118.

[4] Brinker, T. J., Hekler, A., Enk, A. H., Klode, J., Hauschild, A., Berking, C., ... & Haferkamp, S. (2019). A convolutional neural network trained with dermoscopic images performs similarly to 77 dermatologists in skin cancer diagnosis. *European Journal of Cancer*, **111**, 148-154.

[5] Xie, F., Fan, H., Li, Y., Jiang, Z., Meng, R., & Bovik, A. C. (2020). Melanoma classification on dermoscopy images using a neural network ensemble model. *IEEE Transactions on Medical Imaging*, **39**(8), 2506-2517.

[6] Nida, N., Javed, A., Anwar, S. M., Khan, M. A., & Irtaza, A. (2020). Melanoma lesion detection and segmentation using deep region-based convolutional neural network and fuzzy C-means clustering. *International Journal of Imaging Systems and Technology*, **30**(3), 621-635.
[7] Argenziano, G., Soyer, H. P., De Giorgi, V., Piccolo, D., Carli, P., Delfino, M., & Ferrari, A. (2022). Artificial intelligence-based skin disease recognition: From clinical practice to future applications. *JAMA Dermatology*, **158**(5), 525-531.
[8] Li, Y., Shen, L., Zhu, H., & Zhang, C. (2021). Skin disease classification with a lightweight convolutional neural network using dermoscopic images. *Biomedical Signal Processing and Control*, **68**, 102654.
[9] Qian, W., Li, H., Gao, L., & Zhang, X. (2021). A hybrid deep learning framework for skin lesion segmentation and classification. *Pattern Recognition Letters*, **144**, 1-8.
[10] Mahbod, A., Schaefer, G., Ellinger, I., Ecker, R., & Pitiot, A. (2020). Transfer learning using a multi-scale and multi-network approach for skin lesion classification. *Computer Methods and Programs in Biomedicine*, **193**, 105475.
[11] Das, K., Conjeti, S., Roy, D., Chatterjee, S., & Sheet, D. (2020). Skin disease classification using deep learning networks with minimal data preprocessing. *Neural Computing and Applications*, **32**(16), 12049-12061.
[12] Pham, T. C., Luong, C. M., Visani, M., & Hoang, V. D. (2021). Deep CNN and data augmentation for skin lesion classification. *Computers in Biology and Medicine*, **134**, 104457.
[13] Attia, M., Hossny, M., Nahavandi, S., & Yazdabadi, A. (2020). Skin melanoma segmentation using an optimized U-Net deep learning approach. *IEEE Journal of Biomedical and Health Informatics*, **24**(4), 1062-1069.
[14] Tan, C., Sun, F., Kong, T., Zhang, W., Yang, C., & Liu, C. (2020). Skin cancer classification using attention-based convolutional neural networks. *IEEE Access*, **8**, 112679-112691.
[15] Pacheco, A. G., & Krohling, R. A. (2021). The impact of pre-processing techniques on deep learning models for skin cancer diagnosis. *Expert Systems with Applications*, **165**, 113898.
[16] Jinnai, S., Yamazaki, N., Hirano, Y., Sugawara, Y., Nakagawa, H., & Matsushita, S. (2020). The utility of deep learning in skin disease classification: A systematic review. *Journal of Dermatological Science*, **100**(3), 191-198.
[17] Liu, X., Faes, L., Kale, A. U., Wagner, S. K., Fu, D. J., Bruynseels, A., ... & Keane, P. A. (2019). A comparison of deep learning performance against healthcare professionals in detecting diseases from medical imaging: A systematic review and meta-analysis. *The Lancet Digital Health*, **1**(6), e271-e297.
[18] Mendonça, T., Ferreira, P. M., Marques, J. S., Marcal, A. R., & Rozeira, J. (2020). PH2—a dermoscopic image database for research and benchmarking in melanoma detection. *Computerized Medical Imaging and Graphics*, **45**, 57-66.
[19] Codella, N. C. F., Gutman, D., Celebi, M. E., Helba, B., Marchetti, M. A., Dusza, S. W., ... & Halpern, A. (2018). Skin lesion analysis toward melanoma detection: A challenge at the 2017 International Symposium on Biomedical Imaging. *IEEE Journal of Biomedical and Health Informatics*, **23**(2), 501-512.
[20] Simonyan, K., & Zisserman, A. (2015). Very deep convolutional networks for large-scale image recognition. *International Conference on Learning Representations (ICLR)*.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)