



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: IV Month of publication: April 2025

DOI: https://doi.org/10.22214/ijraset.2025.68738

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Skin Disease Detection Using Image Processing and CNN

B D Gnana Deepak Reddy¹, A Naveen Kumar², B Yashwanth³, C Santosh⁴, G Pavan Kalyan⁵, Mr.O.G.Suresh Kumar⁶, Dr. R. Karunia Krishnapriya⁷, Mr.Pandreti Praveen⁸

^{1, 2, 3, 4, 5}UG Scholar, ⁷Associate Professor, ^{6, 8}Assistant Professor, Sreenivasa Institute Of Technology And Management Studies, Chittoor, India.

Abstract: The rising prevalence of skin problems, combined with a dearth of dermatologists—particularly in rural and underserved areas—has generated a pressing demand for novel technologies that aid in early detection and diagnosis. To address this, we introduce an AI-powered solution that helps patients, general practitioners, and dermatologists by providing an efficient and user-friendly preliminary screening tool. Our method uses Convolutional Neural Networks (CNNs), specifically the Mobile Net architecture, to evaluate high-resolution dermoscopic and clinical skin images and accurately classify various dermatological diseases. The algorithm, which was trained on a large, labelled dataset, can recognize a variety of skin illnesses, including melanoma, eczema, psoriasis, and acne. Mobile Net's lightweight architecture makes it ideal for deployment on mobile and edge devices, allowing for use in distant environments and medical applications. This system is designed to serve as a decision-support tool, enhancing diagnosis accuracy, minimizing delays, and streamlining healthcare delivery without displacing medical experts. With additional improvement and clinical validation, the system has the potential to have a global impact by improving dermatological treatment accessibility and efficiency.

Keywords: Dermatological Manifestations, Supervised machine learning, CNN, Mobile Net, Hybrid Algorithm.

I. INTRODUCTION

The global incidence of dermatological illnesses is a major public health concern, with skin conditions ranking fourth among the leading causes of human sickness. The complexity of skin diseases, combined with a global shortage of dermatologists, particularly in distant and underserved locations, needs the development of readily available diagnostic support. This difference in healthcare access has fuelled interest in using artificial intelligence (AI) to bridge the diagnostic gap. AI, particularly Convolutional Neural Networks (CNN) and designs such as Mobile Net, have showed promise in picture recognition applications due to their capacity to learn hierarchical representations. In dermatology, where visual inspection is critical for diagnosis, such AI models can be trained to recognize and classify skin diseases from photos with accuracy comparable to that of qualified clinicians. This potential makes AI a powerful ally in early skin disease identification. Furthermore, the integration of AI into healthcare is consistent with digital transformation trends throughout industries, including telemedicine. By providing preliminary diagnosis using AI, patients can obtain timely information, and dermatologists can effectively prioritize cases, streamlining the healthcare workflow. Despite advances in healthcare, there is still a major deficit in dermatological treatments, particularly in the first diagnosis. The scarcity of dermatologists and geographic barriers to specialist care worsen the situation, resulting in delayed diagnoses and treatments. This service gap disproportionately affects rural and underprivileged regions, typically resulting in poorer health outcomes. The issue is twofold: first, dermatological expertise is unevenly distributed, and second, skin illnesses are becoming more common worldwide. It is vital to have a preliminary diagnostic process that is accessible, fast, and accurate. This study seeks to overcome these challenges by creating an AI-powered diagnostic tool capable of providing quick, preliminary assessments of dermatological disorders. The tool intends to reduce the stress on the healthcare system by allowing for triage and prioritizing, potentially reducing patient wait times and distributing the workload more equitably among available dermatological services.

II. LITERATURE SURVEY ON WORKLOAD PREDICTION

The progression of dermatological treatments from traditional to modern procedures represents a shift from empirical, experience-based practices to evidence-based, technologically advanced remedies. Historically, dermatology depended primarily on topical and herbal therapies to treat skin conditions, many of which were rooted in ancient medicine. Treatments were essentially trial and error, with various degrees of efficacy and little understanding of the underlying pathophysiological causes. The emergence of modern medicine marked a paradigm change, with rigorous scientific study and the creation of specialized pharmaceutical treatments. The discovery of antibiotics and steroids, for example, transformed the treatment of infections and inflammatory disorders.





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Furthermore, the modern era of dermatology is characterized by sophisticated procedural therapies such as laser therapy and photodynamic therapy, as well as the introduction of biologics for complex disorders such as psoriasis and eczema. Furthermore, the incorporation of AI for diagnostic and tailored treatment regimens represents the cutting edge of dermatological practice, demonstrating an innovative marriage of technology and medicine to improve patient results.

The use of technology in dermatology has resulted in ground-breaking advances, with lasers, surgical procedures, and new therapies characterizing modern practice. With its precision and specificity, laser therapy has become the go-to treatment for a wide range of ailments, from cosmetic problems like wrinkles and scars to medical conditions like port-wine stains and varicose veins. Lasers' adaptability enables specific targeting of skin structures while avoiding damage to neighbouring tissues, making treatments safer and recovery times faster.

Surgical dermatology has also made considerable advances. Mohs surgery, which precisely removes skin disease layer by layer, shows the precision and improved patient results made possible by technology advancements. Surgeons can now ensure total disease removal while preserving as much healthy tissue as possible, thanks to improved imaging and microscopic control. Innovation continues with the discovery of novel medications and biologics that are matched to individual genetic profiles, allowing for more individualized treatment strategies. Wearable technology that monitors skin issues in real time, as well as telemedicine platforms that allow for distant consultations, are changing the way patients are cared for. Artificial intelligence is on the rise, with diagnostic algorithms becoming increasingly adept at recognizing skin disorders and other dermatoses, potentially outperforming human accuracy. These technological accomplishments reflect a new dermatology environment in which the emphasis is not only on disease cures, but also on enhancing quality of life and patient care through innovative, technologically driven solutions.

III. METHODOLOGY

The technique focuses on the AI model creation process, which is a critical component of this research. The procedure begins with the selection of an appropriate AI architecture, which includes Convolutional Neural Networks (CNN) and Mobile Net because to their demonstrated usefulness in image recognition tasks, particularly in medical imaging.




Fig1: System Architecture



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

- 1) Data Collection: A thorough dataset of dermatological images is created. This dataset covers a wide spectrum of skin problems, assuring diversity in skin types, conditions, and severity. The photographs were obtained from medical databases and dermatology clinics, with patient consent and ethical approval
- 2) Data preparation: improves image quality and consistency. This stage consists of shrinking photos, increasing contrast, and normalizing pixel values. To protect patients' privacy, their data is anonymized.
- 3) Model Training and Validation: Pre-processed dataset is used to train the CNN and Mobile Net architectures. The model is trained by giving it photos and diagnoses in order to learn the patterns associated with various skin disorders. The model's performance is constantly evaluated by validation tests on a different set of photos not used in the training phase.
- 4) Optimization and testing: The model is fine-tuned to improve accuracy and minimize misdiagnosis. This entails changing parameters like the learning rate and the number of layers in the network. Final testing is performed with an independent dataset to evaluate the model's diagnostic accuracy and dependability.
- 5) Data Collection for Skin Image Datasets: The data gathering phase for skin image datasets is an important stage in developing the AI model. This procedure entails collecting a vast and diverse set of skin photos to train the AI system, guaranteeing that it can correctly recognize and diagnose a wide range of dermatological disorders.
- 6) Images are obtained from many channels to ensure diversity. These include dermatology clinics, hospitals, and internet medical databases. Collaboration with dermatologists and healthcare institutes is necessary for getting clinically confirmed and high-quality photographs. To confirm the AI model's performance across all skin kinds and situations, the dataset comprises photos reflecting varied ages, genders, skin tones, and disorders. This diversity is necessary for the approach to be generally applicable and decrease bias. Ethical considerations and consent: All data collecting follows ethical norms. Patient approval is secured before the usage of their photographs in the dataset, assuring privacy and confidentiality. Furthermore, any identifying information is eliminated to ensure patient anonymity.
- 7) Quality Control: Images are checked for quality. Only clean, well-lit, and high-resolution photographs are used. This stage is critical to ensuring the model's correctness, as poor-quality photos can result in inaccurate diagnoses.
- 8) Data Annotation: Each image in the dataset is annotated with relevant clinical information, such as diagnosis and severity. Experienced dermatologists execute this annotation to offer accurate labels for the AI model.
- 9) Data Augmentation: Techniques including rotation, scaling, and flipping improve dataset robustness. This contributes to a more comprehensive dataset, especially when specific illnesses or skin types are underrepresented.

The model relies on Convolutional Neural Networks (CNN), specifically the Mobile Net architecture. CNNs are well-known for their performance in image identification and classification applications. Mobile Net, which is known for its ability to handle high-resolution photos at a minimal computational cost, is an excellent candidate for processing dermatological images. It incorporates depth-wise separable convolutions, which reduce model size and processing needs while maintaining accuracy.

The model is developed and trained in Python, a popular programming language for AI and machine learning due to its wide library and framework support. Tensor Flow and Keras are key libraries used. Tensor Flow offers a versatile ecosystem of tools and modules for creating and deploying machine learning models, whereas Keras provides a user-friendly interface for designing neural networks.

Model Training and Validation: The CNN is trained using an annotated dataset of skin pictures. This training is carried out in a GPU-accelerated environment to address the computational demands. The model is rigorously validated against a distinct dataset to ensure the accuracy and reliability of its diagnostic skills.


To improve the model's performance, Adam optimizer and dropout techniques are used. These techniques help to fine-tune the model, reduce overfitting, and ensure it generalizes well to new, unseen data.

IV. IMPLEMENTATION AND RESULTS


The Convolutional Neural Network (CNN) method is critical to this dermatological diagnosis research because of its remarkable picture processing and analysis capabilities. CNN, a deep learning algorithm, is specifically intended to recognize and understand visual information, making it excellent for processing complicated situations

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue IV Apr 2025- Available at www.ijraset.com



Mobile Net is a set of efficient models for mobile and edge devices created by Google. It stands out among Convolutional Neural Networks (CNNs) for its simplified architecture, which balances performance and computing resource requirements. This balance is essential for implementing high-accuracy models in resource-constrained contexts, such as smartphones and IoT devices.



V. CONCLUSION

The project's conclusion, which focussed on the construction of a hybrid Mobile Net and LSTM model for dermatological picture categorization, captures both the successes and problems faced in this novel attempt. The study attempted to combine the strengths of convolutional and recurrent neural networks to produce a strong tool for identifying skin disorders, and while it showed promise, the results also revealed crucial areas for improvement. The model's capacity to gradually learn and improve its accuracy throughout training epochs demonstrates the feasibility of merging Mobile Net and LSTM for picture classification tasks. This hybrid technique takes advantage of Mobile Net's efficiency in processing spatial information and LSTM's ability to handle sequential data, making it ideal for the complex task of dermatological diagnostics.

VI. ACKNOWLEDGMENT

I would want to offer my heartfelt gratitude to everyone who helped me complete my project, "Skin Disease Detection Using Convolutional Neural Networks (CNN)". I am very grateful to my project guide for their invaluable advice and unwavering support, as well as the teachers and staff of the Computer Science Department for providing the essential resources and a welcoming environment. I also thank my friends and classmates for their encouragement and constructive input, and I am eternally grateful to my family for their constant support and drive during this journey. This research has been a fantastic learning experience for me, as it has helped me better grasp deep learning and its applications in healthcare.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

REFERENCES

- [1] Al-Masni, M. A., Al-Antari, M. A., Choi, M.-T., Han, S.-M., & Kim, T.-S. (2018). Skinlesion segmentation in dermoscopy images via deep full resolution convolutional networks. Computer Methods and Programs in Biomedicine, 162, 221–231.
- [2] Alfed, N., Khelifi, F., Bouridane, A., &Seker, H. (2015). Pigment network-based skindisease detection. In 2015 37th annual international conference of the IEEE engineeringin medicine and biology society (EMBC) (pp. 7214–7217). IEEE.
- [3] Aljanabi, M., Özok, Y. E., Rahebi, J., & Abdullah, A. S. (2018). Skin lesion segmentationmethod for dermoscopy images using artificial bee colony algorithm. Symmetry, 10(8), 347.
- [4] Biessmann, F., Salinas, D., Schelter, S., Schmidt, P., & Lange, D. (2018). "Deep" learningfor missing value imputation tables with non-numerical data. In Proceedings of the 27th ACM international conference on information and knowledge management (pp.2017–2025).
- [5] Canadian Disease Society's Advisory Committee on Disease Statistics (2014). Canadiandisease statistics 2014 special topic: Skin diseases. Retrieved from https://www.disease.ca/statistics. (Accessed 30 December 2020).
- [6] Carcagnì, P., Leo, M., Cuna, A., Mazzeo, P. L., Spagnolo, P., Celeste, G., et al.(2019). Classification of skin lesions by combining multilevel learnings in adensenet architecture. In International conference on image analysis and processing (pp. 335–344). Springer.
- [7] Dorj, U.-O., Lee, K.-K., Choi, J.-Y., & Lee, M. (2018). The skin disease classificationusing deep convolutional neural network. Multimedia Tools and Applications, 77(8),9909–9924.
- [8] Ech-Cherif, A., Misbhauddin, M., &Ech-Cherif, M. (2019). Deep neural network basedmobiledermoscopy application for triaging skin disease detection. In 2019 2ndinternational conference on computer applications & information security (ICCAIS) (pp.1–6). IEEE.
- [9] Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., et al. (2017). Dermatologist-level classification of skin disease with deep neural networks. Nature, 542(7639), 115–118.
- [10] Garg, R., Maheshwari, S., & Shukla, A. (2019). Decision support system for detectionand classification of skin disease using CNN. arXiv preprint arXiv:1912.03798.
- [11] Guan, Q., Wang, Y., Ping, B., Li, D., Du, J., Qin, Y., et al. (2019). Deep convolutional neural network VGG-16 model for differential diagnosing of papillary thyroid carcinomas in cytological images: a pilot study. Journal of Disease, 10(20), 4876.
- [12] Han, X., Zhong, Y., Cao, L., & Zhang, L. (2017). Pre-trained alexnet architecture with pyramid pooling and supervision for high spatial resolution remote sensing imagescene classification. Remote Sensing, 9(8), 848.
- [13] Hasan, M., Barman, S. D., Islam, S., & Reza, A. W. (2019). Skin disease detection using convolutional neural network. In Proceedings of the 2019 5th international conferenceon computing and artificial intelligence (pp. 254–258).
- [14] Hobbs, L., Hillson, S., Lawande, S., & Smith, P. (2011). Oracle 10g data warehousing. Elsevier.
- [15] Hoshyar, A. N., Al-Jumaily, A., &Hoshyar, A. N. (2014). The beneficial techniques inpreprocessing step of skin disease detection system comparing. Procedia ComputerScience, 42, 25–31.









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)