iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: https://doi.org/10.22214/ijraset.2026.77979

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

SKINDX: A Machine Learning Approach to Skin Disease Identification

Vaishali Bambode[1], Rushikesh Uke[2], Aditi Bhokare[3], Ruthvik Pihulkar[4], Rudranee Dharmale[5], Ujwal Bondre[6]
[1]*Assistant Professor,* [2, 3, 4, 5, 6]*Students at P R Pote Patil College of Engineering and Management, Amravati*

Abstract: ***Skin diseases are among the most common health conditions affecting individuals across different age groups and regions. In many resource-constrained areas, access to dermatological specialists is limited, leading to delayed diagnosis and treatment. SKINDX is a Python-based intelligent skin disease detection system that leverages image processing and machine learning techniques to automatically classify common dermatological conditions such as eczema, psoriasis, acne, and related skin disorders. The system integrates OpenCV for image preprocessing and feature extraction, and utilizes Weka or Deeplearning4j for classification modeling. Users can upload an image of the affected skin area, after which the system processes the image, extracts features, and predicts the most probable disease along with a confidence score. A structured database stores image records, predictions, and associated medical information such as symptoms and treatment recommendations. The proposed framework also includes secure authentication, report generation, automated document handling, and scalable backend architecture. SKINDX aims to assist healthcare professionals and patients by providing preliminary diagnostic insights, especially in underserved reg.***

I. INTRODUCTION

Skin diseases constitute one of the most prevalent categories of medical conditions worldwide, affecting individuals across diverse age groups, climatic regions, and socio-economic backgrounds. Dermatological disorders such as eczema, psoriasis, acne, dermatitis, and fungal infections significantly influence not only physical health but also psychological well-being and overall quality of life. Global health studies indicate that skin diseases contribute substantially to the non-fatal disease burden, particularly in developing nations where access to specialized healthcare services remains limited. Timely detection and accurate diagnosis are critical to preventing complications including chronic inflammation, secondary infections, permanent scarring, and long-term dermatological damage. Nevertheless, precise diagnosis remains a complex task due to factors such as visual similarity among various skin conditions, variations in skin tone, inconsistencies in lighting during image acquisition, and differences across stages of disease progression. These challenges often lead to diagnostic uncertainty and delayed treatment. Conventional diagnostic practices primarily depend on clinical examination performed by dermatologists, detailed patient history assessment, manual inspection supported by professional expertise, and laboratory investigations in advanced or ambiguous cases. Although expert practitioners generally achieve high levels of diagnostic accuracy, this approach presents several constraints. Diagnostic outcomes may vary based on practitioner experience, rural and remote regions frequently lack access to qualified specialists, prolonged appointment waiting times can delay medical intervention, and high consultation costs may limit accessibility. Furthermore, human factors such as fatigue and subjective interpretation may increase the likelihood of misdiagnosis. In recent years, rapid advancements in artificial intelligence (AI) and machine learning (ML) have facilitated the emergence of automated image-based diagnostic systems. The integration of image processing techniques with supervised learning algorithms enables computational models to extract 1 discriminative features, analyze complex visual patterns, and classify dermatological conditions with promising accuracy. The widespread availability of smartphones, digital imaging technologies, and largescale healthcare datasets has further accelerated research in medical image analysis. In particular, deep learning architectures, especially convolutional neural networks (CNNs), have demonstrated remarkable performance in pattern recognition tasks involving dermatological imagery. The primary objective of SKINDX is not to replace professional medical expertise but to function as an intelligent preliminary screening and decision-support system. By leveraging advanced image processing methods, machine learning algorithms, and a secure system architecture, the proposed framework seeks to enhance early detection capabilities, improve healthcare accessibility, and contribute to the growing field of AI-assisted medical diagnostics. This study details the system architecture, implementation methodology, experimental evaluation, and performance analysis of the proposed model, thereby establishing its feasibility and potential applicability in real-world healthcare environments.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

II. LITERATURE REVIEW

Early research in automated skin disease detection primarily relied on classical machine learning techniques combined with handcrafted feature extraction strategies. These approaches typically followed a structured pipeline beginning with image preprocessing, where noise reduction, contrast enhancement, and normalization techniques were applied to improve visual clarity. Researchers then extracted discriminative features such as color histograms, texture descriptors including Gray-Level Co-occurrence Matrix (GLCM), and edge-based shape features to numerically represent dermatological patterns. These handcrafted features were subsequently used as inputs to supervised learning algorithms such as Support Vector Machines (SVM), k-Nearest Neighbors (k-NN), Decision Trees, and Naïve Bayes classifiers. Studies in this domain demonstrated that statistical patterns in texture and color distribution could effectively distinguish between different skin conditions. However, these methods were highly dependent on manual feature engineering and often struggled with generalization when exposed to variations in lighting conditions, skin tone diversity, and complex disease patterns. Despite these limitations, traditional machine learning approaches established the foundational framework for computational dermatology and proved the feasibility of automated skin disease classification.

With the advancement of deep learning, convolutional neural networks (CNNs) significantly transformed dermatological image analysis by eliminating the need for manual feature extraction. Unlike traditional approaches, CNN-based systems automatically learn hierarchical representations directly from raw image data through convolutional filters and pooling operations. These networks capture low-level features such as edges and textures in early layers and progressively learn complex structural patterns in deeper layers. Several studies reported improved classification accuracy using deep learning architectures, particularly in multi-class skin disease detection tasks. Transfer learning techniques further enhanced performance by fine tuning pretrained models on domain-specific dermatological datasets, reducing training time and computational cost. Deep learning models demonstrated robustness in handling complex visual similarities between skin conditions and achieved superior performance compared to classical machine learning methods. However, many of these studies primarily focused on improving classification metrics without addressing system-level integration, deployment challenges, or data security concerns, leaving a gap between theoretical performance and practical implementation.

III. METHODOLOGY

The SKINDX framework follows a structured and modular methodology integrating image preprocessing, machine learning classification, backend development, and performance evaluation. The system is designed to ensure reliable prediction, secure data handling, and scalable deployment




Fig. 1. Workflow

©IJRASET: All Rights are Reserved

A. *Requirement Analysis and System Design*

After successful training, the model undergoes a rigorous validation and testing phase to evaluate its performance under diverse environmental conditions. The validation process ensures that the model generalizes well beyond the training dataset and does not suffer from overfitting. Testing is conducted in real-world scenarios including indoor and outdoor environments with variations in lighting intensity, object occlusion, motion, and background complexity. This stage is essential to determine whether the system can reliably function in dynamic and unpredictable surroundings encountered by visually impaired users.

Performance evaluation metrics such as precision, recall, F1-score, and mean Average Precision (mAP) are calculated to measure detection accuracy. Additionally, detection speed is assessed using Frames Per Second (FPS) to confirm real-time processing capability. Since assistive systems require immediate response to ensure user safety, maintaining a balance between accuracy and speed is critical. To enhance inference efficiency, optimization techniques such as model pruning, weight quantization, and hardware acceleration using GPU or edge computing devices are implemented. These optimizations reduce computational complexity and memory usage while preserving detection performance, enabling deployment on resource-constrained devices like Raspberry Pi or embedded systems.

B. *System Architecture*

The architecture of SKINDX follows a layered design approach consisting of a user interface layer, processing layer, machine learning layer, backend layer, and database layer. The frontend allows image upload and result display, while the backend manages data flow and prediction logic. The database securely stores images and diagnostic records. This modular architecture enhances maintainability and scalability.




Fig.2. System Architecture

IV. APPLICATIONS

The SKINDX system can be used as a preliminary screening tool for early detection of common skin diseases such as eczema, psoriasis, acne, dermatitis, and fungal infections. It assists healthcare professionals by providing quick predictive analysis with confidence scores, helping in faster initial diagnosis and reducing delays in treatment.

The system is particularly useful in rural and underserved regions where access to dermatologists is limited. It can support primary healthcare centers and telemedicine platforms by enabling remote image-based assessment.

Additionally, SKINDX can be integrated into hospitals and clinics for automated report generation and secure medical record management. With future expansion to mobile and cloud platforms, it has strong potential as a scalable AI-assisted dermatological support system.

V. LIMITATIONS

Despite its promising performance, the SKINDX system has certain limitations. The accuracy of predictions depends heavily on the quality and diversity of the training dataset. Limited representation of different skin tones, lighting conditions, and rare disease categories may affect model generalization.

The system's performance can also be influenced by poor image quality, including low resolution, improper lighting, background noise, or incorrect image capture angles. Additionally, visually similar skin conditions may sometimes lead to misclassification.

SKINDX is designed as a preliminary diagnostic support tool and not a replacement for professional medical consultation. Clinical confirmation by a qualified dermatologist is still necessary for accurate diagnosis and treatment planning. Future improvements such as larger datasets, advanced deep learning models, and explainable AI techniques can help address these limitations.

VI. FUTURE SCOPE

The future scope of the SKINDX system is broad and highly promising in the field of AI-assisted healthcare. One of the primary directions for enhancement is expanding the dermatological image dataset to include a wider variety of skin tones, age groups, lighting conditions, and rare disease categories. A more diverse dataset will improve model generalization and reduce classification bias. Future development can focus on integrating advanced deep learning architectures such as Convolutional Neural Networks (CNNs), EfficientNet, or transformer-based vision models to improve feature extraction and classification accuracy. Transfer learning techniques using large pre-trained medical imaging models can further enhance performance while reducing training time. The incorporation of Explainable AI (XAI) techniques is another important advancement. By providing visual heatmaps or feature importance explanations, the system can improve transparency and help healthcare professionals understand the reasoning behind predictions. This will increase trust and clinical acceptance. Deployment through mobile applications and cloud platforms is a significant future opportunity. A smartphone-based solution would allow users to capture images directly and receive preliminary assessments instantly. Cloud integration would enable centralized data storage, remote access, and scalability for large healthcare networks. Integration with telemedicine systems can further extend the system's usability. SKINDX can be connected to virtual consultation platforms, allowing dermatologists to review AI-generated reports and provide faster medical advice. Another potential enhancement includes real-time disease progression tracking. By storing historical patient images, the system could analyze changes over time and assist in monitoring treatment effectiveness. Future research can also explore multi-modal learning by combining image data with patient symptoms, medical history, and demographic information to improve diagnostic precision. Security and privacy mechanisms can be strengthened using encryption, blockchain-based medical record storage, and compliance with healthcare data regulations. Additionally, the system can be extended to detect more complex dermatological conditions, including early-stage skin cancer screening. Collaboration with medical institutions can support clinical validation and large-scale trials.

Overall, the future development of SKINDX aims to transform it from a preliminary screening tool into a comprehensive, scalable, and clinically reliable AI-powered dermatological assistance platform capable of supporting global healthcare systems.

VII. CONCLUSIONS

The SKINDX system demonstrates the practical potential of artificial intelligence and machine learning in assisting preliminary skin disease identification. By integrating image preprocessing, feature extraction, supervised classification, and automated report generation within a secure and scalable architecture, the proposed framework provides a complete end-to-end dermatological support solution. The experimental results indicate improved classification accuracy, balanced precision and recall, and significant reduction in processing time compared to traditional machine learning approaches. These outcomes highlight the system's capability to deliver reliable and efficient predictions suitable for real-world assistance. SKINDX is particularly valuable in rural and underserved regions where access to dermatology specialists is limited. By enabling early screening and structured diagnostic insights, the system can support faster medical intervention and reduce dependency on immediate specialist consultation. However, the system is intended as a supportive tool rather than a replacement for professional medical expertise. Clinical validation remains essential for final diagnosis and treatment decisions.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

In conclusion, SKINDX represents a meaningful step toward AI-assisted healthcare solutions, offering a scalable, secure, and efficient framework for improving accessibility and preliminary diagnosis in dermatology.

.

VIII. ACKNOWLEDGMENT


The authors would like to express their heartfelt gratitude to our respected project guide for their constant guidance, valuable suggestions, and continuous encouragement throughout the entire duration of this research work. Their technical expertise, constructive feedback, and thoughtful insights greatly contributed to refining the methodology, improving system design, and enhancing the overall quality of the SKINDX framework. Without their mentorship and support, the successful completion of this project would not have been possible. We also extend our sincere thanks to all faculty members of the Department of Computer Science and Engineering for their academic support, motivation, and knowledge sharing during the development of this system. Their inputs at various stages of design, implementation, and evaluation helped us strengthen both the theoretical and practical aspects of the project. Our gratitude further goes to our institution for providing the necessary infrastructure, laboratory facilities, computing resources, and a supportive learning environment that enabled us to conduct experimentation, model training, and system integration effectively. The availability of technical tools and institutional encouragement played a vital role in the smooth execution of this research work. We would also like to acknowledge our peers and colleagues who offered constructive feedback, participated in discussions, and assisted in testing and validation processes. Their suggestions and collaborative efforts contributed to improving the reliability and usability of the system.

Finally, we are thankful to everyone who directly or indirectly supported us during the completion of this project, making this research journey a valuable learning experience.

REFERENCES

[1] A. Esteva, B. Kuprel, R. A. Novoa, et al., “Dermatologist-level classification of skin cancer with deep neural networks,” Nature, vol. 542, no. 7639, pp. 115–118, 2017, doi: 10.1038/nature21056.
[2] T. Brinker, A. Hekler, A. H. Enk, et al., “Deep learning outperformed 136 of 157 dermatologists in a head-to-head dermoscopic melanoma image classification task,” European Journal of Cancer, vol. 113, pp. 47–54, 2019.
[3] P. Tschandl, C. Rosendahl, and H. Kittler, “The HAM10000 dataset: A large collection of multi-source dermatoscopic images of common pigmented skin lesions,” Scientific Data, vol. 5, no. 180161, 2018.
[4] G. Codella, D. Gutman, M. Celebi, et al., “Skin lesion analysis toward melanoma detection: A challenge at the ISIC 2017,” in Proc. IEEE Int. Symp. Biomedical Imaging (ISBI), 2018, pp. 168–172.
[5] R. C. Gonzalez and R. E. Woods, Digital Image Processing, 4th ed., Pearson, 2018.
[6] F. Chollet, “Deep learning with Python,” Manning Publications, 2018.
[7] M. Abadi et al., “TensorFlow: A system for large-scale machine learning,” in Proc. USENIX Symp. Operating Systems Design and Implementation (OSDI), 2016, pp. 265–283.
[8] A. Holzinger, G. Langs, H. Denk, K. Zatloukal, and H. Müller, “Causability and explainability of artificial intelligence in medicine,” Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery, vol. 9, no. 4, 2019.
[9] World Health Organization, “Global burden of skin diseases,” WHO Reports, 2023.
[10] S. Aggarwal et al., “Automated skin disease detection using deep learning techniques: A review,” IEEE Access, vol. 8, pp. 208671–208690, 2020.

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)