



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** II **Month of publication:** February 2026

DOI: <https://doi.org/10.22214/ijraset.2026.77625>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Smart Agriculture Based on Weather and Crop Prediction Using Edge and Cloud Computing

Dr. Tanaji

Department of Computer Science in the Faculty of Computing and Information Technology, Himalayan University, Itanagar, Arunachal Pradesh, India

Abstract: *The pressure to feed the growing global population is only growing. Farmers now have to balance the need to safeguard the environment, water scarcity, and climate change with growing more food. Due to its slowness, resource waste, and excessive reliance on guesswork, traditional farming simply cannot keep up. The integration of IoT with edge and cloud-based computing can help with that. The field gains some real intelligence from this mix. In this study, we examine a smart agriculture system that integrates cloud and edge innovations. It keeps the entire operation operating autonomously while enabling farmers to sense what's happening in the moment, process data quickly, and even predict what's coming next. Edge devices make snap decisions and perform calculations involving mathematics on decisions and crunch numbers. While the cloud stores huge quantities of data, runs in-depth analyses, and guides long-term planning, edge devices make snap decisions and crunch numbers. As a result, the system operates smoothly, crops grow better, and less water and fertilizer are used. According to recent experiments, this approach greatly boosts efficiency in agriculture and improves sustainability overall. We finish by looking at the other obstacles and possible futures of smart farming technology.*

Keywords: *Smart Agriculture, Edge Computing, Cloud Computing, IoT, Precision Farming, Cognitive Computing, Sustainable Farming.*

I. INTRODUCTION

Agriculture is still at the heart of how we feed the world and keep rural economies alive. But these days, farmers face a tough mix of problems wild weather, less water, tired soil, not enough workers, and costs that just keep climbing. Experts say we need to boost our food production by almost 70% by 2050 to keep up with the growing population. Traditional farming methods depend a lot on people watching crops and sticking to fixed plans. That approach leaves farmers reacting too late to crop stress, watering inefficiently, and falling short of the best possible yields. Now, with the rise of IoT sensors, edge computing, and cloud-based analytics, everything's changing. Farmers can collect real-time data, keep a close eye on what's happening in their fields, and make smarter decisions before problems get out of hand. Edge computing lets farmers process data right where it's collected, so they get answers fast no waiting for information to travel back and forth. Cloud computing, on the other hand, gives them access to massive computing power, big data analysis, and machine learning. Put these tools together, and you get a smart agriculture system that helps farmers work with more precision, use resources better, and take care of the land for the long haul.

II. LITERATURE REVIEW

Intelligent computing systems are starting to play a big role in agriculture. For example, Shi and his team built an edge-based monitoring platform that cuts down communication delays and makes irrigation way more accurate. Then there's Zhang's group, who used cloud-based deep learning to spot crop diseases early turns out, their detection is impressively precise. Li's team came up with a hybrid edge cloud setup for managing irrigation. Their approach saved a lot of water and energy. Patil and Kulkarni rolled out a distributed smart farming platform that links IoT devices, edge gateways, and cloud services. It's built for big farms and full-on automation. Put all this together, and it's clear: combining edge and cloud tech isn't just a trend it speeds up response times, boosts reliability, and scales up agriculture intelligence. This direction is quickly becoming essential for the field.

III. SYSTEM ARCHITECTURE

A. Overview

The smart agriculture system architecture is organized into four functional layers:

- 1) Sensing Layer
- 2) Edge Processing Layer
- 3) Cloud Intelligence Layer

4) Application Layer

Each layer contributes to efficient data acquisition, processing, and actionable decision-making.

B. Sensing Layer

This layer consists of multiple IoT sensors deployed across the agricultural field to continuously measure:

- 1) Soil moisture
- 2) Air temperature and humidity
- 3) Soil pH and nutrient levels
- 4) Light intensity
- 5) Crop images using cameras

These sensors enable continuous observation of both environmental and crop conditions, forming the foundation of precision agriculture.

C. Edge Processing Layer

Edge devices like embedded controllers, IoT gateways, or microcomputers handle stuff like filtering data, picking out features, and doing some basic analysis right where the action happens. They don't just sit around; they kick off things like turning on irrigation or sending out pest alerts on the spot. With edge processing, you don't have to lean so much on the cloud, you cut down on all that back-and-forth communication, and you actually get real-time responses.

D. Cloud Intelligence Layer

The cloud layer provides high-performance computing resources for:

- Big data storage
- Machine learning model training
- Predictive analytics
- Climate forecasting
- Crop yield estimation

By aggregating large-scale agricultural data, cloud platforms enable intelligent insights and long-term strategic planning.

E. Application Layer

This layer offers user-friendly interfaces like mobile apps and web dashboards, allowing farmers to monitor farm conditions, receive alerts, and get AI-driven suggestions for irrigation, fertilization, and pest control.

IV. SMART INTELLIGENCE IN AGRICULTURE

A. Crop Disease Identification

Deep learning models trained on plant image datasets can detect early symptoms of diseases and nutrient deficiencies. Early diagnosis enables timely intervention, reducing crop loss and chemical usage.

B. Intelligent Irrigation Management

Machine algorithms analyse soil moisture patterns, weather forecasts, and crop requirements to determine optimal irrigation schedules. This significantly reduces water wastage and improves crop growth.

1) System Flowchart (Step-by-Step Logical Flow)

The operational flow of the smart agriculture system integrates IoT sensing, edge intelligence, cloud analytics, and automated actuation into a continuous closed-loop framework.

2) Flowchart Steps

a) Step 1: Start System Initialization

- Power on sensors, edge nodes, actuators, and cloud services.
- Establish secure communication links.

b) Step 2: Sensor Data Collection

- IoT sensors continuously measure:
 - Soil moisture
 - Temperature
 - Humidity
 - Light intensity
 - pH and nutrient levels
 - Crop images

Purpose: Capture real-time environmental and crop conditions.

c) Step 3: Data Transmission to Edge Node

- Sensor data is transmitted using:
 - LoRaWAN
 - ZigBee
 - NB-IoT
 - Wi-Fi

Purpose: Ensure low-power, long-range, and energy-efficient communication.

d) Step 4: Edge Data Preprocessing

Edge devices perform:

- Noise filtering
- Data normalization
- Feature extraction
- Missing value correction

Purpose: Improve data quality and reduce cloud bandwidth load.

e) Step 5: Real-Time Anomaly Detection (Edge AI)

- Edge models detect:
 - Low soil moisture
 - Temperature stress
 - Disease symptoms
 - Sudden humidity change

Purpose: Enable ultra-fast response and localized intelligence.

Decision Node

Is abnormal condition detected?

- YES → Go to Step 6
- NO → Go to Step 7

f) Step 6: Local Actuation (Edge Control)

- Trigger:
 - Irrigation valves
 - Fertilizer dispensers
 - Climate control
 - Pest spraying

Purpose: Immediate corrective response with minimal latency.

g) Step 7: Cloud Data Upload

- Preprocessed + compressed data sent to cloud server.

Purpose: Long-term storage + deep analytics.

h) Step 8: Cloud AI Analytics

- Perform:
 - Crop yield prediction
 - Disease outbreak forecasting
 - Weather trend analysis
 - Fertilizer optimization

Purpose: Predictive & prescriptive intelligence.

i) Step 9: Farmer Notification & Decision Support

- Results sent to:
 - Mobile App
 - Web Dashboard
 - SMS alerts

Purpose: Provide actionable recommendations.

j) Step 10: Feedback Learning & Optimization

- Update AI models using new data.
- Optimize control policies.

Purpose: Continuous learning & performance improvement.

k) Step 11: End (Loop Back to Step 2)

- System continuously repeats the cycle.

C. Yield Prediction and Planning


Regression and neural network-based models forecast expected crop yield based on historical data, enabling better resource planning and supply chain optimization.

V. OPERATIONAL WORKFLOW OF SMART AGRICULTURE USING EDGE AND CLOUD COMPUTING

A. Overview

A smart agriculture system that uses both edge and cloud tech keeps farms running smoothly and efficiently. It watches what’s happening in real time, makes quick decisions on the spot, predicts what’s coming next, and keeps fine-tuning how things work. Here’s how it all comes together: sensors collect data from the fields, edge devices process that info right there, and the cloud handles more complex analysis. Then, the system can trigger actions automatically like adjusting irrigation, adding fertilizer, or tackling plant diseases without waiting for someone to step in. Farmers get quick recommendations and the system itself stays on top of things. The whole process breaks down into six big steps: first, gather the data; next, process it on the edge; then, spot any problems; after that, carry out local decisions; send everything up to the cloud for deeper analysis; and finally, keep farmers in the loop so they can interact with the system when they need to.

Smart Agriculture Architecture Using Edge + Cloud Computing



B. Data Acquisition and Sensing

At the start, all sorts of IoT sensors go to work out in the fields. They're always grabbing data stuff like soil moisture, temperature, humidity, pH, light levels, you name it. You'll find weather stations and camera modules out there too, all picking up real-time info as things change. It's a constant stream, tracking how crops are doing and what's happening in the environment.

To get this data where it needs to go, farms rely on wireless protocols like LoRaWAN, ZigBee, NB-IoT, and good old Wi-Fi. Low-power wide-area networks (LPWAN) keep everything connected over long distances, which really matters when you're dealing with big, remote fields. They also help save energy which, let's be honest, is always a plus.

All this nonstop data collection is what makes precision farming possible. Farmers can keep a close eye on their crops and jump in quickly when something changes.

C. Edge-Level Data Processing and Filtering

Raw sensor data's messy full of noise, duplicates, and gaps. Sending that straight to the cloud? Not a great idea. So, edge computing steps in. These nodes handle cleanup on the spot: they tidy up the data, normalize it, compress what they can, and pull out the important features.

Devices like Raspberry Pi, NVIDIA Jetson, and industrial IoT gateways take it from there. They run lightweight machine learning models right at the edge to handle:

- 1) Noise reduction
- 2) Outlier detection
- 3) Feature extraction
- 4) Event identification

Local processing significantly reduces network bandwidth consumption and ensures **low-latency system response**, which is essential for time-sensitive operations such as irrigation control and frost prevention.

D. Real-Time Anomaly Detection and Event Recognition

After preprocessing the data, edge intelligence modules jump in to spot anything out of the ordinary—like signs of stress in the environment. They use machine learning tools like isolation forests, clustering for anomalies, and lightweight neural networks to catch things such as:

- 1) Dry soil
- 2) Sharp temperature drops
- 3) Unusual humidity
- 4) Early hints of crop disease

Since the system detects problems right there at the source, it can trigger quick fixes and stop damage before it spreads. That way, crops stay healthier and losses drop. In fact, research shows edge-based anomaly detection responds over 60% faster than systems that rely only on the cloud.

E. Local Decision Execution and Actuation

When edge nodes spot something out of the ordinary, they jump into action on their own. They'll open smart irrigation valves, release fertilizer, kick on climate fans, or fire up pest control sprayers whatever the situation calls for. Since everything happens right there on the farm, there's no waiting around for a signal from the cloud. Even if the network drops out, things keep running smoothly. Take irrigation, for example. The system checks soil moisture on the spot and adjusts water flow as needed. That keeps the soil just right and cuts down on wasted water. Running things, this way makes the whole setup more reliable, tougher against outages, and a lot more energy efficient.

F. Cloud-Level Analytics and Predictive Intelligence

Edge nodes take care of real-time decisions right where the action happens. Meanwhile, the cloud handles the heavy lifting pulling together massive amounts of data, running deep analytics, and building predictions. Every so often, filtered sensor data heads up to the cloud, where powerful cognitive models dig into long-term trends and spot connections in the environment.

- 1) Cloud analytics helps:
- 2) farmers forecast crop yields
- 3) predict disease outbreaks

- 4) analyse climate patterns
- 5) optimize fertilizer use

Deep learning models, trained on both past and current data, deliver accurate predictions. This lets farmers manage their operations proactively and make smart, strategic choices.

G. Feedback Mechanism and Farmer Interaction

The last step in the workflow is two-way communication with cloud systems and farmers using:

- 1) Cloud-based dashboards
- 2) Mobile apps
- 3) SMS alerts and notifications

Farmers receive analytics, alerts, and recommendations powered by AI, allowing them to respond to the messages. Through the feedback loop, farmers adjust the control policies, which are sent back to the edge devices for ongoing learning and adaptive optimization.

H. Closed-Loop Optimization Framework

Edge intelligence, cloud analytics, and real-time actuation come together to create a closed-loop adaptive system. This system continually improves prediction and system efficiency, as decision feedback retrains the machine learning models.

This closed-loop system provides:


- 1) Continuous improvement in performance
- 2) Self-directed adaptation to changes in the environment
- 3) Efficient use of resources
- 4) Agri productivity in the long haul

VI. PERFORMANCE EVALUATION

A. Overview

An essential component of evaluating the efficacy, efficiency, and dependability of edge-cloud-based smart agriculture systems is performance evaluation. It assesses how well farming operations are enhanced by the suggested framework in terms of productivity improvement, system responsiveness, resource utilization, and operational sustainability. In contrast to conventional cloud-only architectures, edge-cloud collaborative systems strive for improved prediction accuracy, lower communication overhead, and real-time processing.

Smart Agriculture Operational Workflow



This section evaluates system performance using both quantitative metrics and qualitative indicators, supported by experimental results reported in recent literature.

B. Evaluation Metrics

To comprehensively assess system performance, the following key parameters are considered:

1) Response Latency

Response latency is the amount of time that passes between gathering data and taking corrective action. Low latency is crucial for timely irrigation, preventing frost, and controlling pests in agricultural settings.

By carrying out local computation near data sources, edge processing dramatically reduces response time. Research shows that when compared to centralized cloud-based solutions, edge-enabled systems lower average latency by 50–65%. Real-time farm control and quick anomaly handling are made possible by this enhancement.

2) Water Utilization Efficiency

Response latency is the amount of time that passes between gathering data and taking corrective action. Low latency is crucial for timely irrigation, preventing frost, and controlling pests in agricultural settings.

By carrying out local computation near data sources, edge processing dramatically reduces response time. Research shows that when compared to centralized cloud-based solutions, edge-enabled systems lower average latency by 50–65%. Real-time farm control and quick anomaly handling are made possible by this enhancement.

3) Crop Yield Improvement

The assessment of crop yield enhancement involves comparing productivity levels prior to and following system deployment. AI-driven recommendations facilitate early disease detection, nutrient optimization, and precise irrigation, resulting in increased crop productivity and survival. Research indicates that smart agriculture platforms that integrate cloud-based deep learning and edge-level control mechanisms offer yield improvements of 20–45%.

4) Energy Consumption

Power consumption across sensor nodes, edge devices, and cloud communication modules is measured in order to assess energy efficiency. Edge computing uses event-based communication and local preprocessing to minimize energy-intensive data transmission. According to studies, edge-enabled frameworks reduce energy consumption by 30–50%, which prolongs the life of sensor networks and reduces operating expenses.

5) Network Bandwidth Utilization

High network load is imposed by the constant transfer of raw sensor data to cloud servers. By sending only filtered and relevant data, edge processing lowers the amount of bandwidth needed.

According to empirical research, edge-cloud cooperation reduces network traffic by 45–70%, guaranteeing effective use of constrained rural communication infrastructure.

6) System Reliability and Fault Tolerance

Uptime, fault recovery time, and continuous operational capability during network outages are used to evaluate system reliability. Even in the event of a cloud connectivity outage, edge autonomy permits local decision-making.

Hybrid architectures guarantee dependable agricultural operation in challenging circumstances by exhibiting high system availability (>99%) and decreased service interruption.

C. Experimental Evaluation Setup

The majority of performance studies validate system behavior using IoT sensor networks, simulation environments like iFogSim and CloudSim, and real-time agricultural testbeds.

Usually, the experimental setup consists of:

- 1) Sensors for pH, temperature, humidity, and soil moisture
- 2) Local analytics edge gateways
- 3) Predictive modeling cloud servers
- 4) Fertilizer and irrigation actuators

Accurate and reliable evaluation is made possible by the recording of performance metrics across several crop cycles and environmental conditions.

D. Comparative Performance Analysis

According to comparative research, edge-cloud architectures perform better than conventional cloud-centric systems on every key performance metric. Recent experiments' table-based comparisons show:

- A 60% quicker reaction time
- 50% reduction in water usage
- A 40% increase in yield
- 45% less energy is used

The superiority of collaborative computing paradigms for agricultural automation is confirmed by these findings.

E. Discussion

The performance gains achieved through edge-cloud integration demonstrate its strong potential for scalable, resilient, and intelligent agricultural ecosystems. Reduced latency ensures timely control actions, while cloud-level intelligence provides strategic planning and prediction.

However, achieving optimal performance requires careful system design, efficient AI models, adaptive communication protocols, and robust cybersecurity mechanisms. Continuous optimization and real-world validation are essential for long-term system reliability and sustainability.

VII. CHALLENGES

Despite its benefits, smart agriculture faces several practical challenges:

- 1) High initial deployment cost
- 2) Limited rural internet connectivity
- 3) Sensor calibration and maintenance
- 4) Data privacy and cyber-security risks
- 5) Scalability for small and marginal farmers

VIII. FUTURE RESEARCH SCOPE

Future smart agriculture systems may incorporate:

- 1) Autonomous agricultural robots
- 2) Federated learning for data privacy
- 3) Blockchain-based farm data security
- 4) 6G-powered ultra-low latency communication
- 5) Carbon-efficient green computing platforms

IX. CONCLUSION


Edge-cloud enabled smart agriculture represents a transformative approach toward intelligent, sustainable, and precision farming. By combining real-time sensing, low-latency edge analytics, and cloud-based artificial intelligence, farmers can achieve optimized productivity, efficient resource utilization, and reduced environmental impact. Continued research and technological advancements will further accelerate the global adoption of intelligent farming systems.

REFERENCES

- [1] FAO, The Future of Food and Agriculture: Trends and Challenges, United Nations, 2023.
- [2] Satyanarayanan, M., Edge Computing: Vision and Challenges, IEEE Computer, 2022.
- [3] Shi, W., et al., Real-Time Edge Analytics for Smart Agriculture, IEEE Access, 2023.
- [4] Zhang, Y., et al., Cloud-Based Deep Learning for Crop Disease Detection, Computers and Electronics in Agriculture, 2024.
- [5] Li, X., et al., Hybrid Edge-Cloud Framework for Intelligent Irrigation, Future Generation Computer Systems, 2024.
- [6] Patil, K., Kulkarni, R., IoT-Based Smart Farming Architecture, International Journal of Agricultural Informatics, 2023.
- [7] Gubbi, J., et al., Internet of Things: A Survey, Future Generation Computer Systems, 2022.
- [8] Satyanarayanan, M., Edge Analytics for Low-Latency Applications, IEEE Internet Computing, 2023.
- [9] Amazon Web Services, Cloud Infrastructure for Smart Agriculture, White Paper, 2024.
- [10] Mohanty, S. P., et al., Deep Learning for Plant Disease Detection, Computers and Electronics in Agriculture, 2023.
- [11] Jeong, J. H., et al., Machine Learning-Based Crop Yield Prediction, Agricultural Systems, 2024.
- [12] Cisco, IoT and Edge Architecture for Smart Farming, Technical Report, 2023.



- [13] Satyanarayanan, M., Edge Computing: Vision and Challenges, IEEE Computer, 2022.
- [14] Shi, W., et al., Edge Computing for Smart Agriculture, IEEE Access, 2023.
- [15] Gubbi, J., et al., Internet of Things: A Vision and Future Directions, Future Generation Computer Systems, 2022.
- [16] Mekki, K., et al., A Comparative Study of LPWAN Technologies for IoT, ICT Express, 2023.
- [17] Li, X., et al., Hybrid Edge-Cloud Architecture for Precision Agriculture, Future Generation Computer Systems, 2024.
- [18] Zhang, Y., et al., Edge-Based Anomaly Detection for Agricultural IoT Systems, IEEE Internet of Things Journal, 2024.
- [19] Patil, K., Kulkarni, R., Smart Irrigation Using Edge Computing and IoT, International Journal of Agricultural Informatics, 2023.
- [20] Mohanty, S. P., et al., Deep Learning for Smart Agriculture, Computers and Electronics in Agriculture, 2023.
- [21] Jeong, J. H., et al., Machine Learning Models for Crop Yield Prediction, Agricultural Systems, 2024.
- [22] Cisco, IoT and Edge Computing Framework for Smart Farming, Technical White Paper, 2023.
- [23] Satyanarayanan, M., Edge Computing: Vision and Challenges, IEEE Computer, 2022.
- [24] Shi, W., et al., Edge Computing: Vision and Challenges, IEEE Internet Computing, 2023.
- [25] Li, X., et al., Hybrid Edge-Cloud Architecture for Smart Agriculture, Future Generation Computer Systems, 2024.
- [26] Patil, K., Kulkarni, R., Smart Irrigation System Using IoT and Edge Computing, International Journal of Agricultural Informatics, 2023.
- [27] Zhang, Y., et al., Edge-Cloud Based Intelligent Irrigation Management, IEEE Access, 2024.
- [28] Mohanty, S. P., et al., Deep Learning for Smart Agriculture Applications, Computers and Electronics in Agriculture, 2023.
- [29] Jeong, J. H., et al., Machine Learning-Based Crop Yield Prediction, Agricultural Systems, 2024.
- [30] Wang, X., et al., Energy-Efficient Edge Computing for IoT Agriculture, IEEE IoT Journal, 2024.
- [31] Mekki, K., et al., Low Power Wide Area Networks for Smart Farming, ICT Express, 2023.
- [32] Cisco, IoT and Edge Computing Architecture for Smart Agriculture, White Paper, 2023.
- [33] Gupta, R., et al., Simulation-Based Performance Evaluation of Smart Agriculture Systems, Journal of Cloud Computing, 2024.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)