



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 14    **Issue:** IV    **Month of publication:** April 2026

**DOI:** <https://doi.org/10.22214/ijraset.2026.80962>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Smart Agriculture Management System

Ch.Srujana<sup>1</sup>, G. Mallavva<sup>2</sup>, D.Sushmitha<sup>3</sup>, Abdul Hameed<sup>4</sup>

<sup>1</sup>Sr Assistant professor Information Technology Department, MVSR Engineering College, Hyderabad, India

<sup>2, 3, 4</sup>Student-Information Technology, MVSR Engineering College, Hyderabad, India

**Abstract:** *This paper presents a Smart Agriculture Management System (SAMS) using IoT and web-based technologies to overcome the limitations of traditional farming practices. Conventional agricultural methods often lead to inefficient water usage, delayed disease detection, lack of timely weather information, and limited access to advisory services due to manual monitoring and fragmented systems. To address these challenges, the proposed system utilizes Internet of Things (IoT) technology and modern web technologies to provide an integrated farming solution. In this system, multiple agricultural services are combined into a single platform for better farm management. An ESP32 microcontroller integrated with a soil moisture sensor continuously monitors soil conditions and automatically controls the irrigation pump based on threshold values. A crop disease detection module enables users to upload crop images for identifying diseases and receiving treatment recommendations. Real-time weather monitoring is also provided to support cultivation planning. The system is further enhanced with land information management, multilingual chatbot support, and access to government agricultural schemes through a web-based user interface. The platform displays soil moisture level, irrigation status, weather updates, and crop recommendations for easy user access. The proposed solution reduces manual effort, conserves water, improves disease management, and supports better agricultural decision-making. This system demonstrates an efficient, scalable, and cost-effective approach for modern smart farming applications.*

## I. INTRODUCTION

Agriculture plays an important role in the economic development of many countries and remains the primary source of livelihood for a large population. With the increasing demand for food production and efficient resource utilization, the need for modern agricultural systems has grown significantly. However, many farmers still depend on traditional farming methods such as manual irrigation, visual crop inspection, and experience-based decision making. These methods often lead to excessive water usage, delayed disease identification, reduced productivity, and improper farm management. In recent years, advancements in technologies such as the Internet of Things (IoT), cloud computing, and web applications have created new opportunities for improving agricultural practices. IoT technology allows real-time monitoring of soil and environmental conditions through sensors, while web-based platforms enable easy data access, storage, and communication. By combining these technologies, it is possible to develop smart farming systems that assist farmers in making timely and accurate decisions. This project proposes a Smart Agriculture Management System (SAMS) using IoT and web technologies to support modern farming activities. In this system, a soil moisture sensor connected to an ESP32 microcontroller continuously monitors the moisture level in the soil. When the moisture level drops below the required threshold, the irrigation pump is automatically switched on, and it is turned off once sufficient moisture is reached. This process helps in saving water and reducing manual effort. The system also includes crop disease detection, weather monitoring, land information management, multilingual chatbot support, and information about government agricultural schemes. A web-based interface is developed to display real-time information such as soil moisture level, irrigation status, weather updates, and crop recommendations, making the system easy to use for farmers. The platform supports multiple languages including English, Hindi, and Telugu for better accessibility. The proposed system provides several advantages over traditional farming methods, including improved water management, reduced manual intervention, early disease detection, better productivity, and efficient decision-making. By integrating IoT, automation, and web technologies, the system offers a practical and scalable solution for modern smart agriculture.

## II. LITERATURE SURVEY

Smart agriculture systems have become an important area of research due to their ability to improve crop productivity, reduce resource wastage, and support efficient farm management. Various researchers have contributed to different aspects such as irrigation automation, crop disease detection, weather monitoring, cloud integration, and digital advisory systems.

Da Xu et al. [1] studied the application of Internet of Things (IoT) technology in monitoring and automation systems. Their work showed that IoT enables real-time data collection and smart decision-making, which is useful in modern agriculture. However, implementation cost and connectivity issues remain common challenges. A. Kamlaris and F. X. Prenafeta-Boldú [2] focused on deep learning techniques for crop disease detection. Their study showed that image-based disease identification can help farmers detect problems at an early stage and reduce crop losses. The performance depends on image quality and dataset accuracy.

N. K. Patel et al. [3] analyzed smart irrigation systems using soil moisture sensors. Their research demonstrated that automated irrigation can reduce water wastage and improve irrigation efficiency. Sensor maintenance and calibration are important for accurate performance. M. Armbrust et al. [4] proposed cloud-based data storage systems for monitoring applications. Their work showed that cloud platforms allow centralized data management, real-time updates, and remote access. However, data security and network dependency need to be addressed. J. Wolfert et al. [5] explored digital farming systems integrating sensors, analytics, and automation tools. Their research highlighted that smart farming improves productivity, planning, and efficient use of resources. S. Ramesh et al. [6] studied web and mobile advisory systems for farmers. Their research showed that such systems provide weather updates, crop suggestions, and market information, improving decision-making at the farm level. A. Sharma et al. [7] studied multilingual support platforms for rural users. Their work showed that local language interfaces improve accessibility and make digital systems easier for farmers to use.

### III. EXISTING METHODS

Existing agricultural systems primarily rely on traditional and partially automated approaches, which often lead to inefficiencies, resource wastage, and reduced productivity. One of the most widely used methods is manual irrigation, where farmers supply water based on observation and experience. This process is time-consuming and may result in overwatering or insufficient irrigation, affecting crop growth and water conservation. To overcome these limitations, timer-based irrigation systems have been introduced. In this method, water pumps operate for fixed time intervals regardless of actual soil moisture conditions. Although this method reduces manual effort, it may still cause unnecessary water usage and does not adapt to changing field conditions. Another approach involves sensor-based irrigation systems, where soil moisture sensors are used to monitor field conditions and control water supply. These systems improve irrigation efficiency, but many are limited to standalone hardware setups without proper data storage or remote monitoring features. Some existing systems also utilize mobile applications and advisory platforms that provide weather updates, crop suggestions, and market information. While these systems help farmers access useful information, they often focus on specific services and do not provide complete farm management support. In many cases, users need multiple applications for irrigation, disease detection, and advisory services. In addition, crop disease identification is often performed through manual observation or expert consultation. This method may delay treatment decisions and increase crop damage if expert guidance is not immediately available. Some digital disease detection systems exist, but they may require separate platforms and lack integration with other farming services. Despite these advancements, most existing methods lack complete integration, scalability, and real-time adaptability. They often depend on separate tools and are not efficient in handling multiple agricultural needs through a single platform. These limitations highlight the need for a more advanced solution that utilizes IoT, automation, and web technologies to provide seamless and intelligent farm management.

### IV. PROPOSED WORK

This paper proposes a Smart Agriculture Management System (SAMS) that integrates IoT and web technologies to improve farming efficiency and reduce the limitations of traditional agricultural methods. The system is designed to provide a fully automated, real-time, and user-friendly farming support platform using an ESP32 microcontroller, sensors, cloud connectivity, and a web-based interface. In the proposed system, a soil moisture sensor is used to continuously monitor the moisture content of the soil. The sensor readings are processed by the ESP32 microcontroller, which acts as the central processing unit of the irrigation module. A predefined moisture threshold is stored in the controller. When the soil moisture level falls below the required value, the system automatically switches on the water pump. Once the desired moisture level is reached, the pump is switched off automatically. The system also includes a crop disease detection module where users can upload crop leaf images through the web platform. Based on the uploaded image, the system identifies common crop diseases and provides treatment suggestions, preventive measures, and crop care recommendations. This helps farmers take timely action and reduce crop damage. A digital land information module is maintained within the platform to store farmer details, land records, soil type, and crop information. Real-time weather monitoring is also integrated to provide environmental updates that assist in cultivation planning and irrigation scheduling.

For user interaction and accessibility, a web-based interface is developed to display important information such as soil moisture level, irrigation status, weather updates, disease reports, and crop recommendations. Additionally, a multilingual chatbot is incorporated to assist users in English, Hindi, and Telugu languages. The ESP32 utilizes its built-in Wi-Fi capability to transmit real-time sensor data and irrigation status to the cloud platform. This enables remote monitoring and easy access through the web application. The proposed system offers several advantages, including water conservation, reduced manual intervention, early disease detection, improved productivity, and better user convenience. By integrating multiple agricultural services into one platform, the system provides a scalable and cost-effective solution suitable for modern smart farming applications.

### V. BLOCK DIAGRAM




Fig no.1:Block Diagram

The block diagram represents the overall architecture of the proposed Smart Agriculture Management System. It illustrates the interaction between different hardware components, software modules, and communication units used in the system. At the core of the system is the ESP32 microcontroller, which acts as the central processing unit. It is responsible for processing sensor data, controlling output devices, and managing communication between different modules. The ESP32 is selected due to its built-in Wi-Fi capability, high processing speed, and support for multiple communication protocols. The soil moisture sensor is connected to the ESP32 and continuously monitors the moisture level present in the soil. The controller reads this data and compares it with predefined threshold values. Based on these readings, the system automatically controls the irrigation process to maintain suitable soil conditions for crops. A relay module is interfaced with the ESP32 to operate the water pump. When the moisture level falls below the required limit, the controller activates the relay and switches on the pump. Once sufficient moisture is reached, the pump is turned off automatically. This process helps in reducing water wastage and minimizing manual effort. The ESP32 is also connected to a cloud platform through Wi-Fi communication. This enables real-time transmission of soil moisture data, irrigation status, and system activity. The cloud integration allows remote monitoring and supports the development of a web-based user interface. The software section of the system includes modules such as crop disease detection, weather monitoring, land information management, multilingual chatbot support, government schemes information, and irrigation monitoring. These modules are accessible through the web application and help farmers manage multiple agricultural activities through a single platform. A power supply unit is provided to supply the required voltage to all hardware components in the system.

It ensures stable operation of the controller, sensor, relay module, and water pump. Overall, the block diagram demonstrates how the system integrates sensing, automation, cloud communication, and web technologies to achieve intelligent agricultural management. The coordinated operation of these components enables real-time monitoring, automatic irrigation, and efficient decision-making with minimal manual intervention.




Fig no.2:Software Architecture diagram

The software architecture represents the functional workflow of the proposed Smart Agriculture Management System. It describes how real-time agricultural data is collected, processed, transmitted, and displayed through different software components. The ESP32 microcontroller receives soil moisture sensor data and processes it using predefined irrigation control logic. The system compares the sensor value with the threshold level to determine whether irrigation is required. If the moisture level is below the required value, the relay module is activated and the water pump is switched on automatically. When sufficient moisture is reached, the pump is turned off. This controlled logic helps in avoiding water wastage and ensures efficient irrigation management. The processed data, including soil moisture level, pump status, and system activity, is transmitted to a cloud-based database through Wi-Fi communication. This enables real-time data storage, synchronization, and remote monitoring of agricultural operations. A web-based user interface retrieves data from the cloud and displays live irrigation status, soil moisture information, weather updates, and crop management details to the user. Additional modules such as crop disease detection, land information management, multilingual chatbot support, and government schemes information are also integrated into the platform. Overall, the architecture ensures efficient, automated, and real-time agricultural monitoring with minimal manual intervention. The system improves water management, supports better decision-making, and provides a practical solution for modern smart farming applications.

## VI. EXPERIMENTAL RESULTS




Fig no.3:Hardware setup of Smart irrigation module




Fig no.4:Home Page




Fig no.5: Platform Features




Fig no.6: Crop disease detection module




Fig no.7: Water Irrigation module




Fig no.8: Government Schemes module

## VII. CONCLUSION

The proposed Smart Agriculture Management System successfully demonstrates an efficient and intelligent approach to modern agricultural management. By integrating IoT technology, automation techniques, and web-based communication, the system reduces the dependency on traditional farming methods and manual intervention. This results in improved water management, timely crop monitoring, and better overall farming efficiency. The implementation using the ESP32 microcontroller, along with a soil moisture sensor, relay module, water pump, and cloud connectivity, provides a real-time and automated solution for irrigation control. The system continuously monitors soil moisture conditions, identifies the need for irrigation based on predefined threshold values, and performs automatic pump operation. The inclusion of a web-based user interface enhances transparency by allowing users to monitor irrigation status, soil data, and other agricultural information in real time. One of the key advantages of the proposed system is its scalability and cost-effectiveness, as it does not require expensive infrastructure and can be implemented using affordable hardware components. Additionally, the use of wireless communication enables remote monitoring and future integration with advanced smart farming technologies. However, certain limitations such as dependency on internet connectivity and sensor accuracy may affect system performance under specific field conditions. These challenges can be addressed in future work by integrating additional sensors, predictive analytics, and advanced decision-support systems. In conclusion, the proposed system provides a reliable, automated, and user-friendly solution for smart agriculture management. It represents a significant step towards digital farming and has the potential to be implemented on a larger scale for real-world agricultural applications.

## REFERENCES

- [1] L. Da Xu, W. He, and S. Li, "Internet of Things in Industries: A Survey," *IEEE Transactions on Industrial Informatics*, vol. 10, no. 4, pp. 2233–2243, Nov. 2014.
- [2] A. Kamilaris and F. X. Prenafeta-Boldú, "Deep Learning in Agriculture: A Survey," *Computers and Electronics in Agriculture*, vol. 147, pp. 70–90, Apr. 2018.
- [3] N. K. Patel, S. Patel, and R. Patel, "Smart Irrigation System Using IoT and Soil Moisture Sensors," *International Journal of Engineering Research and Technology*, vol. 8, no. 6, pp. 215–220, June 2019.
- [4] M. Armbrust et al., "A View of Cloud Computing," *Communications of the ACM*, vol. 53, no. 4, pp. 50–58, Apr. 2010.
- [5] J. Wolfert, L. Ge, C. Verdouw, and M. J. Bogaardt, "Big Data in Smart Farming: A Review," *Agricultural Systems*, vol. 153, pp. 69–80, May 2017.
- [6] S. Ramesh, P. Reddy, and K. Kumar, "Web-Based Advisory System for Farmers Using Digital Technologies," *International Journal of Agricultural Science and Research*, vol. 9, no. 3, pp. 101–108, 2020.
- [7] A. Sharma, R. Gupta, and M. Verma, "Multilingual User Interface for Rural Information Systems," *International Journal of Computer Applications*, vol. 176, no. 12, pp. 15–20, 2021.
- [8] F. J. Pierce and P. Nowak, "Aspects of Precision Agriculture," *Advances in Agronomy*, vol. 67, pp. 1–85, 1999.
- [9] R. Zhang, M. Wang, and X. Wang, "Crop Disease Detection Using Image Processing Techniques: A Review," *Journal of Agricultural Informatics*, vol. 11, no. 2, pp. 45–55, 2020.
- [10] P. Jain and V. Sharma, "Weather Forecasting Support System for Smart Agriculture," *International Journal of Computer Science and Mobile Computing*, vol. 10, no. 5, pp. 88–94, 2021.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)