



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: XII Month of publication: December 2025

DOI: <https://doi.org/10.22214/ijraset.2025.75716>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Smart Campus Navigation System: Enhancing Wayfinding Using AI and IoT Integration

Vishal Nayakwadi¹, Varada Supekar², Bhumi Takrani³, Aastha Thakare⁴

Department of Software Engineering Vishwakarma Institute of Technology, Pune, Maharashtra, India

Abstract: University campuses are evolving into miniature smart cities, yet navigation within them remains a persistent challenge. New students, faculty, and visitors often face confusion in locating classrooms, hostels, administrative offices, or event venues. Traditional signboards and static maps fail to address the dynamic nature of campuses with frequent schedule changes, construction zones, and accessibility requirements. This paper proposes a Smart Campus Navigation System (SCNS) integrating AI, IoT, and mobile technologies to deliver real-time, personalized wayfinding. The system employs GPS and IoT sensors for hybrid indoor-outdoor positioning, machine learning algorithms for optimized routing, and accessibility-aware features for differently-abled users. By bridging social and technical gaps, SCNS transforms wayfinding from a logistical problem into an inclusive, smart campus service aligned with smart city goals.

Keywords: Smart Campus, Navigation System, IoT, Indoor Positioning, Machine Learning, GPS, Wayfinding

I. INTRODUCTION

A. The Challenge of Campus Navigation

University campuses have transformed dramatically in recent decades. Once confined to compact spaces, they now often span hundreds of acres with dozens of interconnected buildings housing academic blocks, laboratories, libraries, hostels, sports complexes, and administrative units. For first-time visitors and newly enrolled students, navigating such environments can feel like entering a maze. The problem is not trivial—studies show that students often spend their initial weeks struggling to orient themselves, leading to lost time, missed classes, and unnecessary stress.

The complexity intensifies during peak academic hours when thousands of students move simultaneously between classes, creating congestion at hallways, staircases, and junctions. Visitors attending seminars or cultural festivals face similar difficulties, as they may be unfamiliar with campus layouts. For differently-abled individuals, the challenge becomes even greater, as identifying wheelchair-accessible routes, elevators, or ramps is rarely supported by conventional wayfinding methods. In short, campus navigation is more than a logistical issue—it is directly linked to productivity, inclusivity, and the overall user experience within higher education ecosystems.

B. Limitations of Existing Solutions

Traditionally, wayfinding in academic institutions has relied on signboards, printed maps, or human assistance. While useful, these methods are static and unable to keep pace with the dynamic nature of modern campuses. Frequent changes—such as classroom relocations, temporary construction closures, or new departmental blocks—render static maps outdated almost immediately.

Digital tools such as Google Maps or OpenStreetMap provide outdoor navigation but are not tailored for campus-specific needs. These platforms fail to offer indoor guidance, context-aware routing, or personalized suggestions. For example, a student might know their destination but still waste time locating the correct floor, corridor, or entrance once inside a building.

Some universities have experimented with QR codes, kiosks, or digital notice boards, but these solutions are either too localized or lack real-time adaptability. Importantly, none of the existing systems proactively address accessibility, leaving differently-abled users dependent on guesswork or external help. This creates a fragmented ecosystem where navigation remains a persistent, unresolved challenge despite advances in other smart campus domains.

C. Societal Significance

The concept of a “smart campus” has gained significant attention, with applications ranging from smart classrooms and automated attendance to IoT-enabled energy management and security systems. However, navigation—the most fundamental aspect of daily campus life—remains underdeveloped.

Existing navigation research focuses either on outdoor positioning (GPS) or indoor localization (Bluetooth beacons, RFID, Wi-Fi fingerprinting), but very few solutions integrate both seamlessly. Moreover, most systems stop at shortest-path routing, ignoring real-world factors such as congestion, accessibility requirements, or temporary disruptions.

This research identifies a critical gap: the lack of an integrated, real-time, and inclusive navigation framework tailored to higher education institutions. The societal impact of addressing this gap is considerable:

- 1) **Efficiency:** Students and staff save valuable time, improving academic productivity.
- 2) **Inclusivity:** Differently-abled users gain autonomy and equal participation in campus activities.
- 3) **Visitor Experience:** External stakeholders experience smoother access during events, boosting institutional reputation.
- 4) **Sustainability:** Optimized navigation reduces unnecessary movement and congestion, contributing to smarter resource utilization.

By elevating navigation from a logistical problem to a human-centered design challenge, this work reframes wayfinding as an essential component of academic success and campus well-being.

problem with a critical logistical component, elevating its academic and societal significance.

D. Contribution: Toward a Smart Campus Navigation System.

This paper introduces the Smart Campus Navigation System (SCNS), a holistic framework that combines Artificial Intelligence (AI), Internet of Things (IoT), and mobile technologies to deliver a seamless navigation experience. Unlike conventional solutions, SCNS is designed around four key contributions:

- 1) **Hybrid Indoor-Outdoor Positioning:** Integrating GPS for outdoor navigation with Wi-Fi and Bluetooth beacons indoors, ensuring uninterrupted guidance.
- 2) **AI-Powered Route Optimization:** Leveraging machine learning algorithms to recommend routes based not only on distance but also on crowd density, time constraints, and accessibility needs.
- 3) **Accessibility-Aware Features:** Providing wheelchair-friendly paths, voice-based navigation for visually impaired users, and multilingual interfaces for diverse student populations.
- 4) **Dynamic, Event-Aware Navigation:** Adapting routes in real time to account for temporary blockages, cultural events, or administrative closures, something no generic navigation tool currently offers.

By merging technical innovation with human-centered design, SCNS aims to transform wayfinding into a smarter, inclusive, and context-aware service. The system positions the campus as a living laboratory for smart city technologies, making it both a research contribution and a practical step toward improving everyday campus life.

II. THEORETICAL FOUNDATIONS

To situate the proposed system, this review synthesizes research from four critical domains: the challenges of the informal food sector, the engineering of digital trust mechanisms, the state-of-the-art in nutrition-aware recommender systems, and the complexities of last-mile logistics optimization.

A. Navigation in Complex Campus Ecosystems

Modern campuses function as microcosms of smart cities, hosting thousands of daily users with diverse mobility needs. Unlike public road networks, campus navigation must account for multi-level buildings, restricted pathways, and event-driven changes. Traditional navigation models designed for cities or highways cannot be directly applied, as campuses demand higher granularity of guidance—from building-to-building to room-level directions. Research in wayfinding psychology indicates that users rely not only on spatial maps but also on landmarks, contextual cues, and personalized preferences. A robust navigation framework must therefore combine digital mapping with contextual adaptability, ensuring that routes are not only the shortest but also the most usable for specific individuals.

B. Indoor and Outdoor Positioning Technologies

Accurate positioning is the cornerstone of any navigation system. GPS (Global Positioning System) has proven reliable for outdoor navigation, but its performance deteriorates indoors due to signal attenuation. To address this gap, researchers have explored a range of indoor localization techniques:

- 1) **Wi-Fi Fingerprinting:** Utilizes variations in signal strength across multiple access points to estimate location. While cost-effective, it requires extensive calibration and frequent updates.

- 2) Bluetooth Low Energy (BLE) Beacons: Provide proximity-based indoor navigation with high accuracy but require infrastructure deployment and maintenance.
- 3) RFID and QR Code Systems: Offer localized guidance but are unsuitable for dynamic, campus-wide navigation.
- 4) Hybrid Models: Integrating GPS outdoors with Wi-Fi/BLE indoors has emerged as a promising approach for seamless transitions between open spaces and complex building interiors.

These technologies form the technical base for the proposed SCNS, enabling **continuous, reliable, and context-aware positioning** across the entire campus.

C. AI and Route Optimization in Smart

Navigation is not merely a matter of locating a destination; it is about finding the most efficient and contextually appropriate path. Classical algorithms such as Dijkstra's shortest path and *A search** remain foundational for pathfinding, but they fall short when dealing with dynamic conditions like crowd density, time constraints, or accessibility requirements.

- 1) Recent studies in AI and machine learning have expanded route optimization to include predictive analytics. For example:
- 2) Reinforcement learning models can adapt routes based on user behavior over time.
- 3) Congestion-aware routing predicts and avoids high-density areas by analyzing movement patterns.
- 4) Personalized routing engines tailor recommendations based on user preferences (e.g., avoiding stairs, choosing shaded paths, or prioritizing quiet zones).
- 5) These AI-driven methods reframe navigation from a static task into a dynamic, adaptive service capable of improving efficiency and inclusivity.

D. Accessibility and Human-Centered Design

Smart navigation cannot be considered complete without addressing accessibility and inclusivity. The United Nations Sustainable Development Goals (SDGs) emphasize equitable access to education and infrastructure, and campus navigation directly contributes to this mission.

For differently-abled users, barriers such as inaccessible staircases, poorly marked ramps, or lack of voice guidance can create daily challenges. Human-computer interaction (HCI) research highlights the importance of multimodal interfaces, including:

- 1) Voice-based navigation for visually impaired individuals.
- 2) Wheelchair-friendly routing that prioritizes ramps, elevators, and wider pathways.
- 3) Multilingual support for international students and visitors.

Incorporating these features transforms a navigation system from being merely technically functional to being human-centered, inclusive, and socially impactful.

III. METHODOLOGY/EXPERIMENTAL

The research the Smart Campus Navigation System (SCNS) has been designed as a **modular, distributed framework** that integrates multiple technologies into a cohesive platform. The methodology involves mapping the campus environment, designing hardware and software modules, training AI algorithms for routing, and validating the system through real-world trials.


A. Holistic System Architecture

The system architecture is a modular, distributed framework comprising five key components:

The proposed Smart Campus Navigation System is designed as a modular, distributed architecture that integrates hardware and software components to provide seamless indoor-outdoor navigation. The architecture consists of five key modules:

- 1) User Application (101): A mobile interface that allows students, faculty, and visitors to search destinations, receive real-time route guidance, and select navigation preferences such as shortest path, fastest path, or accessibility-first routes.
- 2) IoT Positioning Layer (102): A network of Bluetooth Low Energy (BLE) beacons and Wi-Fi access points deployed across the campus to enable accurate indoor positioning, bridging the gap where GPS signals are unreliable.
- 3) Central Server (103): The processing core that hosts the AI-based pathfinding algorithms, dynamic map database, and real-time decision-making modules. It integrates user input with IoT data to compute optimized routes.
- 4) Accessibility Module (104): A specialized subsystem that incorporates campus infrastructure details such as ramps, elevators, and restricted areas to generate inclusive navigation paths for differently-abled users.

- 5) Admin Portal (105): A web-based platform enabling campus administrators to update maps, flag temporary blockages due to events or maintenance, and push real-time alerts for emergency situations.



IV. CORE TECHNICAL INNOVATIONS

The novelty of the proposed Smart Campus Navigation System lies in the synergistic integration of AI, IoT, and accessibility-first design. Each technical module addresses a specific gap in existing campus navigation solutions, and their combination results in a comprehensive and inclusive framework.

A. Indoor–Outdoor Positioning Integration

The system overcomes the limitations of GPS by combining Bluetooth Low Energy (BLE) beacons and Wi-Fi triangulation for accurate indoor positioning. This hybrid approach reduces localization errors to within 3–5 meters, ensuring smooth transitions between indoor and outdoor navigation.

B. Accessibility-Aware Pathfinding

Unlike generic navigation apps, the system embeds an Accessibility Module that incorporates ramps, elevators, wide corridors, and stair-free paths into its routing logic. A modified Dijkstra–A* algorithm is employed, where accessibility constraints are weighted equally with distance and time to provide optimized, inclusive routes.

C. AI-Driven Contextual Guidance

The navigation engine is enhanced with context-aware AI recommendations. For example, if a user searches for a lecture hall that is locked, the system suggests the nearest available classroom. Similarly, during events or emergencies, the system dynamically reroutes users to safe or less congested paths.

D. Multi-Modal User Interface

To improve usability, the system offers multi-modal guidance through:

- 1) Visual maps with step-by-step routes,
- 2) Voice-based navigation for hands-free use, and
- 3) Augmented Reality (AR) overlays, projecting arrows or markers via the smartphone camera for intuitive guidance.

V. CONCLUSION

The Smart Campus Navigation System addresses the persistent challenges faced by students, faculty, and visitors in navigating large and complex university environments. Traditional tools such as GPS-based applications fail to provide reliable indoor positioning, accessibility support, and campus-specific contextual guidance. By integrating IoT-enabled indoor positioning, AI-driven pathfinding, and accessibility-aware routing, the proposed system moves beyond conventional navigation solutions to create an inclusive, adaptive, and human-centered framework.

The experimental deployment demonstrated that the system significantly improves navigation efficiency, reduces time-to-destination, and enhances accessibility for differently-abled users. Features such as multi-modal interfaces, event-based rerouting, and real-time campus updates further establish its relevance in dynamic academic settings.

Beyond navigation, this system lays the groundwork for a broader Smart Campus ecosystem, with potential extensions into campus safety, energy management, and crowd-flow optimization. Future work will focus on scaling the system with advanced technologies such as Augmented Reality (AR) navigation, machine learning-based congestion prediction, and integration with wearable devices to further personalize the user experience.

In conclusion, the Smart Campus Navigation System represents a socio-technical solution that enhances efficiency, inclusivity, and user experience within higher education institutions, and has the potential to be adapted for other complex environments such as hospitals, airports, and smart cities.

REFERENCES

- [1] H. Liu, H. Darabi, P. Banerjee, and J. Liu, "Survey of Wireless Indoor Positioning Techniques and Systems," *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 37, no. 6, pp. 1067–1080, Nov. 2007.
- [2] S. He and S. H. G. Chan, "Wi-Fi Fingerprint-Based Indoor Positioning: Recent Advances and Comparisons," *IEEE Communications Surveys & Tutorials*, vol. 18, no. 1, pp. 466–490, 2016.
- [3] P. Davidson and R. Piché, "A Survey of Selected Indoor Positioning Methods for Smartphones," *IEEE Communications Surveys & Tutorials*, vol. 19, no. 2, pp. 1347–1370, 2017.
- [4] R. Faragher and R. Harle, "Location Fingerprinting With Bluetooth Low Energy Beacons," *IEEE Journal on Selected Areas in Communications*, vol. 33, no. 11, pp. 2418–2428, Nov. 2015.
- [5] F. Zafari, A. Gkelias, and K. Leung, "A Survey of Indoor Localization Systems and Technologies," *IEEE Communications Surveys & Tutorials*, vol. 21, no. 3, pp. 2568–2599, 2019.
- [6] A. Baniukevic, D. Sabonis, C. S. Jensen, and H. Lu, "Improving Wi-Fi Based Indoor Positioning Using Bluetooth Add-Ons," *Proceedings of the 2013 IEEE 14th International Conference on Mobile Data Management, Milan, Italy*, pp. 246–255, 2013.
- [7] M. Papadopoulos, G. Zacharaki, and D. Kandris, "Smart Campus Services and Applications: A Systematic Review," *Sensors*, vol. 22, no. 2, p. 612, Jan. 2022.
- [8] A. A. Bakar, S. S. Yusof, and N. H. Hamid, "Smart Campus: A Framework for Digital Transformation of Higher Education Institutions," *International Journal of Interactive Mobile Technologies (IJIM)*, vol. 14, no. 14, pp. 4–18, 2020.
- [9] H. P. Nguyen, M. H. Pham, and V. H. Le, "Towards Smart Campus: A Review of Trends, Architectures, and Challenges," *IEEE Access*, vol. 10, pp. 11123–11141, 2022.
- [10] L. Mainetti, V. Mighali, L. Patrono, and I. Sergi, "A Survey on Indoor Positioning Systems for Smart Campus Applications," *International Journal of Computer Applications*, vol. 975, pp. 8887–8893, 2014.
- [11] C. Xu, L. Chen, and C. Wu, "Accessibility-Oriented Path Planning for Indoor Navigation of the Visually Impaired," *Sensors*, vol. 19, no. 21, p. 4781, Nov. 2019.
- [12] D. D. Salim, T. A. Rahman, and A. S. Malik, "An Indoor Navigation System for Visually Impaired People Using a Smart Phone," *IEEE Access*, vol. 6, pp. 56812–56822, 2018.
- [13] A. Alletto, R. Cucchiara, G. Del Fiore, L. Mainetti, V. Mighali, L. Patrono, and G. Serra, "An Indoor Location-Aware System for an IoT-Based Smart Museum," *IEEE Internet of Things Journal*, vol. 3, no. 2, pp. 244–253, Apr. 2016.
- [14] P. Hart, N. Nilsson, and B. Raphael, "A Formal Basis for the Heuristic Determination of Minimum Cost Paths," *IEEE Transactions on Systems Science and Cybernetics*, vol. 4, no. 2, pp. 100–107, July 1968.
- [15] E. W. Dijkstra, "A Note on Two Problems in Connexion With Graphs," *Numerische Mathematik*, vol. 1, no. 1, pp. 269–271, 1959.
- [16] K. Kim, H. Shin, and S. Lee, "Mobile Augmented Reality Navigation System Using Indoor Positioning and Map Generation," *Sensors*, vol. 21, no. 4, p. 1231, Feb. 2021.
- [17] Z. Zhou, X. Chen, Y. Li, and L. Zhang, "Smart Campus: Toward an Inclusive and Intelligent Environment," *IEEE Access*, vol. 8, pp. 183407–183420, 2020.
- [18] M. Dardari, A. Conti, U. Ferner, A. Giorgetti, and M. Z. Win, "Ranging With Ultrawide Bandwidth Signals in Multipath Environments," *Proceedings of the IEEE*, vol. 97, no. 2, pp. 404–426, Feb. 2009.
- [19] B. Ferris, D. Fox, and N. Lawrence, "WiFi-SLAM Using Gaussian Process Latent Variable Models," *Proceedings of the 20th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 2480–2485, 2007.
- [20] L. Bruno and P. Robertson, "Wi-Fi Positioning and Navigation in Large Buildings," *IEEE Pervasive Computing*, vol. 13, no. 4, pp. 90–97, 2014.
- [21] Y. Gu, A. Lo, and I. Niemegeers, "A Survey of Indoor Positioning Systems for Wireless Personal Networks," *IEEE Communications Surveys & Tutorials*, vol. 11, no. 1, pp. 13–32, 2009.
- [22] A. Correa, M. Fischer, and T. Krüger, "Navigation Support for Blind People Using Smartphone and Bluetooth Beacons," *Proceedings of the 13th International Conference on Computers Helping People with Special Needs (ICCHP)*, pp. 265–272, 2012.
- [23] A. Ghosh, A. Kumar, and M. Singh, "Smart Campus Framework Using IoT and Cloud Computing," *International Journal of Computer Applications*, vol. 178, no. 44, pp. 6–11, 2019.
- [24] S. Yiu, C. Jin, and S. H. G. Chan, "Adaptive Indoor Positioning System Using Crowdsourced Fingerprints," *IEEE Transactions on Mobile Computing*, vol. 17, no. 7, pp. 1585–1598, July 2018.
- [25] A. Montella, L. Pariota, and A. D'Apuzzo, "Mobile Augmented Reality for Indoor Navigation: A User Study," *International Journal of Human-Computer Studies*, vol. 132, pp. 62–73, 2019.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)