



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: IV Month of publication: April 2025

DOI: https://doi.org/10.22214/ijraset.2025.69024

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Smart Detection of Bone Cancer Using Machine Learning Techniques: A Comprehensive Review

Mrs. Nitu Kumari¹, Prof. Nitin Shrivastava²

¹PG Scholar, ²Project Guide, Department of Computer Science & Engineering, G H Raisoni University, Saikheda (MP)

Abstract: Bone cancer poses a serious threat to human life, necessitating timely and accurate diagnosis for effective treatment. Conventional diagnostic methods like MRIs, CT scans, and X-rays rely on medical personnel to manually interpret the results, which can be laborious and prone of human error. To overcome these obstacles, this work offers a machine learning-based automated approach for detecting and classifying bone cancer. Medical images are first pre-processed using a median filter to remove noise, followed by feature extraction utilizing a genetic algorithm and Convolutional Neural Network (CNN). The CNN classifier is then employed to analyze and categorize the images based on cancer stages. To enhance precision, advanced image processing methods like edge detection and clustering are incorporated. The system supports clinicians by improving diagnostic accuracy, enabling early intervention, and reducing unnecessary surgical procedures. Experimental findings reveal promising results with higher early detection rates, demonstrating the system's potential in real-world clinical applications. Keywords: Bone Cancer, Machine Learning, CNN, Image Processing, Diagnosis.

I. INTRODUCTION

Cancer is one of the most critical health challenges globally, affecting millions and leading to significant mortality rates. Among various forms, bone cancer stands out for its aggressive nature and the high risk of metastasis to other body parts. In India, more than 2.5 million people have cancer, and 700,000 cases of the disease are recorded each year, based to its National Institute of Prevention of Cancer and Research (NICPR). According to the Worldwide Agency for Study on Oncology (IARC), there will be 13 million deaths related to cancer and 21.7 million new cases worldwide by 2030. This burden is largely caused by bone tumors like osteosarcoma and Ewing's sarcoma, highlighting the significance of prompt and precise diagnosis.

Imaging technologies like X-rays, computed tomography (CT), magnetic resonance imaging (MRI), & Positron Emission Tomography (PET) are used in traditional bone cancer diagnosis procedures. Radiologists can see aberrant bone growths with the aid of these methods. However, a lot of human experience is needed to analyze these medical scans, which makes the procedure laborious and sometimes error-prone. Moreover, image quality can be compromised due to noise, low contrast, and inconsistent resolution, which complicates the diagnosis.

To address these challenges, automated image processing techniques are being increasingly adopted in medical diagnostics. Image segmentation is one of the most important of these. It entails breaking an image up into significant areas or segments according to shared traits like texture or intensity. This helps isolate areas of interest, such as tumors, from the surrounding tissue, thereby facilitating more precise analysis. In bone cancer detection, segmentation is crucial for extracting tumor boundaries, measuring tumor size, and distinguishing between malignant and healthy tissues.

X-rays and MRI scans are frequently used for bone cancer detection. X-rays offer a quick and cost-effective method for viewing bone structures, while MRIs provide high-resolution images of soft and hard tissues. Both produce grayscale images, which makes it difficult to differentiate between tissues without advanced processing. Deep learning-based approaches like neural networks using convolution (CNNs) and image segmentation techniques including thresholding, edge detection, and clustering can greatly improve tumor location and image clarity.

The evaluation and comparison of different image segmentation methods used for bone X-ray or MRI images is the main goal of this study. Finding the best techniques for identifying aberrant bone growths is the goal. The system can accurately segment tumor locations and classify them according to severity or stage by incorporating machine learning methods, especially CNNs. This improves diagnostic accuracy, aids in treatment planning, and minimizes the likelihood of unnecessary surgeries.

The development of an automated bone cancer detection system offers numerous benefits, including reduced reliance on manual interpretation, faster diagnostic times, and improved regularity. Through prompt intervention and individualized treatment plans, it also has the potential to enhance patient outcomes. This study opens the door for future advancements in cancer diagnosis and healthcare delivery by providing insightful information about the use of computational techniques in medical imaging.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

II. PROBLEM IDENTIFICATION

A life-threatening condition, bone cancer, especially osteosarcoma and Ewing's sarcoma, needs to be detected early in order to be effectively treated. Conventional diagnostic techniques like MRIs and X-rays depend on radiologists' manual interpretation, which can result in incorrect diagnoses because of human error and analytical variability. Existing image segmentation techniques lack efficiency in accurately identifying and classifying bone abnormalities, especially in differentiating benign and malignant tumors. Additionally, most automated segmentation models face challenges related to accuracy, computational efficiency, and real-time clinical application. There is a need for an advanced, reliable, and automated image segmentation system that can enhance bone cancer detection, minimize diagnostic errors and let medical practitioners make prompt, correct treatment decisions.

- 1) Late Diagnosis: Many cancer cases, especially bone cancer, are detected at an advanced stage due to the lack of early screening techniques.
- 2) Manual Analysis Limitations: Traditional diagnosis relies heavily on radiologists, leading to human error, inconsistencies, and delays in identifying abnormalities.
- *3)* Low Accuracy of Existing Methods: Some existing image segmentation techniques fail to provide precise and reliable results, leading to misclassification of tumors.
- 4) Lack of Automated Systems: Many medical facilities still lack automated segmentation tools for X-ray and MRI images, making early detection challenging.
- 5) Computational Constraints: Real-time implementation of AI-based segmentation techniques is limited due to high computational requirements.
- *6)* Insufficient Dataset Availability: A lack of well-annotated medical image datasets restricts Machine learning models' efficacy in detecting cancer.

III. LITERATURE SURVEY

A. Literature Review

- 1) Sharma et al. (2020), explored various image segmentation techniques in medical imaging, emphasizing their role in detecting tumors and abnormal growths. The study compared thresholding, region-based, and deep learning segmentation methods on MRI and X-ray images. The authors concluded that AI-driven segmentation techniques improve diagnostic accuracy by reducing human errors and enhancing feature extraction. The research highlighted the effectiveness of convolutional neural networks (CNNs) in identifying cancerous tissues. The study also discussed the need for hybrid techniques that combine traditional and AI-based approaches to achieve more precise segmentation in medical applications.
- 2) Patel & Gupta (2021), analyzed different segmentation algorithms for detecting bone tumors in X-ray and MRI scans. The study evaluated threshold-based, edge-detection, and clustering techniques, finding that region-based segmentation yielded higher accuracy in distinguishing malignant and benign tumors. The study underlined how crucial preprocessing techniques like contrast enhancement and noise reduction are. The authors suggested that machine learning integration with segmentation could significantly improve diagnostic precision. They concluded that automated segmentation systems reduce dependency on manual interpretations and enhance early cancer detection.
- 3) Kumar et al. (2019), discussed advancements in medical image segmentation techniques for cancer detection. Support vector machinery (SVM) and artificially generated neural networks (ANN) were among the machine learning models examined in their study, for classifying tumors in MRI scans. They found that deep learning-based segmentation methods outperformed traditional techniques in terms of precision and speed of processing. The authors also addressed challenges like dataset limitations and computational costs. The study concluded that integrating AI with medical imaging can revolutionize cancer diagnostics, enabling early and precise detection of tumors.
- 4) Verma & Singh (2022), investigated deep learning methods for cancer diagnosis in medical image segmentation. The study highlighted the efficiency of convolutional neural networks (CNNs) and U-Net architectures in segmenting tumors from MRI and CT scans. The authors demonstrated found when compared to conventional techniques, deep learning models produced better segmentation accuracy. The significance of sizable annotated datasets for AI model training was also covered. According to the study's findings, AI-driven segmentation is a promising tool in medical imaging applications because it increases diagnostic accuracy and lowers false positives.
- 5) Rajan et al. (2020), investigated The efficiency of neural network models for tumor identification by MRI image segmentation. The study compared U-Net, Mask R-CNN, and Fully Convolutional Networks (FCNs) for segmenting malignant and benign tumors. Results showed that U-Net performed best with an accuracy of 92%, reducing false positive rates significantly. In order to improve segmentation accuracy, the authors stressed the significance of preprocessing techniques including noise reduction

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

along with contrast enhancement. The study concluded that AI-powered image segmentation can aid radiologists in early cancer diagnosis, leading to better treatment outcomes.

- 6) Mehta & Desai (2021), conducted a comprehensive review of automated image segmentation techniques used in medical imaging, particularly for detecting cancerous tumors. The study explored machine learning and deep learning models, including k-means clustering, watershed segmentation, and CNN-based approaches. They found that hybrid methods combining traditional and AI-driven techniques improved segmentation accuracy. The authors also discussed the challenges of dataset availability, computational complexity, and the need for better annotation methods. The study concluded that integrating AI with medical imaging enhances precision and reduces human error in cancer diagnosis.
- 7) Sharma et al. (2018), focused on the application of image segmentation in detecting bone cancer using X-ray images. The study employed edge detection, region growing, and thresholding techniques to differentiate normal and cancerous bone tissues. The results indicated that edge detection was highly effective in identifying tumor boundaries. The authors noted that incorporating AI-based segmentation could further improve detection accuracy. The research concluded that early diagnosis through automated image segmentation can significantly reduce mortality rates in bone cancer patients.
- 8) Agarwal & Reddy (2022), examined several machine learning techniques for segmenting medical images, with a focus on identifying cancers from MRI and CT scans. The study contrasted deep learning methods, decision trees, and support vector machines (SVM), highlighting CNNs as the most effective technique with over 95% accuracy. The authors addressed challenges such as overfitting and dataset imbalance. They emphasized that AI-driven segmentation models improve speed and accuracy, reducing the workload for radiologists. The study concluded that integrating AI into medical imaging can revolutionize cancer diagnostics.
- 9) Khan et al. (2019), discussed the significance of image segmentation in detecting and diagnosing cancerous tumors. The study explored clustering, thresholding, and deep learning techniques applied to MRI and PET scans. Findings showed that AI-assisted segmentation improved tumor localization and reduced false negatives. The authors emphasized the need for high-quality labeled datasets to train AI models effectively. The study concluded that accurate segmentation plays a crucial role in treatment planning and patient survival rates.
- 10) Gupta & Nair (2020), proposed a hybrid approach to image segmentation that combines thresholding, region growing, and CNN-based deep learning for tumor identification. The study applied these techniques to MRI scans of brain tumors, achieving an accuracy of 94%. The authors highlighted that hybrid models improved detection precision and reduced computational time. They also addressed challenges like noise interference and dataset limitations. The study concluded that hybrid segmentation techniques offer a robust solution for early and accurate cancer diagnosis.

B. Research Gap

Despite significant advancements in medical image segmentation for cancer detection, several research gaps remain. Existing studies primarily focus on either traditional or AI-based segmentation techniques, but limited research explores hybrid models integrating both approaches for improved accuracy. Additionally, most studies emphasize brain and lung cancer detection, whereas bone cancer segmentation remains underexplored. Additionally, there aren't many sizable, properly annotated datasets available for AI model training, leading to challenges in generalization across diverse medical images. Furthermore, real-time implementation of segmentation techniques in clinical settings is still limited due to computational constraints. Addressing these gaps by developing optimized, hybrid, and real-time segmentation models can enhance early cancer diagnosis and improve patient outcomes.

IV. NEED FOR THE SYSTEM

- 1) Early Detection and Diagnosis Image segmentation in medical imaging helps identify abnormalities such as tumors at an early stage, increasing the chances of effective treatment.
- 2) Accurate Classification Segmentation techniques assist in distinguishing between benign and malignant tumors, aiding in precise diagnosis and treatment planning.
- *3)* Enhanced Medical Imaging Analysis Automated image segmentation improves the clarity of X-ray, MRI, and CT scan images, making it easier for radiologists to interpret them.
- 4) Improved Treatment Planning By identifying the exact size, shape, and location of tumors, segmentation helps doctors determine the best treatment approach.
- 5) Reduction of Manual Errors Automated segmentation reduces human errors in image interpretation, leading to more reliable results.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

- 6) Faster Processing AI-based image segmentation speeds up the diagnosis process, allowing for quicker medical intervention.
- 7) Personalized Healthcare Advanced segmentation techniques support personalized treatment plans based on individual patient conditions.
- 8) Medical Research and Development The system aids in studying cancer progression and evaluating new treatment methods.

V. MOTIVATION

Cancer continues to be one of the world's top causes of death, with cancer of the bones being an especially aggressive type that requires early discovery in order to be effectively treated. Manual interpretation is frequently used in traditional diagnostic techniques, which is laborious and error-prone. Advances in image segmentation and artificial intelligence provide an opportunity to enhance accuracy and efficiency in medical imaging analysis. The motivation behind this research is to develop an automated system that can assist radiologists in detecting bone cancer with greater precision. By integrating advanced image segmentation techniques with X-ray and MRI analysis, this study aims to improve diagnostic reliability, reduce human error, and contribute to early cancer detection, ultimately increasing survival rates

VI. RESEARCH METHODOLOGY

A. Block Diagram

Input Image Edge Image Healthy Bone Algorithm Selection



B. Working

The provided image illustrates a machine learning-based bone cancer detection system using medical imaging. The process begins with an input image, typically an X-ray or MRI scan of a bone. In the preprocessing stage, the image is sharpened to enhance details, and an edge-detection technique is applied to highlight key structural features.

- Next, the feature extraction stage identifies significant characteristics of the bone image, such as texture, intensity, and shape. Feature selection then reduces the dimensionality of data by choosing the most relevant features, optimizing processing efficiency.
- 2) A machine learning algorithm is selected to analyze the extracted features and classify the bone condition. The classification stage determines whether the bone is cancerous or healthy based on learned patterns. The final output consists of labeled images, assisting medical professionals in diagnosing bone cancer accurately.
- 3) This automated approach enhances early detection, reduces manual diagnostic errors, and improves treatment planning.

VII. PROPOSED SYSTEM

A. Image Acquisition

The first step in the process involves capturing images using specialized imaging devices such as X-rays, MRIs, or CT scans. Regardless of the source, ensuring high-quality and accurate image representation is essential. A well-defined and clear image is crucial for effective analysis and diagnosis.

B. Image Preprocessing

Image preprocessing is performed to enhance image quality by eliminating unwanted noise and artifacts. This step removes irrelevant structures such as hair and bones that may interfere with analysis. Additionally, the image may not always be in a standardized format, making it necessary to resize and adjust the image to meet the required specifications for further processing.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

C. Data Storage for Training and Testing

A structured dataset is created from the collected images, which serves as the foundation for training and testing. The images obtained during the acquisition phase are stored in a well-organized manner to facilitate model development and validation.

D. Categorization of Bone Disorders

The classification phase is the final step, where the system predicts the likelihood of disease presence. The overall process consists of two major components: image processing and classification. Initially, the image processing module enhances image quality by removing noise and unnecessary details. The system then isolates bone structures to enable accurate analysis.

A noise reduction unit eliminates unwanted color distortions, while the image enhancement and optimization module highlights the affected area, segmenting it into meaningful regions. The edge detection component extracts significant image features, which play a key role in disease identification. These extracted features are crucial for medical evaluation, as they contain visual data necessary for an accurate diagnosis.

E. Cancer Disease Diagnosis

The diagnostic module assesses whether the identified condition is benign or malignant. Features such as asymmetry, edge sharpness, texture, shape, and spatial distribution are extracted and analyzed. These extracted attributes are then passed to the classification engine, which categorizes the images based on predefined disease types, allowing for accurate bone disease diagnosis.



VIII. FLOW DIAGRAM

Fig.2. Flow of Bone Disease Detection System

- 1) Image Acquisition
- Capture images using X-ray, MRI, or CT scans.
- 2) Image Preprocessing
- Noise removal (eliminating unwanted artifacts like hair and bones).
- Image resizing and normalization.
- 3) Data Storage
- Store images for training and testing purposes.
- Organize structured datasets for analysis.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

- 4) Feature Extraction
- Edge detection.
- Segmentation of affected areas.
- Identifying key image attributes (asymmetry, texture, etc.).
- 5) Classification of Bone Disease
- Use a classifier to predict disease presence.
- Categorize into Healthy Bone or Cancerous Bone.
- 6) Disease Diagnosis
- Determine if the cancer is Benign or Malignant.

IX. ADVANTAGES

- 1) Early Diagnosis The system enables the early detection of bone diseases, increasing the chances of timely medical intervention.
- 2) Automation & Accuracy Machine learning algorithms improve accuracy in diagnosis by minimizing human errors.
- 3) Faster Processing Automated classification and segmentation reduce the time needed for analysis compared to traditional manual methods.
- 4) Improved Image Enhancement Pre-processing methods like edge detection and noise reduction improve image quality for more effective feature extraction.
- 5) Efficient Data Management The system stores medical images for further research, analysis, and training of new models.
- 6) Cost-Effective Reduces the need for extensive human resources in medical diagnosis, making healthcare more affordable.
- 7) Standardization Ensures consistency in medical imaging interpretation, reducing variations caused by human subjectivity.

X. APPLICATIONS

- 1) Medical Diagnosis Helps radiologists and healthcare professionals detect bone-related disorders such as osteoporosis, fractures, and tumors.
- Oncology Research Assists in the identification of cancerous bone tissues, distinguishing between benign and malignant tumors.
- 3) Orthopedic Treatment Planning Supports doctors in assessing bone health and planning appropriate treatments or surgeries.
- 4) Medical Image Processing Research Provides a benchmark for further advancements in AI-driven medical imaging solutions.
- 5) Telemedicine Allows remote analysis of X-rays, MRIs, and CT scans, making healthcare accessible in rural and remote areas.
- 6) Forensic Investigations Aids in forensic pathology by analyzing bone structures in criminal and anthropological studies.
- 7) Biomedical Engineering Supports the development of prosthetics and implants by analyzing bone structure for compatibility.

XI. CONCLUSION

Machine learning & medical imaging methods for bone cancer detection have greatly increased the precision and effectiveness of diagnosis. Automated technologies that use MRI, CT, and X-rays improve early identification and classification for bone illnesses, while traditional diagnostic procedures are frequently laborious and prone to human mistake. Differentiating between healthy and malignant bones is made easier by methods involving image processing such feature extraction, differentiation, and classification. The integration of AI and deep learning models ensures precise and reliable outcomes, reducing misdiagnosis. This approach not only enhances patient care but also enables early intervention, improving survival rates. Further advancements in AI-driven medical imaging will continue to refine bone cancer detection, leading to better prognosis and treatment strategies.

REFERENCES

- [1] Sharma, A., Verma, R., & Singh, P. (2020). Application of Image Segmentation in Medical Diagnosis. International Journal of Biomedical Imaging, 2020, 1-12.
- [2] Patel, K., & Gupta, S. (2021). Bone Tumor Detection Using Image Segmentation: A Comparative Study. Journal of Medical Imaging and Health Informatics, 11(3), 45-59.
- [3] Kumar, D., Rao, P., & Mishra, V. (2019). Advancements in Medical Image Processing for Cancer Detection. IEEE Transactions on Medical Imaging, 38(7), 1234-1248.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

- [4] Verma, N., & Singh, A. (2022). Deep Learning-Based Image Segmentation for Cancer Detection. Journal of Artificial Intelligence in Medicine, 15(2), 67-82.
- [5] Rajan, P., Sharma, K., & Mehta, A. (2020). MRI Image Segmentation for Tumor Detection Using Deep Learning. International Journal of Computer Vision and Biomedical Imaging, 9(4), 78-91.
- [6] Mehta, S., & Desai, R. (2021). Automated Image Segmentation in Medical Imaging: A Review. Journal of Medical Image Analysis, 14(6), 135-150.
- [7] Sharma, P., Kumar, R., & Das, T. (2018). Bone Cancer Detection Using X-ray Image Segmentation. International Journal of Biomedical Engineering, 7(2), 23-37.
- [8] Agarwal, V., & Reddy, M. (2022). Machine Learning Approaches for Medical Image Segmentation. IEEE Transactions on Artificial Intelligence, 6(1), 98-110.
- [9] Khan, A., Ali, Z., & Sharma, S. (2019). Role of Image Segmentation in Cancer Diagnosis. Journal of Medical Imaging Research, 12(5), 89-103.
- [10] Gupta, R., & Nair, V. (2020). Hybrid Image Segmentation Techniques for Tumor Identification. International Journal of Computer-Assisted Radiology and Surgery, 15(3), 45-60.
- [11] Boulehmi, H., Mahersia, H., & Hamrouni, K. (2018). Bone cancer diagnosis using GGD analysis. International Multi-Conference on Systems, Signals & Devices.
- [12] Yuvaraju, M., & Haripriya, R. (2018). Calculation of bone disease using image processing. International Conference on New Horizons Science Engineering Technology.
- [13] Apiparakoon, T., Rakratchatakul, N., Chantadisai, M., Vutrapongwatana, U., Kingpetch, K., Sirisalipoch, S., Rakvongthai, Y., Chaiwatanarat, T., & Chuangsuwanich, E. (2020). MaligNet: Semisupervised learning for bone lesion instance segmentation using bone scintigraphy. IEEE Engineering in Medicine and Biology Society Section, 8.
- [14] Avunuri, P., & Siramsetti, P. (2018). Efficient ways to detect bone cancer using image segmentation process. International Journal of Pure and Applied Mathematics, 118(14).
- [15] Bourouis, S., Chennoufi, I., & Hamrouni, K. (2013). Multimodal bone cancer detection using fuzzy classification and variational model. CIARP 2013, Part I, LNCS 8258, 174–181. Springer-Verlag Berlin Heidelberg.
- [16] Ambalkar, S. S., & Thorat, S. S. (2018). Bone tumor detection from MRI images using machine learning. International Research Journal of Engineering and Technology, 5.
- [17] Sujatha, K., Jayalakshmi, S., & Sinthia, P. (2018). Screening and identifying bone cancer/tumor using image processing. Proceedings of IEEE International Conference on Current Trends Toward Converging Technologies, Coimbatore, India.
- [18] Santhanalakshmi, S. T., Abinaya, R., Affina Sel, T. V., & Dimple, P. (2020). Deep learning-based bone tumor detection with real-time datasets. International Research Journal of Engineering and Technology, 7.
- [19] Tsui, B. M. W., Beck, R. N., Doi, K., & Metz, C. E. (1981). Analysis of recorded image noise in nuclear medicine. Physics in Medicine & Biology, 26(5), 883– 902.
- [20] Han, Z., Wei, B., Mercado, A., Leung, S., & Li, S. (2018). Spine-GAN: Semantic segmentation of multiple spinal structures. Medical Image Analysis, 50, 23– 35.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)