



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: V Month of publication: May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.71170>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Smart Email System for Visually Impaired

Ms. Jaya Pattenshetti¹, Ms. Farhanaz Sayyed², Ms. Mahek Sanglikar³, Ms. Shafakat Kazi⁴, Ms. Soumya Pujar⁵

¹Assistant Professor, Department of Computer Science and Engineering, S. G. Balekundri Institute of Technology, Belagavi, Karnataka, India -590001

^{2,3,4,5}Students, Department of Computer Science and Engineering, S. G. Balekundri Institute of Technology, Belagavi, Karnataka, India -590001

Abstract: *In an increasingly digital world, email remains a pivotal medium for communication; however, its accessibility for visually impaired individuals continues to pose significant challenges. This presents a unified framework for a Voice-Based Email System tailored specifically for users with visual disabilities, integrating insights from recent advancements in speech recognition, natural language processing (NLP), and human-computer interaction. The proposed system aims to deliver a seamless, hands-free email experience by employing Speech-to-Text (STT) and Text-to-Speech (TTS) technologies, alongside Interactive Voice Response (IVR) mechanisms. To ensure intuitive user engagement, the system features context-aware prompts and real-time auditory feedback. It reduces reliance on visual navigation by offering structured voice-driven menus for composing, reading, and managing emails. Emphasis is placed on minimizing cognitive load, thereby enhancing usability for non-technical users. This approach not only improves digital accessibility but also promotes inclusive communication practices in modern technological ecosystems*

Keywords: *Voice-Based Email System, Speech-to-Text (STT), Text-to-Speech (TTS), Natural Language Processing (NLP), Accessibility, Visually Impaired Users, Interactive Voice Response (IVR).*

I. INTRODUCTION

As we navigate deeper into the digital age, technology is no longer a luxury or convenience—it has evolved into a fundamental necessity that shapes how we live, work, and communicate. It forms the backbone of modern education systems, business operations, healthcare solutions, and personal interactions. With every passing year, the integration of digital systems into our daily routines becomes more seamless and indispensable. Among the most revolutionary enablers of this transformation are Artificial Intelligence (AI) and Machine Learning (ML)—technologies that have rapidly advanced from theoretical concepts to practical tools that now govern the way machines learn, adapt, and interact with humans. Their applications stretch across all sectors, but particularly significant is their impact on human-computer interaction (HCI), where voice technology has emerged as a promising frontier. From smart homes and mobile devices to virtual agents and industrial automation, voice interfaces are creating new pathways for intuitive communication with machines—pathways that are especially valuable to those with physical or sensory impairments. [1]

While mainstream virtual assistants such as Siri, Alexa, and Google Assistant have demonstrated how AI-driven voice interaction can enhance day-to-day convenience, these platforms remain general-purpose and are not optimized for users with unique accessibility needs [2]. Despite their widespread use, they are limited in context-awareness, task specificity, and support for advanced customization, making them less suitable for users who require more than just basic voice interaction. They fall short in delivering deeply personalized, task-specific, and fully voice-dependent experiences, especially in the context of desktop computing where visually impaired individuals are often forced to navigate interfaces that were not designed with them in mind.

Recognizing this significant gap, our project, “Smart Voice Assistant with a Driven Voice-Based Email System for Visually Impaired,” emerges as a focused solution tailored to bridge this divide.[3-4] In our pursuit of a more inclusive digital future, our initiative goes beyond mere functionality. Through the integration of an audio-based environment, screen readers, and a suite of innovative features, we aim to cultivate a workspace that not only accommodates but celebrates the diverse abilities of individuals with visual impairments.[5-6]

In today’s connected world, email communication is essential for personal and professional interactions. However, for individuals who are visually impaired, managing emails through traditional interfaces presents significant challenges. To address this gap, we have developed a Virtual Voice-Based Email System — a friendly voice assistant that listens to the user’s commands and manages emails without the need for typing or visual navigation.

In an era dominated by mobile technology and virtual assistants capable of handling diverse tasks, there still exists a notable lack of effective email management solutions for the blind community. Existing tools, such as screen readers and basic speech recognition software, often fall short in providing a seamless and satisfying user experience. Our project introduces an information retrieval toolkit specifically designed for visually impaired users. This toolkit focuses on converting email content into voice format, allowing users to hear, compose, send, receive, and manage emails entirely through auditory interaction.

Furthermore, the system architecture leverages recent advancements in lightweight deep learning models and embedded AI to optimize performance on low-resource devices. By utilizing technologies such as TensorFlow Lite for on-device inference and Optical Character Recognition (OCR) for extracting textual content from images, the assistant ensures that users can access and interact with both textual and image-based email content. This integration allows for a more dynamic and inclusive user experience, particularly in offline or constrained environments. The design also emphasizes security and privacy, incorporating secure authentication mechanisms and voice-based input verification to protect sensitive communications.

These advancements could further enhance the app's utility and broaden its impact, making it a valuable tool for accessibility. EyeQ represents a convergence of cutting-edge technology and human-centric design, demonstrating how AI can transform lives. By addressing the specific needs of visually impaired individuals, the app not only advances the field of assistive technology but also sets a benchmark for inclusivity and innovation. The vision behind EyeQ is to create a world where accessibility is a right, not a privilege, empowering individuals to live with independence and dignity. Accessibility is not just a technological challenge but also a societal imperative. As the global population grows and diversifies, the number of individuals requiring assistive technologies continues to rise. The World Health Organization estimates that over 2.2 billion people globally experience some form of vision impairment, with many facing significant barriers to education, employment, and social inclusion.

II. LITERATURE SURVEY

A literature survey is a critical component of any research project. It involves reviewing and analyzing existing literature, research papers, and other relevant sources to gain a comprehensive understanding of the current state of knowledge on a particular topic

S.NO	Title/Year/Authors	Methodology Followed	Observation
[1]	Smart Voice Assistance Based Email System for Visually Impaired (2023) Dr. Gnaneshwari, Kedarnatha, Mallikarjun, Shankar, Sourabh	Proposed a voice-assisted email system using speech recognition and Natural Language Processing (NLP). Began with a needs assessment of visually impaired users.	System effectiveness depends on accurate speech recognition, which may struggle with accent variations. NLP integration poses challenges due to complexity in user inputs. Interface design requires continuous user feedback.
[2]	AI – based Desktop Voice Assistant (2023) Pankaj Kunekar, Ajinkya Deshmukh	Implements AI/ML for voice-based desktop tasks with adaptive learning.	Limited functionality for complex tasks. Cloud dependency affects performance in low-connectivity areas. Interface needs improvement for non-tech savvy users.
[3]	Voice-based Email System Synced with Gmail for Visually Impaired (2023) Tulasi Sathwika Roy, Nayani Namratha	Integrates voice commands, IVR, and authentication to manage Gmail through speech.	Security and privacy concerns persist. Speech recognition may fail in noisy environments or with voice impairments. Noise reduction algorithms are needed for better accuracy.
[4]	Speech Recognition Intelligence System for Desktop Voice Assistant using AI / 2023 / Hariom Tyagi, Vinishkumar	Applies AI and NLP Techniques .	NLP still has limitations with regional dialects and non-standard language.
[5]	Effects of an Intelligent Virtual Assistant on Office Task Performance in Noisy Environment / 2023 / Parian Haghighat, Toan Nguye	Evaluates assistant performance under background noise during office tasks.	Noisy environments degrade assistant performance, causing user frustration. There is a need for fallback manual controls and enhanced noise-cancellation techniques.
[6]	Artificial IntelligenceBased News Aggregator (2023) Gokula Krishnan T, Prof. N. Sakthivel	Used Python, APIs, web scraping, speech recognition, and NLTK for sentiment analysis and recommendations	Lacks offline functionality, limiting real-time access. Could benefit from better content summarization and multilingual support. Voice-based navigation aids visually impaired users.
[7]	AI-based Desktop Voice Assistant (2023) Shubham Thorbole, Anuradha Pandit	Designed "Jarvis" in Python with modular architecture for automation and voice commands.	Depends on third-party services; needs offline mode and context-aware voice commands.
[8]	An Editing Process for Blind or Visually Impaired Editors(2021) Matthew J. Baker, E. M. Nightingale	Conducted interviews and studies on word processor usage with screen readers/Braille.	Needs voice annotations, better feedback, and collaboration features for accessibility.
[9]	Voice Assistant Using Python (2021) Nivedita Singh, Dr. Diwakar Yagyasen	Created Python-based assistant with Speech Recognition and gTTS; tested in noisy environments with task scripts and basic error handling.	Accuracy depends on external libraries; offline modules and personalized data can enhance usability.
[10]	Virtual Assistant for the Visually Impaired (2020) Vinayak Iyer, Kshitij Shah	Built with open-source tools; integrated biometrics and tested with visually impaired users.	Lacks translation and voice training; improving screen reader compatibility would boost adoption.

III. METHODOLOGY

The Smart Email System for Visually Impaired begins with a comprehensive requirement analysis to understand both the functional and non-functional needs of visually impaired users. Functional requirements include speech-to-text (STT) conversion for composing emails, text-to-speech (TTS) conversion for reading emails aloud, secure user authentication, intuitive voice-controlled menu navigation, and error handling through voice prompts. Non-functional requirements focus on high speech recognition accuracy, low system latency, offline support capabilities, and robust user security. The system aims to address the limitations of conventional email clients by enabling fully hands-free and accessible email communication through natural voice interactions. This preliminary analysis ensures that the system is designed to meet the usability, accessibility, and efficiency expectations of visually impaired users.

A. Block Diagram

The block diagram of the Smart Email System for Visually Impaired illustrates the overall workflow and integration of the key system components that enable voice-based email management. The process begins at the Voice Input Unit, where the user speaks commands or email content into a microphone. The captured voice signals are first pre-processed to reduce background noise and improve clarity before being passed to the Speech-to-Text (STT) Module. In this module, the audio signals are converted into machine-readable text using speech recognition libraries. The generated text is then forwarded to the Application Logic Controller, which interprets the user's command and determines the next action, such as login, composing a mail, reading an inbox, or managing folders like Sent and Trash. Following the decision-making phase, the Email Handling Unit interacts with email servers through IMAP and SMTP protocols. For instance, if the user wants to fetch emails, the IMAP service retrieves them, while composing and sending a mail triggers the SMTP service. Once an operation is performed, the system generates a textual output, such as an email body, a list of inbox emails, or a system confirmation message. This textual data is then passed to the Text-to-Speech (TTS) Module, where it is synthesized into voice output that is audibly delivered to the user. Throughout the interaction, the Error Handling System ensures that if any issues arise, such as incorrect commands or authentication failures, appropriate voice prompts guide the user towards corrective action. The block diagram highlights a streamlined, modular flow where each component works independently yet cohesively, ensuring smooth operation, real-time responses, and high system reliability. By designing the system with clear module boundaries, the architecture facilitates easy maintenance, future scalability, and better fault isolation, creating a robust platform that significantly enhances accessibility for visually impaired individuals




Fig.1-System Block diagram for Voice Recognition

B. Architecture Diagram

The architecture of the Smart Voice Assistant with a voice-based email system for visually impaired users is designed to provide a secure, accessible, and hands-free communication experience. It consists of key modules including the Voice Input Handler, Speech-to-Text (STT) Engine, Authentication Service, Email Service Manager, Text-to-Speech (TTS) Engine, and Error Handling Module. The system starts by capturing user voice commands, converting them to text, and interpreting the intent. Users authenticate themselves verbally, and credentials are verified using IMAP/SMTP protocols. Once logged in, users can perform tasks like reading, composing, or managing emails through voice commands. The TTS Engine provides spoken feedback, ensuring a conversational flow. Error handling ensures smooth recovery from misrecognized commands or system issues. A lightweight database supports session management and personalization settings. The modular design supports future enhancements like multi-language support, biometric authentication, and AI-based email filtering.

This scalable and adaptable architecture ensures the system remains reliable, accessible, and future-ready for visually impaired users.




Fig 2- Architecture Diagram

IV. APPLICATION

A. Email Communication for the Visually Impaired

This system enables visually impaired individuals to independently access and manage their email communications. By using voice commands, users can compose, send, read, and delete emails without needing a keyboard or mouse. This empowers users to perform essential digital communication tasks without external assistance, significantly enhancing their autonomy.

B. Intelligent Virtual Assistant for Daily Use

V-MAILX acts as a desktop-based intelligent virtual assistant tailored for accessibility. It goes beyond just handling emails by assisting users with various computer-related tasks using voice commands. This includes scheduling, retrieving information, and automating desktop functions, all while ensuring that users with limited vision can interact comfortably using natural speech.

C. Accessibility and Inclusion in Digital Systems

The application is a prime example of inclusive technology designed with accessibility standards in mind. By integrating speech recognition and natural language processing (NLP), the system accommodates users who face challenges with traditional graphical user interfaces. It supports text-to-speech and speech-to-text conversions to bridge the gap between visual information and auditory interaction.

D. Secure and Hands-Free Authentication

The system uses face recognition for authentication during registration and login, ensuring secure and touch-free access. This is particularly beneficial for users who may find typing credentials or remembering passwords difficult. The biometric security also enhances user confidence and safeguards private information.

E. Simplified User Interface with Voice Navigation


V-MAILX features a clean and simple GUI that is voice-guided, helping visually impaired users navigate the system without confusion. The interface provides real-time feedback on incorrect inputs and guides users through corrective actions using voice prompts, making the interaction intuitive and error tolerant.


F. Educational and Professional Use


This system can be adopted by visually impaired students and professionals who rely on email communication for academic or workplace correspondence. It reduces their dependency on screen readers or external assistance, offering a more direct and efficient means of digital communication.

V. RESULT AND DISCUSSION

The results of the voice-based email system project, titled "Smart Voice Assistant with Driven Voice-Based Email System for Visually Impaired," demonstrated successful implementation of several accessibility features aimed at aiding visually impaired users. The system reliably responded to user voice commands, allowing users to send, read, and delete emails purely through voice interaction, eliminating the need for mouse or keyboard use. It also incorporated face recognition for secure login and maintained a simple, voice-guided graphical interface to enhance usability for blind or low-vision individuals. Additionally, the system showcased good responsiveness and speed, with effective error handling that provided users with clear guidance in case of incorrect inputs.







Overall, the system proved to be efficient and user friendly. The voice commands worked accurately even with minor inconsistencies in user speech, ensuring a smooth user experience. The integration of natural language processing allowed for more human-like interaction, and the GUI design further simplified navigation. These results highlighted the system's potential as a reliable assistive tool for visually impaired individuals, enabling independent email management while adhering to accessibility standards.

VI. CONCLUSION

The development of the "Smart Voice Assistant with Voice-Based Email System for Visually Impaired" showcases how technology can be purposefully adapted to address real-world accessibility challenges. Rather than offering a generic communication tool, this project focuses on enabling an inclusive, intuitive, and fully voice-driven email interface for users with visual impairments. The integration of speech technologies not only enhances usability but also supports greater autonomy in digital correspondence. Through user-centric design and careful implementation of STT and TTS, the system successfully minimizes reliance on visual interfaces. As accessibility remains a critical component of software development, this project paves the way for future enhancements, such as support for multiple languages, improved voice recognition accuracy, and integration with other assistive technologies to broaden its impact across diverse user groups.

REFERENCES

- [1] P. Kulkarni, A. Deshmukh, S. Gajalwad, A. Bichare, K. Gunjal, and S. Hingade, "AI-Based Desktop Voice Assistant," 2023.
- [2] T. S. Roy, N. Namratha, and T. Y. J. N. Malleswari, "Voice E-Mail Synced with Gmail for Visually Impaired," 2023.
- [3] N. Patel, T. Landge, R. Tiwari, A. Verma, and S. Pathan, "Desktop Voice Assistant," Issue 04, 2020.
- [4] H. Tyagi, V. Kumar, P. Mishra, and G. Agarwal, "Speech Recognition Intelligence System for Desktop Voice Assistant using AI," Jan. 2023.
- [5] M. J. Baker, E. M. Nightingale, and S. Bills, "An Editing Process for Blind or Visually Impaired Editors," Sep. 2023.
- [6] C. Yan, G. Zhang, X. Ji, T. Zhang, T. Zhang, and W. Xu, "The Feasibility of Injecting Inaudible Voice Commands to Voice Assistants," IEEE, Jun. 2021.
- [7] V. Iyer, K. Shah, S. Sheth, and K. Devadkar, "Virtual Assistant for the Visually Impaired," 2023.
- [8] T. S. Roy, N. Namratha, and T. Y. J. N. Malleswari, "Voice E-Mail Synced with Gmail for Visually Impaired," (Extended Observation), 2023.
- [9] P. Haghighat, T. Nguyen, M. Valizadeh, M. Arvan, N. Parde, M. Kim, and H. Jeong, "Effects of an Intelligent Virtual Assistant on Office Task Performance and Workload in a Noisy Environment," 2023.
- [10] G. Krishnan and N. Sakthivel, "Artificial Intelligence Based News Aggregator," 2023.
- [11] V. Titarmare, M. Wanjari, and P. H. Chandankhede, "Zira Voice Assistant - A Personalized Interactive Desktop Application," 2023.
- [12] P. Kulkarni, A. Deshmukh, S. Gajalwad, A. Bichare, K. Gunjal, and S. Hingade, "AI-Based Desktop Voice Assistant," (Duplicate reference), 2023.
- [13] N. Umapathi, G. Karthick, N. Venkateswaran, R. Jegadeesan, and D. Srinivas, "Desktop's Virtual Assistant Using Python," 2023.
- [14] G. Agrawal, H. Gupta, D. Jain, C. Jain, and R. Jain, "Desktop Voice Assistant," 2023.



- [15] Thorbole, A. Pandit, G. Raut, and T. Sirsat, "AI-Based Desktop Voice Assistant," 2023.
- [16] M. S. Salunke and A. S. Rath, "Voice Controlled Email Application for the Blind," *Int. J. Sci. Res. Comput. Sci. Eng. Inf. Technol.*, vol. 3, no. 1, pp. 102-105, 2018.
- [17] R. Swarnkar, "Voice Based Email System for Visually Impaired," *Int. J. Sci. Res.*, vol. 7, no. 4, pp. 650-653, 2018.
- [18] A. Pal and R. Sahu, "Voice Controlled E-Mail Application," *Int. J. Eng. Sci.*, vol. 6, no. 2, pp. 1-4, 2017.
- [19] J. Krzysztof, "Natural Language Processing for Human-Computer Interaction," *J. Comput. Intell. Syst.*, vol. 6, no. 1, pp. 45-50, 2021.
- [20] S. Puri and M. Sharma, "Development of a Text-to Speech System for Indian Languages," *Int. J. Comput. Appl.*, vol. 40, no. 5, pp. 17-23, 2012.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)