iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** V **Month of publication:** May 2026

DOI: https://doi.org/10.22214/ijraset.2026.83080

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

Smart Monitoring and Predictive Analysis of Home Appliances Using Sensor Data

Shreyash Sunil Majge, Harshada Kishor Gharate, Siddheshwar Parshuram Kale, Prof. Archana Ugale, Renuka D.Vyavhare
Department of Information Technology Sir Visvesvaraya Institute of Technology, Nashik, Maharashtra, India

***Abstract*—This paper presents the design and implementation of a smart monitoring and predictive analysis system for home appliances using IoT sensor data and machine learning tech-niques. The proposed system integrates hardware components including temperature, humidity, voltage, and current sensors with an ESP32 microcontroller to continuously collect real-time operational data from appliances. The collected data is transmit-tedoverWi-Fitoacloudplatform(Firebase/ThingSpeak),where it is stored and processed for further analysis.**

A machine learning model based on Random Forest is implementedtoanalyzehistoricalandreal-timesensordata for detecting anomalies such as overheating, abnormal power consumption,andvoltagefluctuations.Themodelistrained on preprocessed sensor datasets and achieves an accuracy of approximately 89–92

A web-based dashboard is developed to visualize real-time data,displayperformancemetrics,andgeneratealertswhenpre-defined thresholds are exceeded. The system ensures low latency data transmission (average response time1.5 seconds) and sup-ports continuous monitoring. Experimental results demonstrate thattheproposedsolutioneffectivelyreducesdowntime,enhances appliance lifespan, and enables predictive maintenance in smart home environments.

ThisimplementationhighlightsthepracticalintegrationofIoT and machine learning for building intelligent, scalable, and cost-effective monitoring systems for modern households.

***Index Terms*—IoT, Predictive Maintenance, Sensor Data, Ma-chine Learning, Smart Appliances, Fault Detection, Cloud Com-puting**

I. INTRODUCTION

In recent years, the rapid advancement of the Internet of Things(IoT)hastransformedtraditionalhomeappliancesinto smart, connected systems capable of real-time data collection and communication. Despite this progress, most household appliances still rely on reactive maintenance approaches, where faults are identified only after a failure occurs. This resultsinincreasedrepaircosts,unexpecteddowntime,energy inefficiency, and reduced appliance lifespan.

To overcome these limitations, there is a growing need for intelligent systems that can continuously monitor appliance performance and predict potential failures in advance. IoT-based monitoring systems provide a practical solution by integrating sensors with appliances to capture real-time opera-tionaldatasuchastemperature,humidity,voltage,andcurrent. However, datacollectionalone isnotsufficient;meaningful insights can only be derived when this data is analyzed using advanced techniques.

In this project, a fully implemented smart monitoring sys-tem is developed using an ESP32 microcontroller integrated with multiple sensors to collect real-time data from home appliances.ThecollecteddataistransmittedviaWi-Fitoa cloud platform (Firebase/ThingSpeak), where it is storedand processed. A machine learning model, specifically a Random Forest classifier, is employed to analyze the data and detectabnormalpatternssuchasoverheating,excessivepower consumption, and voltage fluctuations.

The system also provides predictive capabilities by esti-mating the health status of appliances and generating early warningsbeforecriticalfailuresoccur.Aweb-baseddashboard is designed to display real-time sensor data, historical trends, and alert notifications, enabling users and manufacturers to monitor appliance conditions remotely.

The main objective of this work is to develop a reliable, scalable, and cost-effective system that combines IoT and machinelearningforpredictivemaintenance.Byimplementing this system, it is possible to enhance appliance efficiency, re-ducemaintenancecosts,andimproveoverallsystemreliability in smart home environments.

II. LITERATURE SURVEY

The integration of Internet of Things (IoT) and Machine Learning (ML) has gained significant attention in recent years forenablingintelligentmonitoringandpredictivemaintenance systems.

©IJRASET: All Rights are Reserved

Various research studies have explored the use of sensor data and AI techniques to improve the performance, reliability, and lifespan of electrical and electronic devices.

Rana(2025)proposedanAI-drivenfaultdetectionsys-tem for electrical power systems, where machine learning algorithms were used to identify early signs of equipment failure. The study demonstrated that predictive maintenance techniques can significantly reduce downtime and improve operational efficiency.

Sahu et al. (2024) developed an IoT-based device monitor-ing system that utilizes real-time sensor data for predicting faults. Their approach focused on collecting parameters such as temperature and current to identify abnormal conditions. However,thesystemprimarilyemphasizeddatacollection and lacked advanced predictive modeling for accurate fault classification.

Verma et al. (2023) presented a review of self-healing IoT networks powered by AI models. The research highlightedthe importance of automated fault detection and recovery mechanismsinIoTsystems,butitmainlyfocusedonnetwork-level issues rather than appliance-level monitoring.

Chaves et al. (2025) proposed an IoT cloud-based architec-ture for monitoring home appliances using big data analytics. Theirsystemenabledreal-timetrackingandanalysisbut did not incorporate machine learning models for predictive analysis, limiting its ability to forecast failures.

Additionally, Zero et al. (2024) explored predictive main-tenance techniques in IoT-enabled systems using data-driven models. The study emphasized the role of machine learningin improving system reliability, though it did not provide a complete integrated solution combining hardware, cloud, and user interface.

Fromtheabovestudies,itisobservedthatmostexisting systems focus on either data collection or fault prediction in-dividually.Thereisalackofintegratedsolutionsthatcombine real-timeIoTmonitoring,cloud-baseddataprocessing,and machine learning-based predictive analysis in a single system. The proposed system addresses these limitations by imple-mentingacompleteend-to-endsolutionthatincludesreal-timesensordataacquisitionusingESP32,cloud-basedstorage, machinelearning-basedfaultpredictionusingRandomForest, and a user-friendly dashboard for monitoring and alerts. This integrationenhancessystemefficiency,accuracy,andpracticalusabilityinsmarthomeenvironments.

III. PROBLEM STATEMENT

Inmodernhouseholds,electricalappliancesarewidelyused for daily activities, yet most of them operate without any intelligentmonitoringorpredictivemaintenancesystem.Faults such as overheating, voltage fluctuations, excessive current consumption, and abnormal operating conditions are typically detected only after a failure occurs. This reactive approach leadstoincreasedmaintenancecosts,unexpectedbreakdowns, reduced appliance lifespan, and potential safety risks.

Although basic IoT-based monitoring systems exist, they primarily focus on real-time data collection and visualization. These systems lack the capability to analyze data intelligently and predict potential failures in advance. As a result, users are unable to take preventive actions before faults occur.

Moreover, existing solutions often do not provide an inte-grated platform that combines hardware sensing, cloud-based datastorage,machinelearninganalysis,anduser-friendlyvisu-alizationinasinglesystem.Thislimitstheirpracticalusability and effectiveness in real-world smart home environments.

Therefore, there is a need for a smart and intelligent system that can continuously monitor appliance conditions, analyze sensor data in real time, and predict possible faults using machine learning techniques. Such a system can help in early fault detection, reduce maintenance costs, improve appliance efficiency, and enhance overall safety.

Theproposedprojectaimstoaddressthesechallenges by developing an IoT-based smart monitoring and predictive analysis system that integrates sensor data acquisition, cloud processing, and machine learning-based fault prediction into a unified framework. array

IV. TECHNOLOGY STACK

TABLEI TECHNOLOGYSTACKOFTHEPROPOSEDSYSTEM

Layer	Technology	Purpose
Hardware	ESP32Microcontroller	Collects real-time data fromsensors, performs basic pre-processing, and transmits datato the cloud using built-in Wi-Fi capability.

Sensors	Temperature,Humidity,Voltage,CurrentSensors	Continuously monitor appli-ance conditions such as heat,environmentalfactors,voltagefluctuations, and power con-sumption.
Cloud	Firebase/ThingSpeak	Stores sensor data, enablesreal-time monitoring, and pro-vides remote access for datavisualization and analysis.
Backend	Python	Handles data preprocessing,manages communication withcloud services, and executesmachine learning algorithmsfor analysis.
MLModel	RandomForest	Analyzes historical and real-time data to detect anomaliesand predict potential faults inappliances.
Frontend	HTML,CSS,JavaScript /React	Provides an interactive dash-board for displaying real-timedata, graphical analysis, andalert notifications to users.

The proposed Smart Monitoring and Predictive Analysis system is built using a combination of IoT hardware, cloud platforms,andmachinelearningtechnologies.TableIpresents thecompletetechnologystackandtheroleofeachcomponent.

A. HardwareLayer:ESP32andSensors

The hardware layer consists of an ESP32 microcontroller integrated with multiple sensors such as temperature, humid-ity, voltage, and current sensors. These sensors continuously collect real-time data from appliances. The ESP32 performs initial preprocessing and transmits the data to the cloud using Wi-Fi.

B. CloudLayer:Firebase/ThingSpeak

The cloud platform acts as a centralized storage and man-agementsystemforsensordata.Itallowsreal-timemonitoring, remote access, and supports visualization of appliance perfor-mance.

C. BackendandMachineLearningLayer

The backend is implemented using Python, where the col-lecteddataisprocessedandanalyzed.ARandomForestmodel is used to detect anomalies such as overheating and abnormal power usage. The model is trained using historical data for better prediction accuracy.

D. FrontendLayer:DashboardInterface

The frontend consists of a web-based dashboard developed usingHTML,CSS,JavaScript,orReact.Itdisplaysreal-time sensor readings, graphical trends, and alert notifications, enabling users to monitor appliance conditions effectively.

V. SYSTEM ARCHITECTURE

Theproposedsystemarchitectureisdesignedtoenablereal-time monitoring and predictive analysis of home appliances using IoT and machine learning. It integrates hardware com-ponents, communication modules, cloud infrastructure, and intelligent processing units to provide a complete end-to-end solution.

The architecture of the system is illustrated in Fig. **??**. It consists of four major components: IoT sensing unit, commu-nication module, cloud processing unit, and user interface.

A. IoTSensingUnit

The IoT sensing unit is responsible for collecting real-time data from home appliances. It consists of multiple sensorssuch as temperature, humidity, voltage, and current sensors connected to the ESP32 microcontroller. These sensors con-tinuously monitor appliance conditions and generate raw data representing operational parameters.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

B. CommunicationModule

Thecommunicationmoduleenablesdatatransmissionfrom theESP32tothecloudplatform.TheESP32usesbuilt-in Wi-Fi to send sensor data at regular intervals. This ensures continuous and reliable data transfer between the hardwareand cloud system.

C. CloudProcessingUnit

The cloud processing unit is responsible for storing, pro-cessing,andanalyzingthecollecteddata.Platformssuchas Firebase or ThingSpeak are used for data storage and management.Thebackend,implementedinPython,processes theincomingdataand appliesmachinelearningalgorithmsfor predictive analysis.

D. MachineLearningModule

The machine learning module uses a Random Forest algo-rithm to analyze both historical and real-time sensor data. It identifies patterns associated with normal and abnormal ap-pliance behavior. Based on these patterns, the system predicts potential faults such as overheating, voltage fluctuations, and abnormal power consumption.




Fig.1.WorkingProcedureoftheProposedSystem

E. UserInterface

Theuserinterfaceisimplementedasaweb-baseddashboard that provides real-time visualization of sensor data. It displays graphs, system status, and alert notifications. Users can mon-itor appliance performance and take preventive actions when anomalies are detected.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

F. SystemOperation

The overall system operates in a continuous loop wheredata is collected, transmitted, processed, and analyzed. The machine learning model evaluates the data and generates pre-dictions. If any abnormal condition is detected, alerts are trig-gered and displayed on the dashboard. This ensures efficient monitoring and predictive maintenance of home appliances.

VI. IMPLEMENTATION AND METHODOLOGY

The proposed system is implemented using a combination ofIoThardware,cloudcomputing,andmachinelearningtech-niques to enable real-time monitoring and predictive analysis ofhomeappliances.Themethodologyfollowsastructured pipeline consisting of data acquisition, transmission, process-ing, and prediction.

A. System Implementation

ThehardwareimplementationisbasedontheESP32micro-controller, which is interfaced with multiple sensors including temperature,humidity,voltage,andcurrentsensors.Thesesen-sorscontinuouslycollectreal-timedatafromhomeappliances. The ESP32 processes the sensor data and transmits it to the cloudplatformusingWi-Ficonnectivity.Cloudplatformssuch as Firebase or ThingSpeak are used for storing and managing thedata.Thesystemensurescontinuousdatatransmissionatregularintervalsforreal-timemonitoring.

A web-based dashboard is developed using HTML, CSS, andJavaScript(orReact)tovisualizethecollecteddata. The dashboard displays real-time sensor readings, graphical analysis, and alert notifications.

B. DataAcquisitionandTransmission

The data acquisition process involves collecting real-time sensor values representing appliance conditions such as tem-perature, voltage, and current. The ESP32 reads these values and formats them into structured data packets.

The data is transmitted to the cloud using HTTP or MQTT protocols. This ensures efficient and reliable communication between the hardware and cloud platform.

C. DataPreprocessing

Thecollecteddataispreprocessedbeforebeingusedforma-chine learning analysis. Preprocessing steps include removal of noise, handling missing values, and normalization of data. This improves the quality and accuracy of the predictions.

D. MachineLearningImplementation

A Random Forest algorithm is implemented for predictive analysis. The model is trained using historical sensor data to identify patterns associated with normal and faulty appliance behavior.

Duringreal-timeoperation,incomingsensordataisfedinto the trained model, which classifies the appliance condition as normal or faulty. The model also detects anomalies such as overheating,abnormalvoltage,andexcessivepowerconsump-tion.

E. PredictionandAlertMechanism

Basedontheoutputofthemachinelearningmodel,thesys-tem generates alerts when abnormal conditions are detected. These alerts are displayed on the dashboard and can also be sent as notifications to the user.

The system continuously monitors appliance performance and updates predictions in real time, enabling proactive main-tenance and reducing the risk of sudden failures.

VII. RESULTS AND ANALYSIS

The proposed system was successfully implemented and tested in a real-time environment using multiple home appli-ances. The system continuously collected sensor data such as temperature, humidity, voltage, and current, and transmitted it to the cloud for processing and analysis.

A. PerformanceEvaluation

The performance of the system was evaluated based on parameters such as prediction accuracy, response time, and system reliability. The Random Forest model achieved an ac-curacyofapproximately90%indetectingabnormalconditions and predicting potential appliance faults.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The average response time of the system, from data collec-tiontoalertgeneration,wasobservedtobearound1.5seconds. This demonstrates the efficiency of the system in providing real-time monitoring and quick alerts.

B. DataAnalysis

The collected sensor data was analyzed to identify patterns and trends in appliance behavior. It was observed that abnor-mal conditions such as overheating and voltage fluctuations could be detected effectively using the machine learning model.
Graphical representations of the data were displayed on the dashboard, allowing users to visualize appliance performance over time. The system successfully identified anomalies in power consumption and temperature variations.

C. SystemReliability

Thesystemwastestedundercontinuousoperation,andit demonstrated stable performance with minimal data loss. The cloud platform ensured reliable data storage and retrieval, while the ESP32 maintained consistent communication with the server.

D. ComparativeAnalysis

Compared to traditional monitoring systems, the proposed system provides significant improvements in terms of predic-tivecapabilityandreal-timeanalysis.Unlikeconventionalsys-tems that rely on manual inspection, this system automatically detects faults and generates alerts.




Fig.2.Alerts




Fig.3.SensorGraphs

- Internet Dependency: The system requires a stable internet connection for data transmission and cloud com-munication.
- InitialTrainingDataRequirement:Themachinelearn-ing model requires sufficient historical data for accurate predictions.
- Sensor Accuracy: The performance of the system de-pends on the accuracy and reliability of the sensors used.
- Power Consumption: Continuous monitoring and data transmission may increase power usage slightly.
- Limited Fault Types: The system can only detect faults based on trained data and may not identify unknown failure patterns.




Fig.4.AlertThresholdSettings

VIII. ADVANTAGES

The proposed smart monitoring and predictive analysis system offers several advantages over traditional appliance monitoring methods:

- Real-Time Monitoring: The system continuously tracks appliance parameters such as temperature, voltage, and current in real time.
- Early Fault Detection: Machine learning algorithms en-able the system to detect anomalies and predict potential failures before they occur.
- Reduced Maintenance Cost: Predictive maintenance helps in minimizing repair costs and avoiding sudden breakdowns.
- Improved Appliance Lifespan: Continuous monitoring and timely alerts help in maintaining optimal operating conditions.
- Remote Accessibility: Cloud integration allows users to monitor appliances from anywhere through a web-based dashboard.
- Scalability: The system can be easily extended to mon-itor multiple appliances in smart home environments.

IX. LIMITATIONS

Despite its advantages, the proposed system has certain limitations:


X. CONCLUSION

Inthispaper,asmartmonitoringandpredictiveanalysissys-tem for home appliances has been successfully designed and implemented using IoT and machine learning techniques. The systemintegratessensors,anESP32microcontroller,cloud platforms,andaRandomForestmachinelearningmodelto enable real-time data collection, analysis, and fault prediction. Theproposedsystemcontinuouslymonitorskeyparameterssuchastemperature,humidity,voltage,andcurrent,andtransmitsthedatatotheclo udforprocessing.Themachine learningmodeleffectivelyanalyzesbothhistoricalandreal-timedatatod etectanomaliesand predictpotentialappliancefailureswithanaccuracyofapproximately90%.

Overall, the proposed solution improves appliance effi-ciency, reduces maintenance costs, enhances safety, and in-creasesthelifespanofhomeappliances.TheintegrationofIoT and machine learning makes the system scalable, intelligent, and suitable for modern smart home environments.

REFERENCES

[1] S.Rana,“AI-BasedFaultDetectioninElectricalSystems,”IEEETrans-actions on Smart Grid, vol. 14, no. 2, pp. 1234–1242, 2025.
[2] A.Sahu,R.Kumar,andP.Singh,“IoT-BasedSmartMonitoringSystemfor Home Appliances,” International Journal of IoT Applications, vol.9, no. 1, pp. 45–52, 2024.
[3] M. Verma and S. Gupta, “Self-Healing IoT Networks Using MachineLearning Techniques,” IEEE Internet of Things Journal, vol. 10, no. 3,
[4] pp.2100–2110,2023.
[5] L. Chaves, D. Silva, and R. Mendes, “Cloud-Based IoT Architecturefor Smart Home Monitoring,” IEEE Access, vol. 13, pp. 56789–56800,2025.
[6] K. Papaioannou, G. Dimitriou, and N. Alexiou, “Energy ConsumptionAnalysis for Fault Detection in Home Appliances,” Journal of SmartSystems, vol. 8, no. 2, pp. 98–107, 2024.
[7] J.SmithandA.Brown,“PredictiveMaintenanceUsingMachineLearn-ing: A Survey,” IEEE Transactions on Industrial Informatics, vol. 19,no. 5, pp. 3456–3465, 2023.
[8] R. Patel and M. Shah, “Real-Time IoT Data Processing Using CloudPlatforms,”InternationalConferenceonSmartComputing,pp.120–125,2024.
[9] P. Zhang, Y. Li, and X. Wang, “Anomaly Detection in IoT SystemsUsing Random Forest Algorithm,” IEEE Access, vol. 11, pp. 23456–23465, 2023.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)