iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** V **Month of publication:** May 2026

DOI: https://doi.org/10.22214/ijraset.2026.82397

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

Smart Road Monitoring: Deep Neural Network-Based Pothole Detection

Prathamesh Yuvraj Otari[1], Prof. Amol Mahadev Jagtap[1]
[1]*AISSMS College of Engineering, Savitribai Phule Pune University, Pune,India.*
[2]*Associate Professor , Department of Computer Engineering, AISSMS Coe, Pune College of Engineering, Savitribai Phule Pune University, Pune, India.*

Abstract: ***Road surface damage, especially potholes, has become a major issue affecting transportation safety, vehicle maintenance, and traffic management. Manual road inspection methods are time-consuming, costly, and inefficient for monitoring large road networks. To overcome these limitations, this paper presents a Smart Road Monitoring System based on Deep Learning for automatic pothole detection using the YOLOv8 algorithm.The proposed system utilizes road images and video streams captured through cameras or vehicle-mounted devices to identify potholes in real time. A customized dataset containing various road conditions is collected, preprocessed, and annotated for training the YOLOv8 model. The model learns important pothole features such as shape, texture, and surface irregularities to achieve accurate detection under different environmental conditions including shadows, uneven lighting, and complex road surfaces.YOLOv8 is selected due to its high detection accuracy, faster inference speed, and efficient real-time object detection capability. The trained model detects potholes by generating bounding boxes with confidence scores, enabling quick identification of damaged road regions. The proposed system reduces manual inspection effort, improves maintenance response time, and enhances road safety by supporting early pothole detection.Experimental results demonstrate that the proposed YOLOv8-based approach provides reliable and efficient pothole detection with improved performance suitable for intelligent transportation and smart city applications. The system offers a scalable, cost-effective, and automated solution for modern road infrastructure monitoring and maintenance management.***

I. INTRODUCTION

Road transportation systems are essential for economic development, public connectivity, and daily mobility. The quality and condition of road infrastructure directly affect transportation efficiency and road safety. However, road surface damage, especially potholes, has become a major challenge in both urban and rural areas. Potholes are generally formed due to heavy traffic load, poor drainage systems, changing weather conditions, and gradual deterioration of road materials. These road defects can lead to vehicle damage, traffic congestion, increased fuel consumption, and serious road accidents.

In countries such as India, maintaining large road networks through manual inspection is a difficult and time-consuming task. Traditional road monitoring methods mainly depend on human observation, where officials inspect damaged roads physically and report the affected areas for maintenance. Although this method is widely used, it requires significant manpower, consumes more time, and often fails to provide immediate detection of road damage. As a result, delayed pothole identification can create unsafe driving conditions and increase maintenance costs.

The rapid advancement of Artificial Intelligence (AI), Computer Vision, and Deep Learning technologies has created new opportunities for intelligent road monitoring systems. Deep Learning models, especially Convolutional Neural Networks (CNNs), have shown excellent performance in image analysis and object detection applications. These techniques can automatically learn important visual features from images and accurately identify objects without manual feature extraction.

Among various object detection models, the YOLO (You Only Look Once) family has gained significant attention because of its high accuracy and real-time detection capability. The latest YOLOv8 model provides improved feature extraction, better object localization, faster inference speed, and enhanced detection performance compared to previous versions. Due to these advantages, YOLOv8 is highly suitable for real-time pothole detection applications.

This project proposes a Smart Road Monitoring System using YOLOv8 for automatic pothole detection. The system uses road images and video streams collected through cameras or vehicle-mounted devices to identify potholes in real time. A customized dataset containing different road conditions is prepared and annotated for training the model. During training, the YOLOv8 model learns pothole characteristics such as shape, texture, and surface irregularities under varying environmental conditions including shadows, uneven lighting, and complex road backgrounds.

©IJRASET: All Rights are Reserved

The proposed system aims to provide an efficient, accurate, and automated solution for road damage monitoring. By reducing dependency on manual inspection methods, the system helps authorities detect potholes quickly and perform timely maintenance operations. The real-time monitoring capability of YOLOv8 also improves road safety and supports the development of intelligent transportation and smart city infrastructure.

The major objective of this work is to develop a reliable pothole detection system that offers high detection accuracy with faster processing speed. The proposed approach provides a scalable and cost-effective solution for modern road infrastructure monitoring and can be further integrated with cloud platforms, GPS, and IoT technologies for advanced road maintenance management systems.

II. LITERATURE REVIEW

Road damage detection has become an important research area in intelligent transportation systems due to the increasing need for safe and efficient road infrastructure. Researchers have proposed several methods for detecting potholes and monitoring road conditions using image processing, Machine Learning, and Deep Learning techniques. Earlier approaches mainly focused on traditional image processing algorithms, while recent studies have shown significant improvements through Deep Learning-based object detection models.

Initial pothole detection methods used image processing techniques such as edge detection, thresholding, texture analysis, and morphological operations. These methods attempted to identify pothole regions based on variations in road surface patterns. Although such approaches were computationally simple, they were highly sensitive to lighting conditions, shadows, water accumulation, and irregular road textures. As a result, their performance was limited in real-world environments.

With the advancement of Machine Learning, researchers introduced classification-based approaches for automated road damage detection. Feature extraction methods such as Histogram of Oriented Gradients (HOG), Scale Invariant Feature Transform (SIFT), and Support Vector Machine (SVM) classifiers were used to improve pothole recognition accuracy. These methods reduced some limitations of traditional image processing; however, they still required manual feature engineering and showed lower performance for complex road conditions.

The rapid growth of Deep Learning and Convolutional Neural Networks (CNNs) significantly improved the field of object detection and image analysis. CNN-based models automatically learn important image features without manual extraction, leading to higher accuracy and better generalization. Researchers applied several Deep Learning models such as Faster R-CNN, SSD (Single Shot Detector), Mask R-CNN, and YOLO for pothole detection tasks.

Faster R-CNN provided high detection accuracy by using region proposal mechanisms for object localization. However, the model required high computational resources and slower inference time, making it less suitable for real-time applications. SSD improved processing speed by performing object detection in a single stage, but its performance for small object detection remained limited in certain road environments.

The YOLO (You Only Look Once) family of object detection models gained significant attention because of its balance between detection accuracy and real-time performance. YOLO-based systems process the entire image in a single forward pass, enabling faster detection speed compared to traditional region-based methods. Researchers using YOLOv3 and YOLOv4 achieved efficient pothole detection performance using vehicle-mounted cameras and surveillance systems. These models demonstrated improved precision and reduced computational complexity for road monitoring applications.

Recent studies have focused on the latest YOLOv8 architecture for pothole detection and intelligent transportation systems. YOLOv8 introduces improved feature extraction techniques, anchor-free object detection, enhanced localization capability, and faster inference speed. These improvements allow the model to detect potholes more accurately under challenging environmental conditions such as low lighting, shadows, rain, and uneven road surfaces.

Several researchers have also integrated Deep Learning models with smart technologies such as IoT devices, GPS modules, cloud computing, and Geographic Information Systems (GIS) for advanced road maintenance management. These systems support real-time road condition monitoring, automatic reporting of damaged road locations, and faster maintenance response.

From the reviewed literature, it is observed that Deep Learning-based object detection models provide better accuracy and efficiency compared to traditional road monitoring methods. Among the available approaches, YOLOv8 offers superior real-time performance, improved object localization, and lower computational complexity, making it highly suitable for intelligent pothole detection systems. However, challenges such as varying environmental conditions, dataset diversity, and real-time deployment still require further improvement. Therefore, this project proposes a Smart Road Monitoring System using YOLOv8 to achieve accurate, efficient, and real-time pothole detection for modern transportation infrastructure.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

III. PROPOSED METHODOLOGY

The proposed Smart Road Monitoring System is designed to detect potholes automatically using the YOLOv8 algorithm. The methodology includes dataset preparation, preprocessing, model training, and real-time pothole detection. The complete system is developed to achieve accurate and efficient road damage detection under different environmental conditions.

A. Dataset

The performance of a Deep Learning model mainly depends on the quality and diversity of the dataset used for training. In this project, a pothole image dataset is collected from different sources such as online road datasets, publicly available images, and real-time road photographs captured using mobile cameras and vehicle-mounted cameras.

The dataset contains road images with various pothole sizes, shapes, and road surface conditions. Images captured under different lighting conditions, shadows, rainy environments, and uneven road textures are included to improve the robustness of the model.

The collected dataset is manually annotated using annotation tools to mark pothole regions with bounding boxes.

After annotation, the dataset is divided into three categories:

1) Training Dataset
2) Validation Dataset
3) Testing Dataset



(a) (b) (c)

Fig.1 Sanple images for training and testing

The training dataset is used for model learning, the validation dataset is used for performance tuning, and the testing dataset is used for final accuracy evaluation

B. Model Architecture

The proposed system uses the YOLOv8 architecture for pothole detection. YOLOv8 is a single-stage object detection model that performs object localization and classification simultaneously, resulting in faster and more efficient detection performance.

The YOLOv8 architecture mainly consists of three important components:

1) Backbone

The backbone network is responsible for extracting important features from the input image. It identifies pothole characteristics such as edges, texture patterns, shapes, and road surface irregularities.

2) Neck

The neck structure combines feature maps from different layers to improve feature representation. This helps the model detect potholes of different sizes and improves detection accuracy for small road damages.

3) Detection Head

The detection head predicts pothole locations by generating bounding boxes, class labels, and confidence scores. YOLOv8 uses an anchor-free detection mechanism, which improves localization accuracy and reduces computational complexity.

The model provides high detection speed, better feature extraction capability, and improved real-time performance compared to earlier YOLO versions

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |




Fig2. System architecture


C. Training Process

The training process begins with preprocessing the collected dataset. The images are resized and normalized to improve training efficiency. Data augmentation techniques such as image flipping, rotation, brightness adjustment, and scaling are applied to increase dataset diversity and improve model generalization. The annotated dataset is then provided to the YOLOv8 model for training. During training, the model learns pothole features by minimizing the loss function using optimization algorithms. The training process is repeated for multiple epochs until the model achieves satisfactory detection accuracy.

The performance of the model is evaluated using parameters such as:

1) Accuracy
2) Precision
3) Recall
4) F1-Score
5) Mean Average Precision (mAP)

Evaluation Metrics	Formula	Results	Interpretation
Accuracy	(TP + TN) / (TP + TN + FP + FN)	0.9462 (94.62%)	Overall correctness of the model is 94.62%
Precision	TP / (TP + FP)	0.9348 (93.48%)	93.48% of detected potholes are correct
Recall	TP / (TP + FN)	0.9215 (92.15%)	92.15% of actual potholes are detected
F1-Score	2 × (Precision × Recall) / (Precision + Recall)	0.9281 (92.81%)	Good balance between Precision and Recall
Mean Average Precision (mAP)	$(1 / N) \times \sum_{i=1}^{N} AP_i$	0.9513 (95.13%)	High detection and localization performance



After successful training, the optimized model is used for real-time pothole detection on road images and video streams.

D. Flowchart of Proposed System

The working flow of the proposed Smart Road Monitoring System is shown below:





Fig3 Workflow


The proposed methodology provides an efficient and automated solution for pothole detection with high accuracy and real-time performance. The integration of YOLOv8 with intelligent road monitoring improves transportation safety and supports modern smart city infrastructure systems.

IV. RESULTS AND DISCUSSION


The proposed Smart Road Monitoring System using the YOLOv8 was tested on a pothole image dataset containing different road conditions and environmental variations. The performance of the trained model was evaluated using standard object detection metrics such as Accuracy, Precision, Recall, and Confusion Matrix analysis. Experimental results demonstrated that the model achieved efficient and reliable pothole detection with high real-time performance




(a)precision




(b)recall




(c)mAP@0.5



(d) mAP@0.5-0.95




(e) Training losses



(e) confusion matrix








Fig4. output image

The proposed Smart Road Monitoring System was implemented using the YOLOv8 algorithm for real-time pothole detection. The trained model was evaluated using multiple road images containing potholes of different sizes, shapes, and environmental conditions. Experimental results demonstrated that YOLOv8 achieved efficient pothole detection with high accuracy and fast processing speed.

The output images show that the model successfully identified potholes by generating bounding boxes along with confidence scores. The detection system was capable of recognizing potholes under different road conditions such as wet roads, cracked surfaces, uneven textures, and low-light environments. The generated bounding boxes clearly highlight pothole regions, proving the effectiveness of the trained model.

The displayed FPS (Frames Per Second) values indicate the real-time processing capability of the system. The model achieved stable FPS performance while maintaining high detection accuracy, making it suitable for real-time road monitoring applications. Faster inference speed is one of the major advantages of YOLOv8 compared to traditional object detection methods.

The confidence scores shown in the output images represent the probability of correct pothole detection. Higher confidence values indicate stronger detection reliability. In most test cases, the system produced high confidence scores, demonstrating the robustness of the trained model. The YOLOv8 model also showed strong performance in detecting multiple potholes simultaneously within a single frame. This capability is important for practical road monitoring systems where multiple damaged regions may appear together on road surfaces. Performance evaluation metrics such as Accuracy, Precision, Recall, F1-Score, and Mean Average Precision (mAP) confirmed the effectiveness of the proposed system. The model achieved high precision with fewer false detections and high recall with minimal missed potholes. The confusion matrix analysis further proved that the system generated a high number of correct detections while reducing false positives and false negatives. Overall, the experimental results and output analysis demonstrate that the YOLOv8-based pothole detection system provides accurate, reliable, and real-time road damage detection. The proposed approach can significantly improve intelligent transportation systems, automated road inspection, and smart city infrastructure management.

V. CONCLUSION

This project presented a Smart Road Monitoring System for automatic pothole detection using the YOLOv8 algorithm. The proposed system was developed to address the limitations of traditional manual road inspection methods by providing an intelligent, fast, and real-time road damage detection solution. The YOLOv8 model was trained using annotated road surface images containing different pothole patterns and environmental conditions. The model successfully learned important pothole features such as texture, shape, and surface irregularities, enabling accurate detection from images and video streams. Experimental results demonstrated that the proposed system achieved high detection accuracy, better localization performance, and efficient real-time processing capability.


The implementation of this system reduces manual inspection effort, decreases maintenance delays, and improves transportation safety by enabling early pothole identification. The proposed approach also supports intelligent transportation systems and smart city infrastructure by providing an automated and scalable road monitoring solution.

Overall, the developed Smart Road Monitoring System using YOLOv8 provides a reliable, cost-effective, and efficient method for pothole detection. Future enhancements may include integration with GPS, IoT devices, cloud platforms, and mobile applications for real-time road condition reporting and advanced maintenance management systems.

REFRENCES

[1] Mart´ ın Abadi, Ashish Agarwal, Paul Barham, Eugene Brevdo, Zhifeng Chen, Craig Citro, Greg SCorrado, AndyDavis, Jeffrey Dean, Matthieu Devin, et al. Tensorflow: Large-scale machine learning on heterogeneous distributed systems. arXiv preprint arXiv:1603.04467, 2016.
[2] Xiao Ai, Yuan Gao, John G Rarity, and Naim Dahnoun. Obstacle detection using u disparity on quadratic road surfaces. In 16th International IEEE Conference on Intelligent Transportation Systems (ITSC 2013), pages 1352–1357. IEEE, 2013.
[3] The American Automobile Association. Pothole damage costs drivers $3 billion annu ally nationwide. http://news.aaa-calif.com/news/pothole-damage-costs-drivers-3-billion annually-nationwide, 2016. Accessed: 2020-09-07.
[4] G. Bradski. The OpenCV Library. Dr. Dobb's Journal of Software Tools, 2000.
[5] Alexander Buslaev, Vladimir I. Iglovikov, Eugene Khvedchenya, Alex Parinov, Mikhail Druzhinin, and Alexandr A. Kalinin. Albumentations: Fast and flexible image augmenta tions. Information, 11(2), 2020.
[6] Richard C. Gerum, Sebastian Richter, Alexander Winterl, Christoph Mark, Ben Fabry, C´ eline Le Bohec, and Daniel P. Zitterbart. Cameratransform: A python package for per spective corrections and image mapping. SoftwareX, 10:100333, 2019.
[7] Gene H Golub and Urs Von Matt. Quadratically constrained least squares and quadratic problems. Numerische Mathematik, 59(1):561–580, 1991.
[8] R. Hartley and A. Zisserman. Multiple View Geometry in Computer Vision. Cambridge University Pres, 2 edition, 2004.
[9] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In Proceedings of the IEEE conference on computer vision and pattern recognition, pages 770–778, 2016.
[10] AndrewGHoward,MenglongZhu,BoChen,DmitryKalenichenko, WeijunWang, Tobias Weyand, MarcoAndreetto, and Hartwig Adam. Mobilenets: Efficient convolutional neural networks for mobile vision applications. arXiv preprint arXiv:1704.04861, 2017.
[11] L. Jiao, F. Zhang, F. Liu, S. Yang, L. Li, Z. Feng, and R. Qu. A survey of deep learning based object detection. IEEE Access, 7:128837–128868, 2019.
[12] Nikhil Ketkar. Introduction to PyTorch, pages 195–208. 10 2017.
[13] David Kirk. Nvidia cuda software and gpu parallel computing architecture. volume 7, pages 103–104, 01 2007.
[14] Xiaogang Wang Paul Fieguth Jie Chen Xinwang Liu Li Liu, Wanli Ouyang and Matti Pietik¨ ainen. Deep learning for generic object detection: A survey. International Journal of Computer Vision, 128:261–318, 2020.
[15] P. Liao, Tse-Sheng Chen, and P. Chung. A fast algorithm for multilevel thresholding. J. Inf. Sci. Eng., 17:713–727, 2001.
[16] Jin Lin and Yayu Liu. Potholes detection based on svm in the pavement distress image. In 2010 Ninth International Symposium on Distributed Computing and Applications to Business, Engineering and Science, pages 544–547. IEEE, 2010.
[17] TzuTa Lin. Labelimg. https://github.com/tzutalin/labelImg, 2021.
[18] S. Liu and W. Deng. Very deep convolutional neural network based image classification using small training sample size. In 2015 3rd IAPR Asian Conference on Pattern Recog nition (ACPR), pages 730–734, 2015.
[19] WeiLiu, DragomirAnguelov, DumitruErhan, Christian Szegedy, Scott Reed, Cheng-Yang Fu, and Alexander C Berg. Ssd: Single shot multibox detector. In European conference on computer vision, pages 21–37. Springer, 2016.
[20] Artis Mednis, Girts Strazdins, Reinholds Zviedris, Georgijs Kanonirs, and Leo Selavo. Real time pothole detection using android smartphones with accelerometers. pages 1– 6, 06 2011.
[21] SNienaber, M.J. (Thinus) Booysen, and Rs Kroon. Detecting potholes using simple image processing techniques and real-world footage. 07 2015.
[22] CityofSanAntonio.Potholes. https://www.sanantonio.gov/PublicWorks/FAQs/Streets/Potholes, 2018. Accessed: 2020-12-16.
[23] Bureau of Transportation Statistics. Road condition. https://www.bts.gov/road-condition, 2018. Accessed: 2020-09-07.
[24] Travis E Oliphant. A guide to NumPy, volume 1. 2006.
[25] Joseph Redmon, Santosh Divvala, Ross Girshick, and Ali Farhadi. You only look once: Unified, real-time object detection. In Proceedings of the IEEE conference on computer vision and pattern recognition, pages 779–788, 2016.
[26] Shaoqing Ren, Kaiming He, Ross Girshick, and Jian Sun. Faster r-cnn: Towards real time object detection with region proposal networks. In Advances in neural information processing systems, pages 91–99, 2015.
[27] Seung-ki Ryu, Taehyeong Kim, and Young-Ro Kim. Image-based pothole detection sys tem for its service and road management system. Mathematical Problems in Engineering, 2015:1–10, 09 2015.
[28] S. Silvister, D. Komandur, S. Kokate, A. Khochare, U. More, V. Musale, and A. Joshi. Deep learning approach to detect potholes in real-time using smartphone. In 2019 IEEE Pune Section International Conference (PuneCon), pages 1–4, 2019.
[29] Economics Times — India Times. Supreme court takes note of 3,597 deaths due to pothole-related accidents in 2017. https://economictimes.indiatimes.com/news/politics and-nation/supreme-court-takes-note-of-3597-deaths-due-to-pothole-related-accidentsin 2017/articleshow/65858401.cms, 2018. Accessed: 2020-12-16.
[30] Ross Girshick Kaiming He Bharath Hariharan Tsung-Yi Lin, Piotr Doll´ ar and Serge Be longie. Feature pyramid networks for object detection. arXiv preprint arXiv:1612.03144, 2017.
[31] Aniket. S. Patkar Gajanan. S. Tamrale Vishal. L. Solanke, Darshan. D. Patil and Prof. Amit. G. Kale. Analysis of existing road surface on the basis of pothole characteristics. Global Journal of Research In Engineering, 2019.
[32] X. Yu and E. Salari. Pavement pothole detection and severity measurement us ing laser imaging. In 2011 IEEE INTERNATIONAL CONFERENCE ON ELEC TRO/INFORMATION TECHNOLOGY, pages 1–5, 2011.
[33] Z. Zhang, X. Ai, C. K. Chan, andN.Dahnoun. Anefficient algorithm for pothole detection using stereo vision. In 2014 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), pages 564–568, 2014.
[34] Reinholds Zviedris, Atis Elsts, Girts Strazdins, Artis Mednis, and Leo Selavo. Lynxnet: Wild animal monitoring using sensor networks. volume 6511, pages 170–173, 12 2010

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)