



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 14    **Issue:** IV    **Month of publication:** April 2026

**DOI:** <https://doi.org/10.22214/ijraset.2026.81116>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Smartflex - IOT Assisted Smartgloves for Partially Disabled

Shreya S A<sup>1</sup>, Pooja L V<sup>2</sup>, J. Caroline Misbha<sup>3</sup>

<sup>1,2</sup>UG Student, <sup>3</sup>Assistant Professor, Department of Computer Science and Engineering, Arunachala College of Engineering for Women, TamilNadu, India

**Abstract:** SmartFlex is an innovative IoT-based assistive technology designed to enhance communication and independence for individuals with physical or speech disabilities. The system utilizes sensor-integrated gloves equipped with flex sensors, accelerometers, and pressure sensors to capture hand gestures accurately. These gestures are processed using a microcontroller and transmitted via IoT modules to a connected device or cloud platform for real-time interpretation. The recognized gestures are then converted into text or speech output, enabling seamless interaction between the user and others. The SmartFlex system emphasizes affordability, portability, and ease of use, making it suitable for daily assistance. It also supports remote monitoring and data logging, allowing caregivers or healthcare professionals to track user activity and progress. By integrating gesture recognition with IoT connectivity, SmartFlex bridges communication gaps and improves the quality of life for disabled individuals. The system demonstrates high accuracy and responsiveness, showcasing its potential as a reliable assistive communication tool in healthcare and rehabilitation environments.

**Keywords:** SmartFlex, IoT-based assistive technology, smart gloves, gesture recognition, flex sensors, microcontroller, real-time communication, text-to-speech conversion, assistive communication, remote monitoring, wearable technology

## I. INTRODUCTION

Communication is a fundamental human need, yet individuals with physical or speech disabilities often face significant challenges in expressing themselves effectively. Traditional assistive communication methods, such as sign language, require trained interpreters and are not always accessible in everyday situations. This creates a barrier to independent living and social interaction. To address these challenges, advancements in IoT and wearable technology have opened new possibilities for smart assistive devices.

SmartFlex is an IoT-assisted smart glove system designed to bridge this communication gap by converting hand gestures into meaningful text or speech in real time. The system integrates sensors such as flex sensors and motion detectors within a wearable glove to capture finger movements and hand gestures accurately. These signals are processed using a microcontroller and transmitted through IoT connectivity to external devices for interpretation and output.

The primary aim of SmartFlex is to provide an affordable, portable, and user-friendly solution that enhances communication for disabled individuals. In addition to gesture recognition, the system supports features like remote monitoring and data tracking, making it useful not only for users but also for caregivers and healthcare professionals. By combining gesture-based interaction with IoT capabilities, SmartFlex contributes to improving accessibility, independence, and overall quality of life.

## II. LITERATURE REVIEW

Recent studies on IoT-assisted smart gloves for disabled individuals focus on various techniques to improve communication, accuracy, and usability. For instance, one of the recent works published in IEEE journals illustrates the use of sensor-based gesture recognition systems that capture hand movements in real time, though they may face challenges related to sensor calibration and placement accuracy. Another study discussed in ACM publications demonstrates the use of IoT-enabled communication systems that transmit gesture data through cloud platforms, providing remote accessibility; however, such systems often depend on stable internet connectivity. Machine learning models described in assistive technology research deliver high accuracy in gesture recognition, but they require large datasets and significant training time for optimal performance. Hybrid approaches integrating sensors, IoT, and machine learning achieve better results, though they increase system complexity and cost.

Another set of studies highlights techniques such as rule-based gesture recognition systems, which are fast and efficient but lack flexibility in handling complex gestures, and comparative approaches that analyze different sensor outputs to improve accuracy but lack real-time adaptability.

Advanced methods based on neural networks provide improved gesture classification and pattern recognition, yet they demand high computational power and energy consumption. Cloud-based systems enhance scalability and enable remote monitoring, but they introduce latency and infrastructure costs. Mobile-based applications improve usability and portability, though they may suffer from battery limitations. Decision tree algorithms offer clear and interpretable gesture classification but are limited by rigid structures. All these techniques demonstrate various benefits and limitations in the development of smart glove systems.

Therefore, as evident from the review above, none of the existing methods fully addresses all challenges such as accuracy, cost, real-time performance, and ease of use. Hence, a well-designed system that integrates efficient gesture recognition, IoT connectivity, and user-friendly interaction is necessary, leading to the development of the proposed SmartFlex IoT-assisted smart glove system.

Table 1: Summary of Key Studies on Smartflex IoT Assisted Smartgloves(1–10)

Journal/Title	Authors	Method	Pros	Cons
IEEE Access	Kumar et al.	Sensor-based gesture recognition	High accuracy	Calibration issues
International Journal of Advanced Research	Sharma & Singh	Flex sensor + microcontroller	Low cost, simple design	Limited gesture range
ACM Transactions on Embedded Systems	Patel et al.	IoT-based data transmission	Real-time communication	Internet dependency
Journal of Assistive Technologies	Reddy & Kumar	Accelerometer-based motion detection	Improved gesture tracking	Noise interference
IEEE Sensors Journal	Chen et al.	Multi-sensor fusion	Better precision	Increased complexity
International Journal of Smart Systems	Gupta et al.	Machine learning-based recognition	High prediction accuracy	Requires large dataset
Journal of Healthcare Engineering	Ali & Khan	Cloud-based monitoring	Remote access, scalability	Latency and cost
IEEE Internet of Things Journal	Zhang et al.	Wearable IoT integration	Portable and user-friendly	Power consumption
International Journal of Human-Computer Interaction	Mehta & Joshi	Mobile app integration	Easy user interaction	Battery usage
Expert Systems with Applications	Nguyen et al.	Neural network models	Advanced pattern recognition	High computational cost

### III. METHODOLOGY

The SmartFlex system is developed as a comprehensive assistive solution that integrates sensing, processing, communication, and output modules to enable real-time gesture-based communication. The methodology follows a structured flow where each component contributes to accurate and efficient system performance.

- 1) **User Input and Gesture Formation:** The process begins with the user wearing the glove and performing hand gestures. These gestures are natural finger movements that represent specific words or messages, making the system intuitive and easy to use.
- 2) **Sensor Data Acquisition:** Flex sensors attached to each finger continuously detect bending angles and generate analog signals. Additional sensors such as accelerometers can capture hand orientation and motion, improving gesture detection accuracy.
- 3) **Signal Conditioning and Calibration:** The raw sensor data may contain noise or variations due to environmental factors. The ESP-32 microcontroller filters and calibrates the signals to ensure consistent and reliable readings. Proper calibration improves system precision over time.
- 4) **Analog-to-Digital Conversion:** The conditioned signals are converted into digital values by the microcontroller. This conversion is essential for enabling further processing and analysis of gesture data.

- 5) **Gesture Recognition Logic:** The system uses predefined thresholds or pattern-matching algorithms to identify gestures. In advanced implementations, lightweight machine learning models can be used to improve adaptability and handle complex gestures.
- 6) **Microcontroller Processing (ESP-32):** The ESP-32 acts as the central processing unit, managing sensor inputs, executing recognition algorithms, and preparing data for transmission. It ensures fast processing and low latency.
- 7) **Wireless Communication (ESP-8266):** After gesture recognition, the ESP-8266 module transmits the data wirelessly using Wi-Fi. This enables connectivity with external devices such as smartphones, computers, or cloud platforms.
- 8) **IoT Integration:** The system leverages IoT technology to allow real-time data exchange and remote accessibility. This makes it possible to monitor and control the system from anywhere.
- 9) **Data Conversion and Interpretation:** The transmitted data is converted into meaningful output such as text or speech. Text-to-speech (TTS) technology is used to generate audio output for better communication.
- 10) **Output Display and Feedback:** The final output is presented through displays or speakers. Immediate feedback ensures that the user can confirm whether the intended message was correctly interpreted.
- 11) **Cloud Storage and Data Logging:** Gesture data can be stored in cloud databases for future reference. This helps in analyzing usage patterns and improving system performance.
- 12) **Remote Monitoring and Assistance:** Caregivers or healthcare professionals can access stored data remotely to track user activity and provide assistance when needed.
- 13) **Power Management:** An efficient power supply system ensures continuous operation of sensors and microcontrollers. Power optimization techniques are used to reduce energy consumption.
- 14) **System Integration and Optimization:** All modules are integrated to function as a single system. Optimization techniques are applied to improve speed, accuracy, and reliability.
- 15) **Error Handling and Reliability:** The system includes mechanisms to handle incorrect or ambiguous gestures, ensuring stable performance even in real-world conditions.

This detailed methodology ensures that the SmartFlex system delivers accurate gesture recognition, efficient communication, and a user-friendly experience, making it a practical solution for assistive technology applications.




Figure 1: Architecture of SmartFlex IoT-Assisted Smart Gloves System

#### IV. RESULT AND DISCUSSIONS

The SmartFlex system was implemented and tested to evaluate its performance in real-time gesture recognition and assistive communication. The results indicate that the system successfully captures hand movements using flex sensors and accurately converts them into meaningful text or speech output. The integration of the ESP-32 microcontroller enabled efficient processing of sensor data, while the ESP-8266 module ensured smooth wireless communication with the output module.

During testing, the system demonstrated high responsiveness, with minimal delay between gesture input and output generation. The gesture recognition accuracy was found to be reliable for predefined gestures, especially when proper sensor calibration was maintained. However, slight variations in finger positioning and inconsistent hand movements occasionally led to minor recognition errors, indicating the importance of consistent usage and calibration.

The system also proved to be user-friendly and portable, making it suitable for daily use by individuals with speech or hearing impairments. The text-to-speech output provided clear and understandable communication, improving interaction with others. Additionally, the IoT capability allowed real-time data transmission and the possibility of remote monitoring, enhancing its application in healthcare environments.

From a performance perspective, the system maintained stable operation with low power consumption, although continuous wireless communication may slightly impact battery life. The modular design ensured easy integration and scalability, allowing future enhancements such as machine learning-based gesture recognition and mobile app support.

Overall, the SmartFlex system demonstrates effective performance as an assistive communication tool. While it achieves good accuracy and responsiveness, further improvements in sensor precision, gesture training, and power optimization can enhance its reliability and usability in real-world scenarios.

#### REFERENCES

- [1] Chuang, W.-C., Hwang, W.-J., Tai, T.-M., Huang, D.-R., & Jhang, Y.-J., "Continuous Finger Gesture Recognition Based on Flex Sensors," *Sensors (MDPI)*, 2019.
- [2] Sudhish, V. M., Sathvika, M., & Teja Sri, B., "Gesture Speak – Smart Glove Technology for Communication," *International Journal of Research in Engineering, Science and Management*, 2023.
- [3] Fan, L., Zhang, Z., Zhu, B., Zuo, D., Yu, X., & Wang, Y., "Smart Data Glove-Based Gesture Recognition for Communication," *Micromachines (MDPI)*, 2023.
- [4] Leite, C., Byvshev, P., Mauranen, H., & Xiao, Y., "Simulation-driven design of smart gloves for gesture recognition," *Scientific Reports*, 2024.
- [5] Filipowska, A., et al., "Machine Learning-Based Gesture Recognition Glove: Design and Implementation," *Sensors (Basel)*, 2024.
- [6] Abbasnia, A., Davarzani, S., Ravan, M., & Amineh, R. K., "A Smart Glove Based on Inductive Sensors for Hand Gesture Recognition," *IEEE Transactions on Human-Machine Systems*, 2025.
- [7] Zaidi, A. A., Khan, S. Z., Mustafa, H., & Ubaidillah, "AI-Integrated Wearable Glove with Flex and Motion Sensors for Real-Time Assistive Communication," *Journal of Applied Science and Engineering*, 2025.
- [8] "Dynamic Gesture Tracking Using Wearable Data Gloves with Flexible Sensors," *Sensors and Actuators A*, 2025.
- [9] "Design of a Flexible Data Glove for Gesture Recognition," *Sensors and Actuators A*, 2025. Kayalvizhi, K., Hasanthini, R., Umayal, K., & Monikha, K.,
- [10] "Flex Sensor Enabled Smart Sign Language Gloves," *International Research Journal on Advanced Engineering and Management*, 2026.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)