iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.69793

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Solar Seed Sowing System

Shushma Telrandhe[1], Priti Turkar[2], Laxmi Kohare[3], Khushi Kelwade[4], Shruti Kolhe[5]
[1]*Professor, Department Of Electronics & Telecommunication, Gurunanak Institute Of Engineering And Technology, Nagpur, Maharashtra, India*
[2, 3, 4, 5]*Students, Department Of Electronics & Telecommunication, Gurunanak Institute Of Engineering And Technology, Nagpur, Maharashtra, India*

Abstract: ***The "Smart Seed Sowing System" is a modern agricultural automation solution aimed at transforming traditional farming methods by automating both seed sowing and irrigation. Utilizing solar energy, it combines robotic and microcontroller technologies to minimize manual effort while enhancing the accuracy of seed distribution and water usage. The robot autonomously navigates the field with a built-in sowing unit, water pump, and spray nozzle, precisely delivering seeds and water to promote optimal germination. An ESP32 microcontroller manages the robot's functions, including motor control, sensor input, and cloud connectivity for real-time monitoring. This cloud-enabled system allows farmers to track performance and make informed decisions from remote locations. Its solar-powered operation ensures environmental sustainability and cost-efficiency, especially for remote and small-scale farmers. By automating repetitive tasks and promoting renewable energy use, the Smart Seed Sowing System offers a forward-thinking approach to improve agricultural productivity and sustainability.***

I. INTRODUCTION

The "Smart Seed Sowing System" is a technological advancement in agriculture, created to address inefficiencies in conventional farming techniques. Manual planting is often labor-intensive, inconsistent, and wasteful in terms of water and seed usage. This project aims to automate sowing and irrigation using a solar-powered robot to ensure uniform seed placement and efficient water management. The system is built around the ESP32 microcontroller, which orchestrates the robot's components like sensors, motors, and pumps. This automation not only saves time and labor but also allows precision control, leading to improved germination rates and better crop yields. A significant advantage is its ability to operate sustainably using solar energy, making it viable for rural or energy- scarce regions. Additionally, integration with a mobile application provides real-time control and monitoring, turning traditional farming into a smart and data-driven process. The A key feature of the Smart Seed Sowing Robot is its dual functionality, which combines the traditionally separate tasks of planting and irrigation into a single, integrated process. The seed sowing mechanism is designed to precisely place seeds at predetermined intervals, ensuring uniform distribution across the field. Simultaneously, the automated irrigation system, controlled by a water pump and spray nozzle, delivers the right amount of water to each seed, promoting healthy germination while minimizing water wastage[6]. This efficient use of water is particularly important in regions where water scarcity is a concern, making the system both resource- conscious and highly effective.

II. METHODOLOGY

To develop a sustainable seed sowing method utilizing solar energy to enhance agricultural efficiency and reduce reliance on fossil fuels.

1) Materials Needed 1. Solar-powered seed sowing machine or system 2. High-quality seeds (appropriate for the region) 3. Soil testing kit, Water management system (e.g., drip irrigation) 4. Protective coverings (e.g., shade cloth) 5. Monitoring equipment (sensors for soil moisture, temperature, etc.)
2) Site Selection1. Choose a suitable agricultural site with optimal sunlight exposure. 2. Conduct soil testing to ensure appropriate pH and nutrient levels.
3) Preparation of Soil 1. Clear the field of debris and weeds. 2. Till the soil to a suitable depth to enhance seed bed preparation. 3. Amend the soil based on testing results (add organic matter, fertilizers, etc.).
4) Seed Selection 1. Choose seeds that are well-adapted to the local climate and soil conditions. 2. Consider using native or drought-resistant varieties for sustainability.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

5) Design of Solar Seed Sowing System 1. Utilize solar panels to power the seed sowing machine. 2. Ensure the system can operate autonomously or with minimal manual intervention. 3. Incorporate features like adjustable seed depth and spacing for various crops.
6) Sowing Process 1. Use the solar-powered machine to sow seeds at the optimal time (considering weather forecasts and soil moisture levels). 2. Monitor seed placement for depth and spacing accuracy.
7) Water Management 1. Implement a solar-powered irrigation system to provide consistent moisture. 2. Use drip irrigation to minimize water waste and ensure efficient delivery.
8) Monitoring and Maintenance 1. Regularly check the health of seedlings using soil moisture and temperature sensors. 2. Maintain the solar panels and sowing equipment to ensure efficiency.
9) Data Collection and Analysis 1. Collect data on germination rates, growth patterns, and yields. 2. Analyze the effectiveness of solar-powered sowing compared to traditional methods.
10) Evaluation and Feedback 1. Gather feedback from participants (farmers, agronomists) to assess the methodology's effectiveness. 2. Make adjustments based on observations and data collected.
11) Scale-Up and Dissemination 1. If successful, consider scaling the methodology to larger areas or different crops. 2. Share findings and best practices with the agricultural community through workshops or publications.


III. COMPONENTS

A. *ESP32*



The ESP32 is a low-cost, low-power microcontroller with built-in Wi-Fi and Bluetooth capabilities, making it ideal for IoT applications. In the 'E-Trolley with Cloud Billing System,' the ESP32 serves as the central processing unit, managing the barcode scanning, LCD display, and motor control, while also connecting the trolley to the cloud via Wi-Fi. It processes the scanned product data, communicates with the cloud platform (using Blynk software), and ensures real-time synchronization of billing information, enabling a seamless, automated shopping and billing experience.

B. *LCD Display*



An LCD (Liquid Crystal Display) is a flat-panel display technology commonly used in various electronic devices to visually present data and information. In the Smart Seed Sowing Robot system, the LCD display is used to provide real-time feedback on the robot's operational status, such as seed count, water levels, battery status, and system performance. It allows the farmer or operator to quickly view critical information during operation, making it easier to monitor the robot's functions without relying solely on the cloud application. This display enhances user interaction and helps in troubleshooting or making manual adjustments on- site.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

C. Solar Panel



A solar panel is a device that converts sunlight into electrical energy using photovoltaic cells. In the Smart Seed Sowing Robot system, the solar panel serves as the primary power source, harnessing solar energy to charge the robot's battery. This sustainable energy solution allows the robot to operate autonomously in the field without relying on external power sources, making it highly efficient and cost- effective, especially in remote or off-grid areas. The use of solar power reduces operational costs and supports the robot's eco-friendly design, ensuring continuous functionality during daylight hours.

D. Bluetooth Module



The Bluetooth module is a crucial component of the Smart Seed Sowing Robot, facilitating wireless communication between the robot and external devices such as smartphones, tablets, or computers. This wireless connectivity enables farmers to remotely monitor and control the robot's operation, receive real-time data on seed sowing and irrigation progress, and adjust settings as needed. By integrating a Bluetooth module into the control system of the robot, users can access and interact with the robot from a distance, enhancing convenience, flexibility, and efficiency in agricultural operations.One of the key functions of the Bluetooth module in the Smart Seed Sowing Robot is to provide a seamless and reliable means of communication between the robot and external devices.

E. Pump



Pumps are critical components of the Smart Seed Sowing Robot, responsible for delivering water to the soil for irrigation purposes. These pumps play a vital role in ensuring proper hydration of crops during seed sowing and growth, contributing to their healthy development and yield. In the Smart Seed Sowing Robot, pumps are used to draw water from a reservoir or water source and distribute it to designated areas of the field, where seeds have been sown or crops are growing. This automated irrigation system optimizes water usage and promotes efficient crop growth, leading to improved productivity and sustainability in agriculture.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

IV. RESULTS AND DISCUSSION

The proposed solar seed sowing robot yields multiple benefits for modern farming practices. Firstly, the automation of sowing processes leads to faster operations, reducing labor dependency. Powered by solar panels, the robot minimizes fuel consumption and operational costs. Its ability to precisely sow seeds improves crop consistency and reduces wastage. This system is especially advantageous for off-grid farms, where access to electricity is limited. Data collected by the system aids in monitoring soil and environmental conditions, supporting better decision-making. Moreover, its modular and scalable design allows adaptation for farms of different sizes. Overall, this innovation offers a smart, eco-friendly solution to improve efficiency, productivity, and sustainability in agriculture.

V. LITERATURE SURVEY

Mahesh R. Pundkar [1] mentioned that seed sowing machines are a vital part of modern agriculture. High precision pneumatic planters have been designed for a variety of crops and seed sizes, resulting in uniform seed distribution along the planting path.

M.A. Asoodar [2] studied different seeding techniques and equipment, observing the effects of various seed rates of oilseed rape on seed emergence, plant establishment, and final grain yield.

P.P. Shelke [3] emphasized the growing necessity of bullock-drawn planters in farming, especially as the availability of skilled sowing labor is decreasing. Proper planting distance and maintaining plant population are essential for achieving maximum crop yields.

Singh (1971) [4] reported that using a seed drill for wheat cultivation led to a 13.025% increase in yield compared to traditional methods. The study also highlighted a labor saving of 69.96% in man-hours and 55.17% in bullock-hours.

Umed Ali Soomro et al. [4] in Pakistan assessed three sowing methods and different seed rates, concluding that drilling seeds at 125 kg/ha provided the best wheat grain yield and quality, thanks to uniform seed distribution and appropriate sowing depth.

M.A. Asoodar [2] again emphasized that different seeding techniques and machine types, combined with varying oilseed rape seed rates, significantly influence plant emergence, crop establishment, and final harvest outcomes.

VI. CONCLUSION

In conclusion, the solar-powered seed sowing system provides a sustainable and efficient alternative to conventional farming methods. It integrates renewable energy, automation, and real- time monitoring to support precision agriculture. By minimizing manual labor and fuel use, the system promotes eco-friendly practices while enhancing productivity. This solution is especially beneficial for small and remote farms, where traditional methods are often impractical or inefficient. Its scalable design, coupled with smart features, makes it a valuable contribution to the advancement of agricultural technology and food security.

VII. APPENDIX

SP32: Manages sensors, motors, and cloud connectivity.
LCD Display: Shows real-time data like seed count and battery status.
Solar Panel: Powers the system sustainably using solar energy.
IR Sensors: Detects obstacles for smooth navigation.
Battery: Stores energy for uninterrupted robot operation.
Software: Cloud-based monitoring and control using mobile applications.

VIII. ACKNOWLEDGMENT

We sincerely thank Gurunanak Institute of Engineering and Technology, Nagpur, and our guide Prof. Shushma Telrandhe for their valuable support and guidance throughout this project. We are also grateful to our group memebers for their constant encouragement team work.


REFERENCES

[1] Rahul D.S., Sudarshan S.K., Meghana K., Nandan K.N., Kirthana R., Sure P. (2018). IoT-Based Solar Agricultural Robot for Irrigation and Farm Monitoring. Proceedings of the 2nd International Conference on Inventive Systems and Control, pp. 826–828.
[2] Aravind Kumar M., Reddy A.S., Sagadevan K. (2018). Automated Seed Sowing and Irrigation Robot Using Arduino. International Journal of Pure and Applied Mathematics, Vol. 119, pp. 1089–1092.
[3] Kathiravan R., Balashanmugam P. (2019). Design and Development of a Manual Seed Sowing Machine. International Journal, Volume 06, Issue 06, June.
[4] Soomro U.A., Rahman M., Odhano E.A., Gul S., Tareen A.Q. (Year Not Specified). Comparative Study of Sowing Techniques and Seed Rate on Wheat Growth and Yield. World Journal of Agricultural Sciences, Vol. 5(2), pp. 159–162.

©IJRASET: All Rights are Reserved

[5] Swapnil A., Rajashri B., Kajal M. (Year Not Specified). Agricultural Seeding Robot Using Microcontroller Technology. Department of E&TC Engineering, PCCOE, Pune.
[6] Yedave V., Bhosale P., Shinde J., Hallur J. (2019). Smart Seed Sowing Robot for Automatic Farming. International Research Journal of Engineering and Technology (IRJET), Issue 04, April.
[7] Sunil B.S., Kadam D.B., Vikas K.V., Anand K.A. (Year Not Specified). Automation in Agriculture: Seed Sowing Robot Design and Innovation. Journal of Advancement in Electronics Design, Vol. 3, Issue Not Specified.
[8] Likhitha A., Mamatha B., Sai Kirn A., Pranitha D. (2020). IoT-Enabled Smart Agricultural System with Automated Seed Sowing. Issue: 02/2020.
[9] Prajith A.S., Nowfiya B.S., Nowshad N., Ashik S.M., Subi S., Dhinu Lal M. (2020). Agrobot – A Fully Automated Agricultural Robot. Proceedings of the 2020 IEEE Conference.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)