



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 13    **Issue:** IV    **Month of publication:** April 2025

**DOI:** <https://doi.org/10.22214/ijraset.2025.69934>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Statistical Model to Determine that a Passenger who is a Foreign National is Carrying Drug/Entering the Country with Bad Intention

Joy Roy

Nirwan University, India

## Problem Statement

How to Determine that a passenger who is a foreign national is carrying drug/Entering the Country with Bad Intention. Appropriate Statistical model can detect this based on answer To questions which should reflect his intension based on below factors

Carrying\_Substance\_provided\_by\_other

Entering\_the\_country\_first\_time

Entering\_the\_country\_second\_time

Carrying\_low\_amount\_cash

Tour\_itenary\_not\_clear

Reference\_in\_country\_not\_clear

Staying\_place\_in\_country\_not\_clear

Amount\_of\_dryfood\_carried\_high

Amount\_of\_liquid\_jel\_cosmetics\_high

Amount\_of\_dry\_medicine\_high

Amount\_liquid\_medicine\_high

Amount\_dry\_cosmetics\_high

Amount\_of\_jeweellery\_cost\_High

Coming\_as\_single\_passenger

Body\_language\_with\_finger\_abnormal

Carrying\_others\_passport

Derive an appropriate Statistical model which determine he should block for further Investigation

Solution:

The model is:

$$\begin{aligned} \text{Logit}(p) = & -28.4616 + (3.0872 \times 10^{-5})x_1 + (-3.3941 \times 10^{-5})x_2 + (1.1126 \times 10^{-4})x_3 + (-7.9547 \times 10^{-5})x_4 + (1.1126 \times 10^{-4})x_5 \\ & + (-7.9547 \times 10^{-5})x_6 + (-1.9186 \times 10^{-5})x_7 + (4.0573 \times 10^{-5})x_8 + (-6.0233 \times 10^{-5})x_9 + (-1.1153 \times 10^{-4})x_{10} \\ & + (-1.5673 \times 10^{-4})x_{11} + (3.7948 \times 10^{-2})x_{12} + (1.1126 \times 10^{-4})x_{13} + (1.1126 \times 10^{-4})x_{14} + (-7.9547 \times 10^{-5})x_{15} \end{aligned}$$

where:

- p is the probability that the passenger should be blocked,

$$p = \frac{1}{1 + e^{-\text{Logit}(p)}}$$

- x1= Carrying\_Substance\_Provided\_by\_Other,
- x2 = Entering\_the\_country\_first\_time,
- x3 = Carrying\_low\_amount\_cash,
- x4 = Tour\_itinerary\_not\_clear,
- x5 = Reference\_in\_country\_not\_clear,



- x6 = Staying\_place\_in\_country\_not\_clear,
- x7 = Amount\_of\_dryfood\_carried\_high,
- x8 = Amount\_of\_liquid\_jel\_cosmetics\_high,
- x9 = Amount\_of\_dry\_medicine\_high,
- x10 = Amount\_liquid\_medicine\_high,
- x11 = Amount\_dry\_cosmetics\_high,
- x12 = Amount\_of\_jewellery\_cost\_High,
- x13 = Coming\_as\_single\_passenger,
- x14 = Body\_language\_with\_finger\_abnormal,
- x15 = Carrying\_others\_passport.

If The value of p is  $\geq .5$  The passenger should be blocked for Interrogation



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)