iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** V **Month of publication:** May 2025

DOI: https://doi.org/10.22214/ijraset.2025.70536

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue V May 2025- Available at www.ijraset.com

Surface Krack Detection Using Machine Learning and Deep Learning

A Ramya[1], Mr. M Navalan[2]
CSE (Data Science), Sri Venkateswara College of Engineering & Technology (SVCET), Chittoor, Andhra Pradesh, India
[1]PG Researcher, Sri Venkateswara College Of Engineering & Technology (SVCET), Chittoor, Andhra Pradesh, India
[2]Assistant Professor, Sri Venkateswara College Of Engineering & Technology (SVCET), Chittoor, Andhra Pradesh, India

Abstract: ***The Surface crack detection plays a crucial role in ensuring the structural integrity and safety of materials across various industries, including construction, manufacturing, and transportation. This study presents an automated approach for detecting surface cracks using advanced image processing and machine learning techniques. High-resolution images of material surfaces are analyzed using edge detection, thresholding, and morphological operations to identify potential crack regions. Furthermore, convolutional neural networks (CNNs) are employed to enhance detection accuracy and distinguish between cracks and other surface anomalies. The proposed method significantly reduces inspection time and human error, offering a reliable and scalable solution for real-time surface defect monitoring.***

Keywords: Natural Language Processing (NLP), Convolutional Neural Network (CNN), Long* short *Term Memory (LSTM), Residual Network(RESET), Gated Recurrent Unit (GRU), Recurrent Neural Network (RNN).

I. INTRODUCTION

Automated crack detection in infrastructure maintenance has become a crucial focus area due to the limitations of traditional manual inspection methods. Manual inspection processes are labour-intensive, time-consuming, and subject to human error, underscoring the need for more efficient and accurate detection techniques. In past years, progress in computer vision, image processing, and machine learning have Set the stage for the development of automated system.crack detection systems. These systems leverage deep learning techniques, which have demonstrated exceptional performance in image recognition tasks. By harnessing deep learning can learn complex patterns and features directly from raw data, researchers aim to develop robust models capable of accurately identifying and classifying surface cracks across various materials and environmental conditions. This research endeavours to address this challenge by harnessing the power of deep learning techniques, to develop a sophisticated model capable of accurately detecting and classifying surface cracks across diverse materials like concrete, metal, and wood. By integrating advanced image processing algorithms, the model aims to enhance its adaptability to various surface textures and lighting conditions, thereby improving its effectiveness in real-world scenarios. The aim is to develop an Automated system for crack detection system for infrastructure maintenance, leveraging deep learning techniques, The main objective is to create a robust model capable of accurately identifying and classifying surface cracks in various materials such as concrete, metal, and wood. By integrating advanced image processing methods, the system aims to handle diverse surface textures and lighting conditions effectively. The Surface Crack Detection project aims to revolutionize infrastructure maintenance by leveraging advanced technology to address the pervasive issue of surface cracks. By harnessing the power of deep learning algorithms, the project seeks to automate the detection and assessment of cracks in diverse materials such as concrete, metal, and wood. This innovative approach promises to expedite the maintenance process, reducing the labor-intensive nature of manual inspections while enhancing overall safety.

II. LITERATURE REVIEW

The surface crack detection project integrates various deep learning methodologies to enhance crack identification accuracy. It employs Convolutional Neural Networks (CNNs) and ResNet50 for feature extraction and classification. Additionally, hybrid models combine CNN and VGG architectures to leverage both spatial and sequential data processing. Such techniques, coupled with transfer learning and advanced network architectures like LSTM and GRU, significantly enhance surface crack detection efficiency and reliability.

1) Generalization: Limited research addresses the generalization of crack detection models to diverse surface types and lighting conditions encountered in real-world scenarios.

©IJRASET: All Rights are Reserved

2) Scalability: There is a lack of discussion on the scalability of models to large-scale deployment, considering operational efficiency and real-time processing requirements.
3) Real-time Deployment: Practical challenges and solutions for deploying real-time crack detection systems in the field are not extensively covered in the literature.
4) Robustness to Environmental Factors: In Existing studies These factors are frequently neglected such as weather effects and surface contamination, these are important for robust performance in diverse environmental conditions.
5) Integration with Maintenance Workflows: The integration of crack detection systems with existing maintenance workflows and management systems is not adequately explored.
6) Evaluation Metrics: Absence of uniform evaluation criteria for assessing crack detection model performance hinders effective comparison and benchmarking across studies.

III. PROBLEM STATEMENT

Manually interpreting vast numbers of product reviews is time-consuming and inconsistent. This necessitates the development of an intelligent system that can predict the sentiment polarity of reviews (positive or negative) with high accuracy using machine learning and deep learning methods.

IV. DATA SET DESCRIPTION

A dataset for surface crack detection typically contains images or sensor data used to train machine learning or deep learning models to identify cracks in various materials (e.g., concrete, metal, pavement). Here's a general structure and description

1) Purpose: To detect and classify surface cracks in materials such as concrete or metal using image processing and machine learning/deep learning techniques.
2) Data Type: Images: High-resolution images of surfaces with and without cracks. Annotations (if available): Bounding boxes, segmentation masks, or labels indicating crack regions.
3) Classes/Labels: Cracked: Images containing visible surface cracks. Non-Cracked: Images without any visible surface cracks.

V. METHODOLOGIES

A. *CNN Algorithm*

Convolutional Neural Networks (CNNs) are tailored for processing grid-like data, primarily images. Comprising layers that specialize in feature extraction and hierarchical learning, classification, and segmentation. The core elements of CNNs include convolutional layers, that apply filters to input images to extract features and pooling layers, which downsampleto reduce computation and enhance translation invariance. Activations functions such as ReLU introduce non-linearity.

B. *Resnet 50*

This method aims to effectively capture the spatial and temporal characteristics of images and their sequences to accurately detect surface cracks. Tuning and testing may be necessary to optimize model performance for a specific task.

VI. RESPONSE VARIABLE GENERATION

To generate a response variable for surface crack detection (also known as "surface crack detection") in a machine learning or deep learning context, you need to define the output label or target variable that your model will predict.

VII. PREPROCESSING TECHNIQUES

Surface crack detection is a critical task in quality control and structural health monitoring. Preprocessing is the first and essential step before applying any machine learning, deep learning, or image processing algorithms for crack detection. Here are common preprocessing techniques used:

A. *Image Acquisition*

Capturing high-resolution images using cameras, drones, or sensors (like thermal or ultrasonic).
Ensuring consistent lighting and focus to reduce noise.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

B. Image Enhancement

Histogram Equalization: Improves the contrast of the image.
CLAHE (Contrast Limited Adaptive Histogram Equalization): Enhances local contrast.
Gamma Correction: Adjusts brightness and contrast.

C. Noise Removal / Filtering

Gaussian Blur: Smoothens the image to reduce high-frequency noise.
Median Filtering: Removes salt-and-pepper noise while preserving edges.

VIII. FEATURE EXTRACTION METHODS

The surface crack detection system serves as a standalone application or module that integrates with existing systems for infrastructure monitoring or inspection.It should process input images, to analyze them for The existence of cracks, and provide output indicating the likelihood of cracks being present.




Fig: System Architecture

IX. MACHINE LEARNING MODELS

Surface crack detection using machine learning (ML) is a common task in fields like structural health monitoring, manufacturing.

1) Support Vector Machines (SVM): Effective with extracted texture or edge features.
2) Random Forests: Can handle non-linear relationships and is robust to noise.
3) K-Nearest Neighbors (KNN): Simple and works well for small datasets.
4) Logistic Regression: Good baseline model for binary classification (crack vs. no crack).

X. DEEP LEARNING MODELS

Surface crack (or "krack") detection using deep learning is an active research and application area, especially in civil infrastructure, manufacturing, and materials science.


Common Architectures:
VGG16/VGG19
ResNet (e.g., ResNet50)
InceptionNet
MobileNet (lightweight, suitable for edge devices)
Use Case: Classify image patches as "cracked" or "non-cracked".

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue V May 2025- Available at www.ijraset.com

XI. RESULTS AND EVALUATION

A. *Research Findings*

The research findings indicate that ResNet with added GRU and LSTM layers outperforms both CNN and Hybrid model in terms of accuracy, classification perfoemance, and confusion matrix analysis.:




```
[88] results1
```

	model	test_accuracy
1	CNN	0.982222
2	ResNet50	0.999444
3	Hybrid	0.590000

Accuracy: The model achieved an accuracy of 0.9989 on the test set, indicating that it was able to correctly classify 99.89% of the instances.

```
[ ]  #print the test accuracy
     score1 = model1.evaluate(x_test, y_test, verbose=0)
     print('Test accuracy:', score1[1])

     Test accuracy: 0.9988889098167419
```

Classification Report: The precision for both classes 0 and 1 was 1.00, indicating all predictions for class 0and 1 were correct. , and the recall for both classes 0 and 1 was 1.00, with all instances of class 1 correctly classified. The F1-score for both class 1 and 2 was 1 and support value for both classes 1 and 0 was 900

```
from sklearn.metrics import classification_report
y_pred = model1.predict(x_test)
y_pred_binary = (y_pred > 0.5).astype(int)
report = classification_report(y_test, y_pred_binary)
print(report)
```


```
57/57 [==============================] - 5s 90ms/step
              precision    recall  f1-score   support

           0       1.00      1.00      1.00       900
           1       1.00      1.00      1.00       900

   micro avg       1.00      1.00      1.00      1800
   macro avg       1.00      1.00      1.00      1800
weighted avg       1.00      1.00      1.00      1800
 samples avg       1.00      1.00      1.00      1800
```

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Confusion Matrix: The confusion matrix indicates that out of 900 instances of class 0, the model correctly classified 899 instances, with only 1 false negative,for class 1 the model correctly classified 1 instances, with only 899 true negative.





B. Result Anaysis And Evalution Metrics

Accuracy And Classification Report

Accuracy score is a metric used to evaluate the performance of a classification model. It is the percentage of correct predictions made by the model. It is calculated by dividing the total number of correct predictions by the total number of predictions made.


Classification report is a detailed report of the performance of a classification model on a given dataset. It is used to evaluate the precision, recall, f1-score and support of the model. It is calculated by comparing the predicted values with the actual values in the test dataset.






C. Performance Metrics

TRAIN VS TEST DATA ACCURACY GRAPH




TRAIN VS TEST DATA LOSS GRAPH



D. Front End

CODE:



XII. CONCLUSION AND FUTURE WORK

In this study, we addressed the critical need for an automated solution for surface crack detection in infrastructure maintenance. Leveraging deep learning techniques, particularly Convolutional Neural Networks (CNNs), ResNet, and MobileNet, we aimed to accurately identify and classify cracks in various materials like concrete, metal, and wood. Our approach integrated advanced image processing methods to handle diverse surface textures and lighting conditions effectively. Through comparative analysis, we found that CNN and MobileNet outperformed ResNet in terms of crack detection accuracy. This comparison underscores The significance of choosing suitable deep learning frameworks for particular tasks. The success of our endeavour holds the promise of significantly reducing maintenance costs, preventing structural failures, and enhancing the safety and integrity of critical infrastructure. By enabling proactive maintenance strategies, our robust deep learning models pave the way for long-term sustainability in vital infrastructure systems.

The scope for future of automated surface detection of crack using DL and AI is bright with opportunities for innovation. DL-based models trained on large datasets promise unprecedented accuracy across various materials and environments, leveraging CNNs. Integration of AI techniques like RL and active learning enhances efficiency, while fusion with other sensing modalities like LiDAR and infrared imaging improves reliability. Edge computing solutions enable real-time inference, ensuring privacy and data security. Ongoing research in explainable AI addresses transparency, bridging the gap between AI models and human operators. In summary, advancements in model accuracy, efficiency, multi-modal fusion, edge computing, and explain ability will drive the development of next-generation crack detection systems, enhancing infrastructure safety and sustainability.


XIII. ACKNOWLEDGMENT

With deep appreciation, we would like to thank everyone who supported and contributed to the successful completion of this study. We are especially grateful to Sri Venkateswara College of Engineering & Technology (SVCET), Chittoor, Andhra Pradesh, India for providing the academic environment and resources essential for carrying out this research. We express our heartfelt thanks to Mr. M. Navalan, and all faculty members for their continuous guidance, encouragement, and support throughout the project. Their contributions and constructive feedback played a vital role in improving the depth and quality of our research work.

REFERENCES

[1] Surface crack detection using deep learning with shallow CNN architecture for enhanced computation B Kim, N Yuvaraj, KR Sri Preethaa… - Neural Computing and …, 2021 – Springer
[2] Machine learning for crack detection: Review and model performance comparison YA Hsieh, YJ Tsai - Journal of Computing in Civil Engineering, 2020 - ascelibrary.org
[3] Automated vision-based crack detection on concrete surfaces using deep learning RS Rajadurai, ST Kang - Applied Sciences, 2021 - mdpi.com
[4] Automated bridge surface crack detection and segmentation using computer vision-based deep learning model J Zhang, S Qian, C Tan - Engineering Applications of Artificial Intelligence, 2022 – Elsevier
[5] Development of deep learning model for the recognition of cracks on concrete surfaces TT Le, VH Nguyen, MV Le - Applied computational intelligence and soft …, 2021 - hindawi.com
[6] Automatic crack classification and segmentation on masonry surfaces using convolutional neural networks and transfer learning D Dais, IE Bal, E Smyrou, V Sarhosis - Automation in Construction, 2021 – Elsevier
[7] A comprehensive review of deep learning-based crack detection approaches Y Hamishebahar, H Guan, S So, J Jo - Applied Sciences, 2022 - mdpi.com
[8] Structural crack detection using deep convolutional neural networks R Ali, JH Chuah, MSA Talip, N Mokhtar… - Automation in …, 2022 – Elsevier
[9] Computer vision framework for crack detection of civil infrastructure—A review, D Ai, G Jiang, SK Lam, P He, C Li - Engineering Applications of Artificial …, 2023
[10] Automatic pixel-level crack detection for civil infrastructure using Unet++ and deep transfer learning Q Yang, X Ji - IEEE Sensors Journal, 2021 - ieeexplore.ieee.org

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)