iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IX **Month of publication:** September 2025

DOI: https://doi.org/10.22214/ijraset.2025.74132

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IX Sep 2025- Available at www.ijraset.com

The Designing of Eye Blink-Based Typing Interface Using AI

T Akhila, T Ananda, Subhashree D C
Ballari Institute of Technology and Management

Abstract: ***This research introduces an innovative method of human-computer interaction by controlling a virtual keyboard by detecting eye blinks. The system operates in real-time and employs advanced computer vision algorithms, supported by open-source libraries such as OpenCV, to accurately detect and interpret voluntary blinks. It is specifically intended for people who have significant motor disabilities.who are unable to use conventional input devices like a mouse or keyboard. By offering an alternative mode of communication and control, this interface serves as a valuable tool in the field of assistive technology. The paper outlines the overall system architecture, implementation strategy, performance evaluation, and the potential impact of this solution on improving accessibility and user independence.***

Keywords: Eye blink detection, Human–computer interaction, Virtual keyboard, Assistive technology, Gaze tracking, Facial landmark detection, Real-time systems, Computer vision, OpenCV, dlib library, Artificial intelligence, Accessibility.

I. INTRODUCTION

Digital device interaction is a basic necessity in today's world, yet typical input techniques, such as touch screens and keyboards, can be challenging or impossible for persons with significant physical limitations to utilize. This poses a significant obstacle to digital engagement, education, and communication. Alternative, accessible interfaces that don't require physical movement are becoming more and more necessary.

This project presents an eye blink-based virtual typing system that allows users to type using only eye movements and intentional blinks. The system uses a webcam along with tools like OpenCV and dlib to detect facial landmarks and track eye activity in instantaneous. Eye movements are monitored instantaneously, where gaze helps navigate keyboard sections and blinks serve as confirmations for character input, allowing seamless hands-free typing.

By combining artificial intelligence with computer vision, this interface offers a cost-effective, non-invasive solution forindividuals with motor limitations.

It provides a reliable and accessible way to interact with technology independently. This work contributes to The domain of assistive technologyby offering a practical, user-friendly system that promotes digital inclusion.

II. LITERATURE REVIEW

Eye-blink detection has emerged as a valuable tool in Human-Computer Interaction (HCI). Early studies, such as those by Królak and Strumiłło (2011), Kotani et al. (2010), and Deb and Kuri (2012), demonstrated how blinks could be converted into control signals, improve typing accuracy, and be classified by intensity or duration. These contributions laid the foundation for hands-free communication systems.

Later, EEG-based methods (Chambayil et al., 2010; Maruthachalam et al., 2018) improved detection accuracy but required complex hardware, limiting practicality. Recent AI-powered webcam-based systems, such as Jain et al. (2022), offer a more accessible alternative, enabling blink-based virtual keyboards for individuals with limited mobility. However, issues like false detections, fatigue, and reduced performance in real-world conditions remain. Our work aims to overcome these limitations through an efficient, real-time, and non-invasive AI-driven typing interface.

III. PROPOSED WORK

The proposed system introduces a vision-based virtual typing interface that relies on eye-blink detection to assist individuals with severe motor disabilities. Using OpenCV and dlib facial landmark tracking, the system detects intentional blinks in real time and translates them into key selections on a virtual keyboard. An adaptive thresholding method minimizes false detections by adjusting to user behavior and environmental changes.

©IJRASET: All Rights are Reserved

Designed to work with a standard webcam and low-cost hardware, the interface provides an affordable, non-invasive way for users to communicate independently through controlled eye blinks, enhancing accessibility in human-computer interaction.

IV. RESEARCH GAP

A review of current literature highlights several limitations in existing blink detection systems, particularly in terms of scalability, affordability, and real-time responsiveness. EEG-based approaches, while accurate, often demand complex setups and time-consuming calibration. On the other hand, vision-based systems are simpler but can be unreliable due to sensitivity to lighting conditions and camera positioning.

Another critical issue is the lack of personalization in many existing solutions. Most systems do not account for variations in blink strength, frequency, or the effects of user fatigue. To address these concerns, this study proposes a user-adaptive interface that works efficiently with standard consumer-grade webcams, aiming to deliver a more accessible, customizable, and feasible approach for individuals with motor impairments.

V. RESEARCH OBJECTIVES

The following are the main goals of this study:

1) *design a low-cost, vision-based eye-blink detection system:*
   Develop an affordable solution using standard webcam technology to detect eye blinks accurately.
2) *To integrate blink signals into a responsive virtual keyboard interface:*
   Enable users to control an on-screen keyboard through intentional blinking patterns.
3) *To enhance accuracy using adaptive blinkthresholding:*
   Improve detectionreliability byadjusting blinksensitivity based On individualuser behavior.
4) *To test the system with users under varied environmental conditions:*
   Assess performance in different lighting and background scenarios to ensure robustness.
5) *To evaluate user satisfaction and cognitive load when using the interface:*
   Analyze how easy and comfortable the system is to use from the user's perspective

VI. METHODOLOGY

This study adopts a mixed-methodsapproach, combining quantitativesystemperformanceanalysis with qualitativeuserfeedback to evaluate the effectiveness, usability, and reliability of the proposed eye-blink-based typing interface.

A. Development Environment

The system is implemented in Python, chosen for its ease of use and extensive support for open-source libraries. The key tools and frameworks employed include:

1) Programming Language: Python
2) Libraries: OpenCV (for image processing), dlib (for facial landmark detection), and PyQt (for GUI development)
3) Blink Detection Methods: Haar Cascade classifiers and Eye Aspect Ratio (EAR) for accurate blink detection
4) Graphical Interface: A custom virtual keyboard designed using PyQt
5) Hardware Setup: Standard USB webcam (no specialized sensors or EEG devices required)

B. Participants and Testing Protocol

Ten participants were appointedfor testing, including threeindividualswithmotorimpairments. Each participant was instructed to complete a series of pre-definedtypingtasks using the eye-blink interface. These tasks were designed to simulate everyday communication scenarios, such as typing names, short phrases, and sentences.The system setup was standardized across all users: The user had a webcam in front them at eye level under normal indoor lighting. Calibration was minimal to ensure that the solution remains user-friendly and suitable for real-world deployment.

C. Data Collection and Evaluation Metrics

To assess system performance, the following metrics were recorded:

1) Blink Detection Accuracy: The percentage of correctly identified voluntary blinks.
2) Typing Speed: Measured in characters per minute (CPM) during the typing tasks.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

3) Error Rate: Number of incorrect characters selected, expressed as a percentage of total input.
4) User Satisfaction: Collected through a Likert-scale questionnaire covering ease of use, comfort, and overall experience.

VII. ANALYSIS AND RESULTS

The system achieved an average blink detection accuracy of 92% across all subjects. Users reported minor weariness while typing at speeds of up to 28 characters per minute. The use of adaptive blink thresholding reduced false positives by adapting to each user's blink intensity.

This technique has a big advantage for accessibility solutions because it works well on normal consumer-grade laptops without the requirement for specialized EEG hardware. Its low-cost, modular design makes it an appealing tool for use in education and healthcare settings. Future upgrades may include predictive text tools and expanded language capabilities**.**

The Eye-Blink Detection System for Virtual Keyboard relies on a real-time computer vision pipeline that processes video input, detects facial landmarks, and monitors eye aspect ratio (EAR) to identify blinks. Below is the step-by-step algorithm used in the system:

Step 1: Input of Video

Use a camera to record live video, then divide it into frames for processing.

Step 2: Recognition of Faces

Locate the face → crop ROI (Region of Interest) with the Haar Cascades/Dlib HOG detector.

Step 3: Identification of Facial Landmarks

Extract ocular landmarks (p1–p6 for each eye) using Dlib's 68-point model.

Step 4: Eye Aspect Ratio (EAR) Calculation

$$EAR=\frac{||P2-P6||+||P3-P5||}{2.||P1-P4||}$$

- ‖pi−pj‖ = Euclidean distance
- Numerator = vertical eye height
- Denominator = horizontal eye width

Step 5: Identification of Blinks

Blink is recognized if EAR is less than the threshold (≈0.20) for successive frames. To differentiate between purposeful and natural blinks, use temporal logic.


Step 6: Selecting a Virtual Key

Blinking purposefully = choose the key that is currently highlighted. Before blinking, the cursor or gaze helps Focus on the key.


Step 7 : Results

Show the selected character, then update the virtual keyboard and wait for the next blink.

Results:



©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



VIII. CONCLUSION

The outcome of this study confirm the practical viability of using eye-blink detection as an effective input method for virtual keyboards. The real-time system achieved high accuracy and was positively received by users, particularly those with motor impairments. With technology becoming more embedded in everyday activities, ensuring digital accessibility for all individuals is essential. This system marks a meaningful advancement toward more inclusive human-computer interaction. Looking ahead, future enhancements may include refining blink detection algorithms for better differentiation, integrating cloud-based user profiles for personalized settings, and expanding compatibility with mobile platforms to broaden its usability.

REFERENCES

[1] S. Geetharani and S. Keerthna, "Eyeball-Based Cursor Control for Paralyzed Individuals Using Eye Blink Detection," *Int. J. Eng. Res. Technol. (IJERT)*, vol. 14, no. 3, 2025. https://ijert.org/eyeball-based-cursor-control-for-paralyzed-individuals-using-eye-blink-detection

[2] S. T. Ahmad, K. M. K. Hasan, A. Chowdhury, M. H. Chowdhury, and Q. D. Hossain, "EEG-driven Eye Blink-Controlled Smart Interface for Physically Challenged," *Universal Access in the Information Society*, Springer, 2024. https://link.springer.com/article/10.1007/s10209-024-01182-3

[3] M. Liu, S. Bian, Z. Zhao, B. Zhou, and P. Lukowicz, "Energy-efficient, Low-latency, and Non-contact Eye Blink Detection with Capacitive Sensing," *Frontiers in Computer Science*, 2024. [Online]. Available: https://www.frontiersin.org/articles/10.3389/fcomp.2024.1394397/full

[4] N. Schärer, F. Villani, A. Melatur, S. Peter, T. Polonelli, and M. Magno, "ElectraSight: Smart Glasses with Fully Onboard Non-Invasive Eye Tracking Using Hybrid Contact and Contactless EOG," *arXiv*, Dec. 2024. [Online]. Available: https://arxiv.org/abs/2412.14848

[5] G. R. Chhimpa, A. Kumar, S. Garhwal et al., "Development of a Real-time Eye Movement-Based Computer Interface for Communication with Improved Accuracy for Disabled People Under Natural Head Movements," *J. Real-Time Image Process.*, Springer, 2023. https://link.springer.com/content/pdf/10.1007/s11554-023-01336-1.pdf

[6] C. Porter and G. Zammit, "Blink, Pull, Nudge or Tap? The Impact of Secondary Input Modalities on Eye-Typing Performance," in *Human-Computer Interaction – INTERACT 2023*, LNCS, Springer, pp. 1-12. https://link.springer.com/chapter/10.1007/978-3-031-48038-6_15

[7] H. Singh, A. R. Borah, N. H. Suthar et al., "Eye Blink—A Mode of Communication," in *ICDAI 2023*, Lecture Notes in Networks and Systems, Springer, pp. 113–124, 2023. https://link.springer.com/chapter/10.1007/978-981-99-3878-0_10

[8] W. Zeng, Y. Xiao, S. Wei, J. Gan, X. Zhang, and Z. Cao, "Real-time Multi-person Eyeblink Detection in the Wild for Untrimmed Video," in *Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR)*, 2023.


[9] R. Daza, D. DeAlcala, A. Morales, R. Tolosana, R. Cobos, and J. Fierrez, "ALEBk: Feasibility Study of Attention Level Estimation via Blink Detection Applied to e-Learning," *arXiv preprint*, 2023. https://arxiv.org/abs/2112.09165

[10] X. Meng, W. Xu, and H.-N. Liang, "An Exploration of Hands-free Text Selection for VR HMDs Using Gaze and Blink," *arXiv preprint*, 2022. https://arxiv.org/abs/2209.06825

[11] M. Liu, S. Bian, and P. Lukowicz, "Non-Contact, Real-Time Eye Blink Detection with Capacitive Sensing," *Frontiers in Computer Science*, 2022. https://arxiv.org/abs/2211.05541

[12] M. P. Roy and D. Chanda, "A Robust Webcam-based Eye Gaze Estimation System," in *Proc. 2022 Int. Conf. Innovations in Sci., Eng. Technol. (ICISET)*, IEEE, 2022. https://doi.org/10.1109/ICISET54810.2022.9775896

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)