



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 Issue: III Month of publication: March 2024

DOI: https://doi.org/10.22214/ijraset.2024.58883

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 12 Issue III Mar 2024- Available at www.ijraset.com

The Integer Solution of the Negative Pell Equation Involving Palindrome Numbers

S. Vidhya¹, V. Devi²

Assistant Professor¹, PG Student², PG and Research Department of Mathematics, Cauvery College for Women (Autonomous), (Affiliated to Bharathidasan University), Tiruchirapalli-620018

Abstract: The objective of the article is to find an integer solution that is non-zero for the negative Pell's equation involving Palindrome number $x^2 = 33y^2 - 8^t$, $t \in N$

Concerning the several possibilities for t, t=2k+1, $\forall k \in N$, and t=2k, $\forall k \in N$. The recurrence relation on the solutions is retrieved.

Keywords: Negative Pell's equation, Integer solution, Diophantine equation, Palindrome number, Pell equation

I. INTRODUCTION

In this paper, the negative Pell equation involving Palindrome number

 $x^2 = 33y^2 - 8^t$, $t \in N$ is solved for the non-zero distinct

integer solutions and the relevant recurrence relation are also retrieved.

Let D be a non-negative integer rather than a non-square number. Then the negative Pell equation $x^2 - Dy^2 = -1$ is solvable only in the event that D can be expressed as $D = a^2 + b^2$ and gcd(a,b)=1. Then the Diophantine equation with a and b positive and with b odd.

A. Definition

A Palindrome number is a number that remains the same when its digits are reversed. (i.e.) it has reflection symmetry across a vertical axis.

Example: 0,1,2,3,4,5,6,7,8,9,11,22,33,44,101,151,202,222,4004... are some of Palindrome number.

II. METHODS OF ANALYSIS

Consider the Pell equation involving palindrome numbers

$$x^2 = 33y^2 - 8^t, t \in N \tag{1}$$

Solvable for integers x and y whose initial solution in case of t=1 is

$$x_0 = 5, y_0 = 1$$

To found other solutions of (1), convert the equation into Pellian equation.

$$x^2 - 33y^2 = 1$$

Whose initial solution is $x_0 = 23$, $y_0 = 4$ and the general solution x_n , y_n is given by

$$x_n = \frac{1}{2} f_n, y_n = \frac{1}{2\sqrt{33}} g_n$$

Case: 1

 $t = 2k + 1, \forall k \in N$



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 12 Issue III Mar 2024- Available at www.ijraset.com

The Pellequation is

$$x^2 = 33y^2 - 8^{2k+1} (2)$$

Let the initial solution be

$$x_0 = 4.8^k$$
, $y_0 = 4.8^k$

By applying the Brahmagupta lemma correlating, the sequence of non-zero solution obtained as

$$x_{n+1} = 2.8^k [f_n + \sqrt{33}g_n]$$

$$y_{n+1} = 2.8^k \left[f_n + \frac{1}{2\sqrt{33}} g_n \right]$$

The corresponding recurrence relation for the above solution is

$$x_{n+3} - 46x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 46y_{n+2} + y_{n+1} = 0$$

Note

If we choose $t = 2k, \forall k \in \mathbb{N}$, then we cannot find non-zero solution because, in this case solution does not exist.

III. CONCLUSION

This paper presents integer solutions to the negative Pell equation involving the palindrome number. Due to the Diophantine equation's wide variety, one can look for other palindrome number to the Diophantine equations.

REFERENCES

- [1] Al Zaid .H, Brindza .B and Printer .A, "On Positive integer solutions of the Equation xy + yz + zx = n", Canad.Math.Bull, Vol.39, pp.199, 1996
- [2] An integral solution of negative Pell's equation involving two-digit sphenic numbers, International Journal of Computer Sciences and Engineering, Vol.6, Issue.7, pp.444-445, 2018.
- [3] Bhanumurthy T.S, Ancient Indian Mathematics, New Age International Publishers Limited, New Delhi, 1995
- [4] Borevich Z.I and Shafarevich I.R, Number Theory, Academic Press, New York, 1966
- [5] Boyer C.B, "A History of Mathematics", John Wiley & Sons Inc., New York, 1968
- [6] Brown .E, "Diophantine equations of the form $x^2 + D = y^n$ ", J.ReineAngew.Math, Vol.274/275, pp.385-389, 1975
- [7] Carmichael R.D, "Theory of Numbers and Diophantine Analysis", Dover Publications Inc., New York, 1959
- [8] Davenport Harold, "The Higher Arithmetic: An Introduction to the Theory of Numbers", 7th Edition, Cambridge University Press, 1999.
- [9] Dudley .U, "Elementary Number Theory", W.H. Freeman and Co., New York, 1969
- [10] Gopalan M.A, Sangeetha .V and Manju Somanath, "On the integer solution of the Pell equation $x^2 = 13y^2 3^t$ ", International Journal of Applied Mathematical Research, Vol.3, No.1, pp.58-64, 2014
- [11] G Janaki, S Vidhya Observation on $y^2 = 6x^2 + 1$, International Journal of Statistics and Applied Mathematics, Vol.2, Issue.3, pp.04-05, 2017
- [12] Janaki.G, Vidhya.SOn the integer solutions of the Pell equation $x^2 = 20y^2$, International Journal of Multidisciplinary Research and Development, Vol.3, Issue.5, pp.39-42, 2016
- [13] G.Janaki, S.VidhyaOn the integer solutions of the Pell equation $x^2 79y^2 = 9^k$, International Journal of Scientific Research in Science, Engineering and Technology, Vol.2, Issue.2, pp.1195-1197, 2016.
- [14] G.Janaki, S.VidhyaOn the negative Pell equation $y^2 = 21x^2 3$, International Journal of Applied Research, Vol.2, Issue.11, pp.462-466, 2016.
- [15] S, Vidhya, G. Janaki observation on $y^2 = 11x^2 + 1$, International Journal for Science and Advance Research in Technology, vol. 5, Issue. 12, pp. 232-233, 2019





10.22214/IJRASET



45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)