iJRASET
International Journal For Research in Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 14 **Issue:** III **Month of publication:** March 2026

**DOI:** https://doi.org/10.22214/ijraset.2026.78959

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
*ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538*
*Volume 14 Issue III Mar 2026- Available at www.ijraset.com*

# Vehicle Tracking Management System Using GPS and Web Technologies

Karan Kushwaha[1], Afrahim Khan[2], Kaif Khan[3], Jeet Kadam[4], Prof Jagruti More[5]
[1, 2, 3, 4]*Department of Computer Engineering, Theem College of Engineering, India*

***Abstract:*** ***The Vehicle Tracking Management System (VTMS) is a comprehensive solution designed to provide efficient, real-time monitoring and management of vehicles across various domains, including fleet management, logistics, public transportation, and emergency services. The system seamlessly integrates users, vehicles, routes, and stops into a centralized platform, enabling secure login, vehicle registration, route assignment, and continuous real-time tracking through GPS-enabled devices. By leveraging a centralized and robust database, the VTMS ensures high levels of data accuracy, accessibility, and reliability, ultimately enhancing operational efficiency, safety, and informed decision-making. The proposed systemis built using a modern technology stack comprising Node.js, Python, PostgreSQL, FastAPI, React, TailwindCSS, Leaflet.js, Docker, and Socket.IO, which together guarantee scalability, modularity, and cross platform compatibility. Its architecture includes secure authentication modules with JWT-based security, comprehensive vehicle management APIs, GPS-based data acquisition, live tracking through WebSocket communication, geofencing, overspeed alerts, predictive maintenance scheduling, and role-based access control for different types of users. Furthermore, the system provides interactive dashboards for real time monitoring, historical route analysis, performance tracking, and data visualization using Chart.js.Deployment is streamlined through Dockerized environments, ensuring portability, easy configuration, and minimal downtime. Overall, the VTMS offers an integrated, secure, and highly efficient platform for organizations seeking to optimize vehicle operations, reduce operational costs, improve safety, and enhance user satisfaction through reliable, real-time vehicle tracking and management.***
***Index Terms: Fleet Management, GPS Tracking, Real-Time Monitoring, Vehicle Tracking System, WebSocket Communication.***

## I. INTRODUCTION

The rapid growth of transportation systems and logistics operations has created a strong demand for efficient vehicle monitoring and management solutions. Traditional vehicle management methods often rely on manual tracking and limited communication, which can lead to delays, inefficiencies, and lack of real-time information. With the increasing number of vehicles in public transportation, logistics, and emergency services, it has become essential to implement intelligent systems that can monitor vehicle activities in real time.

A Vehicle Tracking Management System (VTMS) provides a modern solution to these challenges by integrating GPS technology, internet connectivity, and centralized data management. The system enables organizations to track the real-time location of vehicles, monitor routes, and analyze vehicle performance through an interactive platform. By collecting and processing location data continuously, VTMS helps administrators make informed decisions, improve operational efficiency, and enhance safety.

Recent advancements in web technologies and cloud-based architectures have further improved the capabilities of vehicle tracking systems. Technologies such as Node.js, FastAPI, React, and WebSocket communication enable real-time data exchange between vehicles and monitoring dashboards. Additionally, databases like PostgreSQL ensure secure and reliable storage of large volumes of tracking data.

The proposed Vehicle Tracking Management System aims to provide an integrated platform that allows administrators and authorized users to manage vehicles, assign routes, monitor vehicle movements, and analyze historical data. The system incorporates features such as real-time GPS tracking, route monitoring, overspeed alerts, geofencing, and predictive maintenance scheduling. These functionalities help organizations reduce operational costs, improve fleet efficiency, and ensure better vehicle utilization.

Furthermore, the system architecture is designed to be scalable, secure, and flexible by utilizing modern frameworks and containerized deployment using Docker. Through interactive dashboards and data visualization tools, the system provides clear insights into vehicle operations, allowing organizations to optimize their transportation processes effectively.

©IJRASET: All Rights are Reserved 

*ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538*
*Volume 14 Issue III Mar 2026- Available at www.ijraset.com*

## II. LITERATURE REVIEW

Vehicle tracking systems have been widely studied and implemented in recent years due to the rapid growth of transportation and logistics industries. Several researchers have proposed different approaches for monitoring vehicles using GPS technology and internet-based communication systems. These systems aim to improve fleet efficiency, enhance safety, and provide real-time information about vehicle location and performance.

Many traditional vehicle tracking solutions primarily focused on basic GPS-based location monitoring. While these systems allowed administrators to view the position of vehicles on a map, they often lacked advanced features such as route optimization, predictive maintenance, and real-time alerts. Additionally, earlier systems were limited by slow data transmission and inefficient data management techniques.

Recent studies have explored the integration of modern web technologies and cloud-based architectures to improve the performance of vehicle tracking systems. Technologies such as WebSocket communication, RESTful APIs, and real-time dashboards have significantly enhanced the ability to monitor vehicles continuously and provide instant updates to users. These advancements enable organizations to analyze vehicle routes, detect abnormal driving behavior, and improve overall fleet management efficiency.

Furthermore, researchers have also introduced advanced functionalities such as geofencing, overspeed detection, and maintenance scheduling to ensure better vehicle safety and operational performance. These features allow organizations to receive alerts when vehicles enter or exit predefined zones, exceed speed limits, or require maintenance.

Despite these advancements, many existing systems still face challenges related to scalability, security, and efficient data processing. Therefore, there is a need for a more integrated and scalable solution that combines modern technologies, secure authentication mechanisms, and real-time communication for effective vehicle tracking and management.

## III. EXISTING SYSTEM

Existing vehicle tracking systems mainly rely on basic GPS technology to monitor the location of vehicles. These systems allow users to view the real-time position of vehicles on a digital map and provide limited information about vehicle movement. In many cases, the data collected from GPS devices is stored in a centralized server and displayed through a simple monitoring interface.

However, most traditional vehicle tracking systems have several limitations. Many systems only provide location tracking without offering advanced features such as route analysis, predictive maintenance, or detailed performance monitoring. As a result, organizations often face difficulties in managing large fleets efficiently and identifying operational issues in real time.

Another limitation of existing systems is the lack of real-time communication and data processing capabilities. Some systems rely on periodic updates instead of continuous data transmission, which may cause delays in tracking vehicle movements. This delay can reduce the effectiveness of monitoring and may affect decision-making in time-sensitive operations such as logistics and emergency services.

Additionally, many existing solutions do not provide strong security mechanisms or role-based access control. This may lead to unauthorized access to sensitive vehicle data and system functionalities. Furthermore, scalability becomes a challenge when the number of vehicles and users increases significantly.

Due to these limitations, there is a need for a more advanced vehicle tracking solution that integrates modern web technologies, real-time communication, secure authentication mechanisms, and scalable system architecture to improve efficiency, reliability, and user experience.

## IV. PROPOSED SYSTEM

The proposed Vehicle Tracking Management System (VTMS) is designed to overcome the limitations of traditional vehicle monitoring solutions by integrating modern web technologies and real-time communication mechanisms. The system provides a centralized platform where administrators and authorized users can efficiently monitor, manage, and analyze vehicle activities in real time. The VTMS integrates GPS-enabled devices with a web-based monitoring platform to continuously collect and process vehicle location data. This information is transmitted to the central server through secure APIs and real-time communication protocols. The system then displays the vehicle's location and movement on an interactive map interface, allowing users to track vehicles accurately and efficiently.

One of the key features of the proposed system is real-time vehicle tracking using WebSocket communication. This enables instant updates of vehicle positions without the need for frequent page refreshes. The system also incorporates advanced functionalities such as geofencing, which allows administrators to define specific geographic boundaries and receive alerts when vehicles enter or exit those areas.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

In addition, the proposed system provides overspeed detection and predictive maintenance scheduling to improve vehicle safety and operational efficiency. These features help organizations monitor driver behavior and ensure timely maintenance of vehicles to prevent unexpected breakdowns.

The system also includes role-based access control and secure authentication using JSON Web Tokens (JWT). This ensures that only authorized users can access specific system functionalities and sensitive vehicle data. Furthermore, the VTMS provides interactive dashboards with data visualization tools that allow administrators to analyze vehicle performance, route history, and operational efficiency.

By combining modern technologies such as Node.js, FastAPI, React, PostgreSQL, and Docker, the proposed system offers a scalable, secure, and efficient solution for real-time vehicle tracking and fleet management.

## V. SYSTEM ARCHITECTURE





Fig. 1. System Architecture of the Proposed Vehicle Tracking Management System

The architecture of the proposed Vehicle Tracking Management System (VTMS) consists of several interconnected components that work together to provide real-time vehicle monitoring and management. The system begins with GPS-enabled devices installed in vehicles, which continuously capture location data such as latitude, longitude, speed, and timestamp.

This data is transmitted through the internet to the backend server, where it is processed using modern backend technologies such as Node.js and FastAPI. The backend server is responsible for handling API requests, processing incoming GPS data, managing user authentication, and maintaining communication between the frontend and database layers.

All vehicle tracking data, user information, and route details are stored in a centralized PostgreSQL database. The database ensures secure storage, efficient data retrieval, and historical tracking analysis. WebSocket communication using Socket.IO allows the system to push real-time updates to the frontend dashboard without requiring page refreshes.

The frontend dashboard, developed using React and TailwindCSS, provides an interactive interface for administrators and users. It displays live vehicle positions on an interactive map using Leaflet.js and provides features such as route monitoring, vehicle status tracking, and data visualization for operational analysis.

Through this integrated architecture, the VTMS enables organizations to efficiently track vehicles, monitor fleet performance, and make data-driven decisions to improve transportation management.

## VI. METHODOLOGY

The methodology of the proposed Vehicle Tracking Management System (VTMS) describes the step-by-step process through which vehicle tracking and monitoring are performed. The system follows a structured workflow that ensures accurate data collection, efficient processing, and real-time visualization of vehicle locations.

First, GPS-enabled devices installed in vehicles continuously collect location data such as latitude, longitude, speed, and timestamp. This data is transmitted through the internet to the backend server using secure communication protocols. The backend system receives the data and processes it to ensure accuracy and reliability.





Fig. 2. Methodology Flow of Vehicle Tracking Management System

After receiving the GPS data, the backend server processes the information using Node.js and FastAPI services. These services handle tasks such as validating incoming data, updating vehicle status, and storing tracking information in the PostgreSQL database. The database maintains both real-time and historical tracking records for analysis.

The system then uses WebSocket communication through Socket.IO to send real-time updates to the frontend dashboard. This allows the dashboard to display the latest vehicle positions without refreshing the page, providing a smooth and interactive monitoring experience.

The frontend application, developed using React and TailwindCSS, displays the vehicle locations on an interactive map using Leaflet.js. Administrators and users can view live vehicle movements, analyze route history, and monitor vehicle performance through the dashboard interface.

Additionally, the system implements security mechanisms such as JWT-based authentication and role-based access control to ensure that only authorized users can access the system. Through this methodology, the VTMS ensures reliable vehicle tracking, efficient fleet management, and improved decision-making for organizations.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

*ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538*
*Volume 14 Issue III Mar 2026- Available at www.ijraset.com*

## VII. RESULTS AND DISCUSSION

The implementation of the proposed Vehicle Tracking Management System (VTMS) demonstrates the effectiveness of real-time vehicle monitoring using modern web technologies. The system successfully integrates GPS-based data acquisition, backend processing, and interactive frontend visualization to provide accurate and continuous tracking of vehicles.

During system testing, the VTMS was able to collect and process vehicle location data in real time and display it on the monitoring dashboard. The integration of WebSocket communication enabled instant updates of vehicle positions on the map without requiring manual refresh, providing a seamless tracking experience for users.

The system also allowed administrators to monitor multiple vehicles simultaneously, analyze historical route data, and evaluate vehicle performance through the dashboard interface. Features such as geofencing and overspeed alerts provided additional safety measures by notifying administrators when vehicles exceeded predefined limits or entered restricted areas.

Furthermore, the use of a centralized PostgreSQL database ensured reliable storage of tracking information and efficient retrieval of historical data. The responsive user interface developed using React and TailwindCSS improved usability and provided a clear visualization of vehicle movements through the Leaflet.js map interface.

Overall, the results demonstrate that the proposed VTMS significantly improves vehicle monitoring, operational efficiency, and decision-making capabilities for organizations managing transportation and logistics operations.


## VIII. CONCLUSION

In this paper, a Vehicle Tracking Management System (VTMS) has been proposed and developed to provide an efficient solution for real-time vehicle monitoring and fleet management. The system integrates modern web technologies, GPS-based tracking, and a centralized database to ensure accurate and continuous tracking of vehicles.

The proposed system enables administrators to monitor vehicle locations in real time, analyze route history, and evaluate vehicle performance through an interactive dashboard. Features such as geofencing, overspeed alerts, and predictive maintenance help improve vehicle safety and operational efficiency. Additionally, the use of WebSocket communication ensures real-time updates without delays, enhancing the overall user experience.


The system architecture built using technologies such as Node.js, FastAPI, React, PostgreSQL, and Docker provides scalability, security, and high performance. Role-based access control and JWT-based authentication further enhance the security of the platform by restricting access to authorized users only.

Overall, the proposed VTMS provides an effective and reliable platform for organizations involved in transportation, logistics, and fleet management. In the future, the system can be further enhanced by integrating advanced technologies such as machine learning for predictive analytics and AI-based route optimization to further improve transportation management and operational decision-making.




Stats Maintenance

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |





GPS Simulator

## REFERENCES

[1] S. Chen, B. Mulgrew, and P. M. Grant, "A clustering technique for digital communications channel equalization using radial basis function networks," IEEE Transactions on Neural Networks, vol. 4, no. 4, pp. 570–578, July 1993.
[2] J. U. Duncombe, "Infrared navigation—Part I: An assessment of feasibility," IEEE Transactions on Electronic Devices, vol. ED-11, pp. 34–39, Jan. 1959.
[3] C. Y. Lin, M. Wu, J. A. Bloom, I. J. Cox, and M. Miller, "Rotation, scale, and translation resilient public watermarking for images," IEEE Transactions on Image Processing, vol. 10, no. 5, pp. 767–782, May 2001.
[4] A. Cichocki and R. Unbehaven, Neural Networks for Optimization and Signal Processing, 1st ed. Chichester, U.K.: Wiley, 1993.
[5] W.-K. Chen, Linear Networks and Systems. Belmont, CA: Wadsworth, 1993.
[6] H. Poor, An Introduction to Signal Detection and Estimation. New York: Springer-Verlag, 1985.
[7] M. A. Al-Khedher, "Hybrid GPS-GSM localization of automobile tracking system," International Journal of Computer Science and Information Technology, vol. 3, no. 6, pp. 75–85, 2011.
[8] P. Verma and J. Bhatia, "Design and development of GPS-GSM based vehicle tracking system with Google Earth application," International Journal of Computer Science, Engineering and Applications, vol. 3, no. 3, pp. 33–40, 2013.
[9] S. R. T. Kudva and P. H. Kharade, "Real-time vehicle tracking system using GPS and GSM technology," International Journal of Engineering Research and Technology, vol. 4, no. 2, pp. 123–126, 2015.
[10] R. Want, "An introduction to RFID technology," IEEE Pervasive Computing, vol. 5, no. 1, pp. 25–33, Jan. 2006.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)