iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI:

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com

VisionOS: A Deep Learning-Driven Web-Based Framework for Real-Time Traffic Sin Recognition and Intelligent Transportation Support

Mr. M. Manishankar[1], Dungala Thirumala Devi[2], Dumpala Sudheer[3], Ryali Karthik[4], Kommula Jaya Sukumar[5]
[1] *Assistant Professor, Department of Information Technology, Pragati Engineering College, ADB Road, Surampalem, Near Kakinada, East Godavari District, Andhra Pradesh, India-533437.*
[2,3,4,5] *B.Tech Students, Department of Information Technology, Pragati Engineering College, ADB Road, Surampalem, Near Kakinada, East Godavari District, Andhra Pradesh, India-533437.*

Abstract: ***VisionOS is an advanced web-based traffic sign recognition system that leverages deep learning and computer vision techniques to improve road safety and intelligent transportation systems. The proposed system utilizes a Convolutional Neural Network (CNN) trained on a large-scale traffic sign dataset to automatically detect and classify traffic signs from user-uploaded images. Unlike traditional approaches that rely on manual feature extraction or basic image processing, VisionOS performs automated feature learning, enabling high accuracy and robustness under varying environmental conditions.The system is implemented using a Flask-based web framework, allowing users to interact through a browser without requiring specialized software or hardware. The input image undergoes preprocessing steps such as grayscale conversion and resizing before being fed into the trained CNN model for classification. VisionOS is capable of recognizing multiple categories of traffic signs, including regulatory, warning, and mandatory signs, achieving an accuracy of approximately 98.89% .The integration of deep learning with a user-friendly interface makes the system scalable, accessible, and practical for real-world applications such as driver assistance systems, traffic monitoring, and smart city infrastructure. This work demonstrates how modern AI technologies can be effectively deployed as web-based solutions to address critical transportation challenges.***

Keywords: Traffic Sign Recognition, Deep Learning, Convolutional Neural Network, Computer Vision, Intelligent Transportation Systems, Web-Based Application, Flask Framework, Image Classification.

I. INTRODUCTION

Traffic Sign Recognition (TSR) is a crucial component of modern intelligent transportation systems and Advanced Driver Assistance Systems (ADAS). It enables automated detection and classification of road signs, assisting drivers and autonomous vehicles in making safe decisions. With the rapid growth in vehicle usage, ensuring road safety through intelligent systems has become essential.

Traditional traffic sign recognition methods relied on handcrafted features such as color, shape, and edge detection. However, these approaches often fail in real-world conditions due to variations in lighting, weather, occlusion, and sign degradation. Recent advancements in deep learning, particularly Convolutional Neural Networks (CNNs), have significantly improved the accuracy and robustness of TSR systems.

VisionOS introduces a web-based deep learning framework that integrates CNN-based classification with a user-friendly interface. The system allows users to upload images and receive instant predictions, making it accessible without requiring specialized hardware or software. This approach bridges the gap between advanced AI models and real-world usability.

A. Problem Statement:

Traffic signs play a vital role in ensuring road safety by providing essential instructions such as speed limits, warnings, and driving restrictions. However, in real-world scenarios, drivers often fail to recognize or interpret these signs correctly due to distractions, poor visibility, environmental conditions, or unfamiliarity with road systems. This can lead to traffic violations, accidents, and unsafe driving behavior. Existing traffic sign recognition systems face several limitations, including low accuracy under varying lighting and weather conditions, dependence on manual feature extraction techniques, and lack of scalability. Additionally, many systems require specialized hardware or are not accessible through user-friendly platforms, limiting their practical usability.Therefore, there is a need for an intelligent, accurate, and accessible system that can automatically detect and

classify traffic signs in real time using advanced deep learning techniques. The proposed VisionOS system aims to address these challenges by providing a web-based CNN-driven solution for efficient traffic sign recognition.

B. Key Objectives of this Research include:

The primary objectives of this research are to design and develop an efficient and accurate traffic sign recognition system using deep learning techniques. The study aims to achieve high classification accuracy and robustness under varying environmental conditions by utilizing Convolutional Neural Networks.Another key objective is to implement effective image preprocessing techniques to enhance model performance and ensure consistent input representation. The system is also designed to provide real-time predictions with minimal computational overhead, making it suitable for practical applications.Furthermore, this research focuses on developing a web-based platform that allows users to interact with the system easily without requiring specialized hardware or software. The system performance will be evaluated using standard metrics such as accuracy, precision, recall, and F1-score. Finally, the proposed solution aims to be scalable and extensible, enabling future integration into intelligent transportation systems and driver assistance technologies.

II. LITERATURE SURVEY

Recent advancements in deep learning and intelligent transportation systems have significantly improved traffic sign recognition (TSR). Traditional CNN-based models have evolved into more sophisticated architectures incorporating attention mechanisms, object detection frameworks such as YOLO, and multimodal learning techniques. Despite these improvements, challenges such as varying lighting conditions, occlusion, real-time processing, and scalability remain open research problems. The following table summarizes key contributions from recent literature relevant to the proposed VisionOS system.

Ref No	Author(s)	Methodology	Key Contribution	Limitations
[1]	M. Olszewski et al. (2025)	Lightweight CNN architectures	Proposed efficient CNN models for real-time traffic sign recognition with reduced computational cost	Trade-off between model size and accuracy.
[2]	S. Sivanandan et al. (2025)	YOLOv5-based deep learning	Achieved high detection accuracy using YOLOv5 for real-time traffic sign classification	Requires large labeled datasets and high computation.
[3]	Benfaress et al. (2025)	CNN with comparative architectures	Demonstrated robustness under adverse conditions (fog, low light, noise) using deep CNNs	High model complexity and latency.
[4]	Mareeswari et al. (2025)	YOLOv8 detection model	Achieved superior accuracy (94%) and real-time detection with improved precision-recall performance	Limited performance for small-sized signs
[5]	IJTSRD Research (2025)	Lightweight CNN model	Designed low-latency CNN suitable for embedded systems and ADAS integration	Limited scalability to large datasets
[6]	Xing et al. (2022)	Faster R-CNN + YOLOv5 hybrid	Improved detection accuracy using hybrid models and image filtering techniques	Sensitive to environmental noise and preprocessing dependency
[7]	IJCRT Research (2025)	CNN-based recognition	Identified limitations of CNN in handling viewpoint and orientation variations	Poor performance in multi-angle and rotated images.
[8]	Smart TSR Systems (2025)	YOLO + Self-Attention	Integrated attention mechanisms for better feature extraction in complex environments	Increased computational overhead
[9]	Sah et al. (2025)	Multimodal Deep Learning + LLM	Combined CNN, YOLO, and multimodal models achieving up to 99.8% accuracy	High complexity and resource-intensive training
[10]	Ibrahim & Zhou (2025)	YOLOv8 + Attention + BiFPN	Improved robustness using attention and feature pyramid networks for small object detection	Complex architecture, difficult real-time deployment

III. BACKGROUND WORK

Traffic sign recognition (TSR) is a fundamental component of intelligent transportation systems (ITS), enabling automated understanding of road environments for applications such as advanced driver assistance systems (ADAS), autonomous vehicles, and traffic monitoring. The rapid evolution of artificial intelligence, particularly deep learning, has significantly enhanced the capability of machines to interpret visual information with high accuracy and robustness.

A. Evolution of Traffic Sign Recognition

Early TSR systems were primarily based on traditional computer vision techniques such as **color segmentation, shape detection, and template matching**. These approaches relied heavily on handcrafted features and domain-specific rules, which limited their adaptability to real-world variations such as illumination changes, occlusions, and noise. Machine learning methods such as Support Vector Machines (SVM) and Histogram of Oriented Gradients (HOG) improved performance to some extent but still required manual feature engineering and struggled with scalability.The introduction of deep learning, particularly **Convolutional Neural Networks (CNNs)**, marked a paradigm shift in TSR. CNNs automatically learn hierarchical feature representations from raw images, eliminating the need for manual feature extraction. This advancement enabled significant improvements in classification accuracy and robustness, making CNN-based models the standard approach for traffic sign recognition tasks.

B. Deep Learning in Traffic Sign Recognition

Modern TSR systems leverage deep learning architectures such as CNNs, Region-Based Convolutional Neural Networks (R-CNN), and You Only Look Once (YOLO) models. CNN-based classifiers are widely used for image classification tasks, where the model processes pre-segmented images and predicts the corresponding traffic sign category.Object detection frameworks like **YOLO and Faster R-CNN** extend this capability by simultaneously detecting and classifying traffic signs within complex scenes. These models enable real-time detection, which is critical for autonomous driving applications. However, they often require high computational resources and large annotated datasets, making them less suitable for lightweight or web-based systems.

Recent advancements have introduced **attention mechanisms** and **feature pyramid networks (FPN)** to improve detection accuracy, especially for small and partially occluded traffic signs. Additionally, multimodal learning approaches combining visual and textual features have further enhanced recognition performance.

C. Challenges in Real-World Traffic Sign Recognition

Despite significant progress, TSR systems still face several challenges in real-world deployment:

1) *Lighting Variations:* Changes in illumination due to day/night conditions or weather affect visibility.
2) *Occlusion:* Traffic signs may be partially hidden by objects such as trees or vehicles.
3) *Scale Variations:* Signs appear at different sizes depending on distance.
4) *Environmental Noise:* Rain, fog, and motion blur degrade image quality.
5) *Class Imbalance:* Some traffic sign categories have fewer training samples.

These challenges require robust preprocessing techniques, adaptive learning models, and efficient deployment strategies.

D. Web-Based AI Systems for Accessibility

Most existing TSR systems are developed as standalone applications or embedded solutions, limiting accessibility for non-technical users. Recent research emphasizes the importance of **web-based AI deployment**, where models are integrated into lightweight frameworks such as Flask or FastAPI and accessed through a browser interface.

Web-based systems provide several advantages:

- Platform independence
- Ease of use without installation
- Scalability through cloud deployment
- Rapid integration into real-world applications

However, achieving high accuracy while maintaining low latency and minimal resource usage remains a challenge in such systems.

E. Role of VisionOS in Existing Research

Based on the above background, the VisionOS system positions itself as a **practical and accessible deep learning solution** for traffic sign recognition. Unlike traditional TSR systems that focus solely on model performance, VisionOS integrates:

1) A CNN-based classification pipeline
2) Efficient preprocessing techniques (grayscale + resizing)
3) A Flask-based web deployment architecture
4) A user-friendly interface for real-time prediction

The system achieves high classification accuracy while ensuring accessibility through a web-based platform, addressing the gap between advanced AI models and real-world usability.

IV. VISIONOS++ HYBRID INTELLIGENT TRAFFIC SIGN RECOGNITION FRAMEWORK

The proposed system, **VisionOS++**, extends the existing VisionOS architecture by introducing a **hybrid deep learning framework** that enhances robustness, accuracy, and real-world applicability. Unlike traditional CNN-based approaches, the proposed model integrates **adaptive preprocessing, attention-based feature extraction, and web-based deployment**, forming a complete end-to-end intelligent system for traffic sign recognition.

Architecture of VisionOS++ System




Figure 1. Represents the Proposed Architecture

The proposed architecture figure 1 allows a **multi-stage processing pipeline**, consisting of:

1. Input Acquisition Layer
2. Adaptive Preprocessing Layer *(Novel Contribution)*
3. Feature Extraction using CNN + Attention Module *(Novel Contribution)*
4. Classification Layer (Softmax Output)
5. Explainable AI Module (Grad-CAM) *(Novel Contribution)*
6. Web Deployment Layer (Flask-based Interface)

This layered architecture ensures modularity, scalability, and efficient real-time performance.

A. Adaptive Image Preprocessing Module (AIPM)

The proposed VisionOS++ framework introduces an Adaptive Image Preprocessing Module (AIPM) to enhance input image quality before feature extraction. Unlike the baseline VisionOS system, which applies fixed grayscale conversion and resizing, the AIPM dynamically adjusts preprocessing operations based on image conditions. This module integrates contrast enhancement using Contrast Limited Adaptive Histogram Equalization (CLAHE), noise suppression through Gaussian filtering, and illumination normalization to handle varying environmental conditions such as low light, fog, and motion blur. By adaptively refining the visual characteristics of the input image, the module ensures that discriminative features are preserved while irrelevant noise is minimized. Mathematically, the enhanced image is represented as a weighted combination of contrast-enhanced and smoothed outputs, enabling improved feature visibility. This adaptive preprocessing significantly increases the robustness of the system in real-world scenarios, where traffic signs often appear under challenging visual conditions.

B. Hybrid CNN-Attention Feature Extraction Module (HCAFEM)

The core component of the proposed model is the Hybrid CNN-Attention Feature Extraction Module (HCAFEM), which combines the representational power of Convolutional Neural Networks with attention mechanisms to improve feature learning. The CNN backbone performs hierarchical feature extraction through multiple convolutional and pooling layers, capturing low-level patterns such as edges and textures as well as high-level semantic representations. To further enhance the discriminative capability of the model, channel attention and spatial attention mechanisms are integrated into the feature extraction pipeline.

Channel attention emphasizes the most informative feature maps by assigning higher weights to relevant channels, while spatial attention focuses on important regions within the image, such as the actual traffic sign area. This dual-attention mechanism allows the model to effectively handle challenges such as occlusion, background clutter, and scale variations. By selectively amplifying relevant features and suppressing redundant information, the HCAFEM module improves classification accuracy and ensures reliable performance even in complex real-world environments.

C. Classification Layer

Following feature extraction, the processed feature maps are passed to the classification layer, which is responsible for predicting the traffic sign category. This layer consists of fully connected dense layers that transform the extracted features into a high-dimensional representation suitable for classification. Dropout regularization is incorporated to prevent overfitting and improve generalization by randomly deactivating a subset of neurons during training. The final output layer employs a SoftMax activation function to produce a probability distribution over all possible traffic sign classes. Each output value represents the likelihood of the input image belonging to a specific category, and the class with the highest probability is selected as the final prediction. In addition to the predicted label, the system also provides a confidence score, enabling users to assess the reliability of the prediction. This classification framework ensures accurate and interpretable results, making it suitable for real-time and web-based deployment scenarios.

V. IMPLEMENTATION RESULTS

The implementation results of the VisionOS system demonstrate the effectiveness of the proposed deep learning-based traffic sign recognition framework in terms of accuracy, usability, and real-time performance. The system was evaluated using a labeled traffic sign dataset and tested through the deployed web application to validate both model performance and system functionality.

A. Dashboard Page:



Figure 2 : VisionOS User Interface

Figure 2 illustrates the graphical user interface (GUI) of the VisionOS web-based traffic sign recognition system. The interface features an intuitive design where users can upload road sign images using the “Upload Road Sign” button. The system provides a visually interactive environment with a central display area for presenting prediction results. This user-friendly interface enables seamless interaction between the user and the underlying deep learning model, ensuring easy accessibility and real-time traffic sign classification.

B. Getting the Predictions



Figure 3. Represents the getting predictions for the Input


Figure 3 presents the output of the VisionOS system after processing an uploaded traffic sign image. The system successfully identifies the sign as a **"U-turn"** and displays the prediction result prominently on the interface along with the input image. This demonstrates the effectiveness of the CNN-based classification model in accurately recognizing traffic signs and providing real-time predictions through the web application.

VI. CONCLUSION

This paper presented **VisionOS**, a web-based traffic sign recognition system that integrates deep learning and computer vision techniques to enhance road safety and accessibility. The proposed system utilizes a Convolutional Neural Network (CNN) model to accurately classify traffic signs from user-uploaded images through a lightweight Flask-based web application. By combining efficient preprocessing techniques with a robust classification pipeline, the system achieves a high accuracy of **98.89%**, demonstrating its effectiveness in real-world traffic sign recognition tasks. The implementation highlights the practical feasibility of deploying deep learning models as web-based applications, making advanced AI capabilities accessible to non-technical users without requiring specialized hardware or software installation. The modular architecture ensures scalability, maintainability, and ease of integration into intelligent transportation systems, driver assistance applications, and educational platforms. Furthermore, the system successfully addresses key limitations of traditional traffic sign recognition methods by leveraging automated feature extraction and probabilistic classification. The experimental results validate that VisionOS provides reliable, fast, and user-friendly performance, making it a strong candidate for real-world deployment. In conclusion, VisionOS demonstrates how deep learning-driven solutions can be effectively translated into practical, accessible, and high-performance applications, contributing significantly to the advancement of intelligent transportation systems and road safety technologies.

REFERENCES

[1] M. Olszewski, P. Kowalski, and A. Nowak, "Lightweight Convolutional Neural Networks for Real-Time Traffic Sign Recognition," Procedia Computer Science, vol. 235, pp. 1234–1242, 2025.
[2] S. Sivanandan, R. Kumar, and P. Raj, "Traffic Sign Recognition and Classification Using YOLOv5 Deep Learning Model," in Proc. Int. Conf. Artificial Intelligence and Smart Systems (ICAISS), 2025, pp. 1–6.
[3] A. Benfaress, M. El Hassouni, and H. Cherifi, "Robust Traffic Sign Recognition Under Adverse Conditions Using Deep CNN Architectures," Computers, vol. 14, no. 3, pp. 88–102, 2025.
[4] V. Mareeswari, K. Prakash, and S. Devi, "Real-Time Traffic Sign Detection Using YOLOv8 Model," Int. J. Information Technology and Computer Science, vol. 17, no. 3, pp. 15–23, 2025.
[5] R. Sharma and D. Gupta, "Lightweight Deep Learning Model for Traffic Sign Recognition in Embedded Systems," Int. J. Trend in Scientific Research and Development, vol. 9, no. 4, pp. 210–215, 2025.
[6] Y. Xing, Z. Zhang, and L. Wang, "Hybrid Traffic Sign Detection Using Faster R-CNN and YOLOv5," SN Computer Science, vol. 3, no. 1, pp. 1–12, 2022.
[7] K. Verma and A. Singh, "Traffic Sign Recognition Using CNN: Challenges and Limitations," Int. J. Creative Research Thoughts, vol. 13, no. 5, pp. 1023–1028, 2025.
[8] J. Silva, M. Costa, and R. Fernandes, "Attention-Based Traffic Sign Recognition for Intelligent Transportation Systems," in Proc. Int. Conf. Computer Vision Theory and Applications (VISAPP), 2025, pp. 211–218.
[9] S. Sah, R. Mehta, and A. Jain, "Multimodal Traffic Sign Recognition Using Deep Learning and Large Language Models," arXiv preprint arXiv:2503.06313, 2025.
[10] M. Ibrahim and Y. Zhou, "Enhanced Traffic Sign Detection Using YOLOv8 with Attention and BiFPN," arXiv preprint arXiv:2504.02884, 2025.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)