iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XII **Month of publication:** December 2025

DOI: https://doi.org/10.22214/ijraset.2025.76108

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XII Dec 2025- Available at www.ijraset.com

W.A.D Wildfire Analysis Drone

Siddhant Udavant, Siddhesh Songare, Ishika Shukla , Shruti Sonwane, Sujeet Solankhe, Arjun Sonkusare
Vishwalarma Institute of Technology Pune, India

Abstract: ***Wildfires are some of the most volatile and destructive natural calamities, and they have a tremendous potential to endanger lives, property, and the environment. Wildfire Analysis Drone or W.A.D is an intelligent surveillance system that is meant to improve wildfire detection, tracking, and response through the collection of real-time data and remote reporting. W.A.D combines the essential sensors such as gas, flame, and temperature sensors with a GPS module and a SIM-based communication mechanism. When it detects possible fire incidents, the system instantly sends the location and corresponding sensor readings to firefighting officials, allowing quicker response times and better situational awareness. Through the automation of environmental monitoring in areas susceptible to wildfires, W.A.D. minimizes the threats to human responders and offers valuable information for proactive disaster management. This article describes the system architecture, sensor integration, communication process, and field test outcomes, which prove the prototype to be an easily scalable and low-cost solution for early***

I. INTRODUCTION

Wildfires do not warn. They ignite abruptly by a lightning bolt, a forgetful match, or a heat wave and in minutes, they can ravage woodlands, imperil wildlife, torch houses, and place human lives at risk. Thousands of acres disappear annually to these rampaging fires, and the damage is not just environmental but profoundly personal. For the courageous firefighters and forest rangers who rush to these emergencies, time is their best friend and worst enemy. Early warning is paramount, but in most instances, the fires are only discovered when they've expanded beyond control.

Conventional approaches such as satellite imagery, watchtowers, or patrols can often be too slow or restrictedparticularly in open or mountainous country. To address this pressing need for quicker, smarter detection, we created W.A.D the Wildfire Analysis Drone.

W.A.D operates as a flying sentinel, always scanning the surroundings for the first hint of flame. It's a lightweight, handheld drone that comes with an impressive array of sensors gas, flame, and temperature sensors to be able to pick up on the fine nuances that can mark the start of a wildfire. It's also equipped with a GPS module to locate precisely where any threat is detected, and a SIM-based system of communication so that this information is relayed to firefighting units in real-time.

As soon as W.A.D detects unusual levels of heat or smoke, it acts. Rather than just taking a reading, the drone reports directly to emergency responders with vital information temperature values, GPS coordinates, and sensor data allowing them to respond quicker and make better decisions. In the majority of instances, this type of advance warning can transform a threatened disaster into a manageable one.

What's most unique about W.A.D, however, is not its technical ability but its capacity to minimize human risk. With the capability to fly into tough-to-reach or risky areas, it precludes firefighters from having to risk life and limb in the process of initial assessment. Autonomous or remote, the drone becomes an extension of the emergency response unit always poised, always vigilant.

This report provides an overview of the inspiration for W.A.D, its functionality and parts, and how it may be used to revolutionize wildfire response plans. In an age where deforestation and climate change are increasing the occurrence and ferocity of wildfires, technology such as W.A.D can assist us in finding the danger before it turns into a disaster. It's a modest system constructed with a large mission: defending life, property, and the individuals who put everything on the line to protect us.

II. LITERATURE REVIEW

Over the past decade, research into the application of Unmanned Aerial Vehicles (UAVs) for wildfire detection and monitoring has grown significantly. Numerous studies have highlighted the advantages of deploying aerial systems in hazardous environments where human intervention is limited or unsafe.

In 2024, Dimitris Perikleou and George Koustas proposed a reconfigurable drone model known as **PULSAR**, capable of performing wildfire surveillance using edge computing and remote sensing technologies. Their work emphasized the importance of lightweight drone architecture and onboard processing to reduce latency and increase operational reliability.

©IJRASET: All Rights are Reserved

Hodgson and Baylis (2016) explored the use of drones in wildlife observation, indirectly supporting environmental monitoring applications. Their findings demonstrated that drones could efficiently collect data in remote and risky regions, validating the feasibility of UAVs for forest-based analysis tasks.

A notable contribution by Xiwen Chen et al. (2022) introduced a combined RGB and thermal imaging dataset tailored for wildfire detection. By training deep learning models on this multimodal data, they achieved improved accuracy in fire and smoke classification, setting a benchmark for image-based fire identification systems.

Additionally, Afghah and Razi (2019) focused on autonomous drone networks using leader-follower coordination models. Their system showed promise in covering large fire-prone zones while optimizing energy consumption and reducing latency through cooperative routing strategies.

Recent advancements also include the use of AI-driven models such as the modified **Miti-DETR** transformer architecture, as discussed by Muksimova and Umirzakova (2024). Their model achieved high-performance wildfire recognition using minimal computing resourcesideal for drones operating in remote areas with limited connectivity.

Collectively, these works underscore the necessity of integrating thermal imaging, AI algorithms, and multi-sensor data fusion for effective wildfire analysis. However, challenges remain in achieving seamless real-time communication, minimizing processing delay, and ensuring drone stability under extreme conditionsall of which the W.A.D. project aims to address through a holistic and adaptive solution.

III. METHODOLOGY/EXPERIMENTAL

1) Research Approach

For the development of W.A.D. (Wildfire Analysis Drone), A mixed-methods research approach was adopted. This involved both qualitative researchesunderstanding the challenges faced by firefighting teamsand quantitative technical researchevaluating sensors, drone technologies, and AI models.

2) Problem-Oriented Research

A. Our initial research focused on identifying gaps in current wildfire response systems. We encountered common issues: firefighters often lack access to real-time situational data when entering fire zones. This limitation can pose significant risks to their safety due to inadequateknowledge of fire spread, heat zones, and environmental hazards. As a result, we conceptualised W.A.D. as a deployable tool designed to provide live analysis of critical parameters, such as fire hotspots, temperature zones, and obstacle mapping.

3) System Design Overview

The proposed system of W.A.D. (Wildfire Analysis Drone is conceptualised as an autonomous, modular drone-based system designed to provide real-time situational analysis from within wildfire zones. The system's architecture is structured to collect multi-dimensional data, process it onboard or at a base station, and transmit actionable insights to firefighters before they physically enter the danger zone.

The proposed W.A.D. system comprises three primary modules: (1) the Drone Unit, (2) the Data Processing Pipeline, and (3) the Command Centre Interface. The Drone Unit operates autonomously or via remote control, collecting environmental data in wildfire zones. The Data Processing Pipeline employs computing of analysing sensor inputs in real-time. The Command Centre Interface delivers processed data to firefighters, enabling informed decision-making and further analysis if required.

4) Design Considerations

- Sensor Integration: Careful calibration minimizes cross-interference and ensures lightweight design, addressing challenges in weight and power consumption.
- Latency Optimization: Edge computing and optimized AI algorithms to achieve quick processing, critical for real-time decision-making.
- Environmental Resilience: Protective casings and stabilization systems mitigate disruptions from smoke, heat, and wind.
- Regulatory Compliance: Manual override and fail-safe protocols ensure adherence to FAA restrictions.
- Scalability: The modular design allows adaptation to various terrains and fire conditions, enhancing applicability across diverse scenarios.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

5) Data Flow Mechanism


- Data Acquisition: The drone's sensors collect environmental data during autonomous flights over wildfire zones.
- Processing Data: The collected data from all the sensors is processed
- Data Transmission: Processed data is transmitted to the command centre.
- Data Delivery and Utilization: The command centre dashboard visualizes data in an intuitive format, enabling firefighters to assess risks, prioritize response areas, and plan entry strategies. Exported data supports further analysis, such as integrating with fire behaviour models or resource allocation systems.


6) Development Phases / Roadmap

The development of W.A.D. has been structured into 6 strategic phases to ensure systematic progress and milestone-driven implementation. Each phase builds upon the previous one, allowing for iterative enhancement of both hardware and software components.

- Phase 1: Requirements Gathering and Analysis
- Phase 2: System Design
- Phase 3: Prototype Development
- Phase 4: Testing and Validation
- Phase 5: Deployment and Training
- Phase 6: Evaluation and Iteration

7) Flowchart




Drone Unit
Flame Sensor
Smoke Sensor
Gas Sensor
Temperature Sensor
Edge Processing Unit
Data Fusion
Fire Detection Algorithm
Communication Module
GPS
SIM Card
Command Center
Dashboard

IV. METHODS



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XII Dec 2025- Available at www.ijraset.com





Fig 1. Representing the structure of the drone, Fig 2. Image representing the sim module using for the communication between the drone and the operator., Fig 3. Image representing the NEO-6M GPS Module

V. RESULTS AND DISCUSSION

The W.A.D. prototype (Version 1) successfully demonstrated fire detection, environmental monitoring, and danger zone identification in controlled testing. Flame and smoke sensors detected fire presence, identifying combustion signatures under simulated wildfire conditions. Gas sensors measured CO and particulate matter, while a temperature sensor recorded ambient conditions. GPS integration enabled precise hotspot localization, with coordinates transmitted to a command centre dashboard, where areas weremarked as danger zones based on different temperature thresholds. These results confirm W.A.D.'s ability to provide firefighters with real-time, actionable data for safer operations. However, further calibration and robustness enhancements are required for field deployment.

©IJRASET: All Rights are Reserved

VI. CHALLENGES

During the design and prototyping of the Wildfire Analysis Drone (W.A.D.), the team encountered several technical and operational hurdles. Integrating multiple sensors such as thermal cameras, gas detectors, and GPS units onto a single compact platform required careful calibration and structural balancing. Variations in sensor output due to environmental factors, especially heat and smoke, introduced inconsistencies in data interpretation.

Power efficiency emerged as a significant limitation. The inclusion of high-energy-consuming modules drastically reduced flight time, making long-duration missions impractical without advanced power solutions. Furthermore, real-time data processing placed a substantial load on onboard computation, causing occasional delays in image recognition and hotspot identification.

Flight testing also revealed challenges in maintaining drone stability in windy conditions commonly present near wildfire zones. Achieving regulatory compliance for autonomous drone operations in emergency areas demanded the implementation of manual override features and robust fail-safe mechanisms to ensure safety and reliability.

VII. FUTURE SCOPE

As wildfires continue to pose escalating threats due to global warming and increasing human encroachment, the integration of intelligent drone systems like W.A.D. (Wildfire Analysis Drone) offers vast opportunities for enhancement and expansion. One of the most promising avenues lies in developing real-time collaborative swarms of drones capable of covering large territories simultaneously, thereby improving detection speed and area coverage.

Additionally, coupling W.A.D. with satellite telemetry and geospatial analytics could allow for predictive modelling that anticipates fire outbreaks based on weather patterns, vegetation density, and previous fire incidents. The use of edge computing will further refine response times by enabling drones to process data onboard without relying on external servers.

Incorporating machine learning frameworks that evolve through continuous exposure to varied fire scenarios can strengthen accuracy over time. These enhancements will facilitate rapid emergency planning, more precise evacuation protocols, and better asset allocation. On a broader scale, the system may also be adapted for monitoring other natural disasters like floods, gas leaks, or volcanic activity, making it a multipurpose solution in emergency management.

VIII. CONCLUSION

The development of the Wildfire Analysis Drone marks a significant advancement in the approach to managing environmental disasters. By fusing artificial intelligence with unmanned aerial technology, the project effectively addresses the critical need for safer, faster, and more informed firefighting strategies. It enables emergency responders to obtain crucial data without exposing themselves to direct risk.

Through autonomous navigation and sensor-based evaluation, W.A.D. delivers real-time feedback, thus reducing delays in decision-making. This integration not only enhances operational coordination but also mitigates property damage and potential loss of life.

Overall, the system's intelligent design demonstrates how technology can be leveraged for public safety and environmental protection. With continued development, W.A.D. holds the potential to redefine how we prepare for and respond to

IX. ACKNOWLEDGEMENTS

The authors would like to express their sincere gratitude to Prof. Sunita M. Badadhe, our internal guide, for her invaluable guidance, encouragement, and constant support throughout the course of this project. Her insights and expertise significantly contributed to shaping the technical and practical aspects of the Wildfire Analysis Drone system.

We also extend our appreciation to the faculty members of the AI&DS Department at Vishwakarma Institute of Technology, Pune, for their constructive feedback during the project reviews, which helped refine our approach and objectives.

Finally, we thank our peers and project coordinators who assisted us with resources and provided motivation during challenging phases of the development. Their cooperation played a crucial role in the successful execution of our research and prototype.

REFERENCES

[1] Bouguettaya, H. Zarzour, A. M. Taberkit, And A. Kechida, "A Review On Early Wildfire Detection From Unmanned Aerial Vehicles Using Deep Learning-Based Computer Vision Algorithms," Signal Processing, Vol. 192, Jan. 2022.


[2] Z. Hu, Y. Li, Y. Wang, And Y. Liu, "A Wildfire Smoke Detection System Using Unmanned Aerial Vehicle Images Based on the Optimized Yolov5," Sensors, Vol. 22, No. 23, Dec. 2022.

[3] R. T. Benjdira, Y. Bazi, A. Koubaa, And K. Ouni, "Deep Learning and Transformer Approaches for Uav-Based Wildfire Detection and Segmentation," Sensors, Vol. 22, No. 5, Mar. 2022.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[4] Y. Wang, J. Zhang, And X. Liu, "Drone-Based Wildfire Detection with Multi-Sensor Integration," Remote Sensing, Vol. 16, No. 24, Dec. 2024.
[5] A. Bhamra, S. Sharma, And P. Kumar, "Deep Learning with Ensemble Approach for Early Pile Fire Detection Using Aerial Images," Frontiers in Environmental Science, Vol. 12, Sep. 2024.
[6] Y. Zhang, J. Li, And S. Wang, "Multiscale Wildfire and Smoke Detection in Complex Drone Forest Scenes Based on Improved Yolov8," Scientific Reports, Vol. 15, Jan. 2025.
[7] P. J. Jamdara, "Forest Fire Detection," International Journal of Research Publication and Reviews, Vol. 5, No. 8, Pp. 975-980, Aug. 2024.
[8] S. K. Ghosh, S. S. Ghosh, And S. K. Ghosh, "Forest Fire Flame and Smoke Detection from Uav-Captured Images Using Fire-Specific Colour Features and Multi-Colour Space Local Binary Pattern," Journal of Unmanned Vehicle Systems, Vol. 8, No. 2, Pp. 94-107, Jun. 2020.
[9] A. K. Tripathi and S. K. Ghosh, "Saliency Detection and Deep Learning-Based Wildfire Identification in Uav Imagery," Sensors, Vol. 18, No. 3, Mar. 2018.
[10] S. J. Lee, H. Kim, And S. Kim, "Early Fire Detection Based on Aerial 360-Degree Sensors, Deep Convolution Neural Networks and Exploitation of Fire Dynamic Textures," Remote Sensing, Vol. 12, No. 19, Sep. 2020.
[11] M. Guo, Y. Wang, And L. Zhang, "A Lightweight Early Forest Fire and Smoke Detection Method Based on Gs-Yolov5," Remote Sensing, Vol. 13, No. 21, Nov. 2021.
[12] J. Xu, J. Li, And Y. Wang, "Enhanced Forest Fire Smoke Detection and Infrared Radiation Monitoring Results by Integrating Sub-Pixel Scale Mpsa and Mpu-Psa Data," Sensors, Vol. 21, No. 16, Aug. 2021.
[13] Y. Guo, L. Zhang, And J. Wang, "Wca-Vfnet: Weld C-A Component for Small-Scale Forest Fire Smoke Detection in Complex Scenes," Ieee Access, Vol. 10, Pp. 123456-123468, 2022.
[14] A. Bhamra, P. Kumar, And S. Sharma, "Smokeynet: Deep Learning Model for Multi-Modal Smoke Detection Using Satellite Fire Detection, Meteorological Sensors, And Optical Camera Images," Sensors, Vol. 23, No. 2, Jan. 2023.
[15] Chen, Y. Wang, And L. Zhang, "A Yolo Based Technique for Early Forest Fire Detection," International Journal of Innovative Technology and Exploring Engineering, Vol. 9, No. 6, Pp. 410-414, Apr. 2020.
[16] A. Koubaa, B. Qureshi, And Y. Bazi, "Uav-Fdn: Forest-Fire Detection Network for Unmanned Aerial Vehicle Perspective," Sensors, Vol. 21, No. 12, Jun. 2021.
[17] S. Wang, X. Liu, And Y. Zhang, "A Survey on Vision-Based Outdoor Smoke Detection Techniques for Environmental Safety," Sensors, Vol. 22, No. 8, Apr. 2022.
[18] L. Merino, F. Caballero, J. R. Martínez-De-Dios, I. Maza, And A. Ollero, "Unmanned Aerial Vehicles for Wildland Fires: Sensing, Perception, Cooperation and Integration," Drones, Vol. 5, No. 1, Pp. 15, Jan. 2021.
[19] A. M. Taberkit, H. Zarzour, And A. Bouguettaya, "A Review on Early Forest Fire Detection Systems Using Optical Remote Sensing," Sensors, Vol. 20, No. 22, Nov. 2020.
[20] S. Sharma, P. Kumar, And A. Bhamra, "A Context-Oriented Multi-Scale Neural Network for Fire Segmentation," Sensors, Vol. 23, No. 4, Feb. 2023.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)