iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XII **Month of publication:** December 2025

DOI: https://doi.org/10.22214/ijraset.2025.76306

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XII Dec 2025- Available at www.ijraset.com

Water Quality Monitoring Kit

Lakshmi K[1], Raksha RD[2], Mythili G[3], KN Yashaswini[4]
Information Science and Engineering, Global Academy of Technology

Abstract: ***The integration of IoT in environmental monitoring has revolutionized the ways of administration and monitoring of water resources. Distributed network is used to collect Real-time and continuous data from sensors based on IoT systems used for better decision-making towards the use of sustainable water. This paper reviews recent publications on water quality monitoring systems based on IoT. To identify technological trends, design protocols, and implementation challenges, thirteen research works are analysed. It gives a summary of the evolution of sensor technologies, IoT architectures, integrated systems, and communication networks which offer reliable and efficient monitoring of water. Despite unparalleled advancement, issues such as calibration, data consistency, and performance during long-field deployments are not yet overcome. Further studies should focus on the scalability, interoperability, and sustainability of deployable practices so that IoT-based monitoring systems could be deployed under any environmental conditions.***

Keywords: Internet of Things, water quality monitoring, communication technologies, environmental monitoring, embedded systems, sensors.

I. INTRODUCTION

Water quality is the main key component in a healthy environment that affects human beings as well as water ecosystems. Traditional methods of water quality check significantly based on manual sample collection and laboratory testing in the long run across territories result in poor detail and accuracy. Based on the Internet of Things, there have been transformations. New technologies using permanent, autonomous, and real-time monitoring by connecting smart devices.

Most IoT-based monitoring systems consists of sensors, data sending methods, data storage and analysis locations, and user displays to display the information. Such systems provide display of crucial information such as turbidity, temperature, dissolved oxygen (DO), and electrical conductivity and others. The provided information serves the determination of pollution issues, irrigation system control, and ensuring that environmental rules are observed. Recent research illustrates how IoT systems can keep costs low and accuracy high, be energy-efficient, and strong in tough outdoor situations. However, there are still some real challenges in the form of sensor dirt, slow data transfer, and unreliable networks. This review gathers current studies to look at system designs, sensing technologies, communication methods, and experiences from field deployments.

II. REVIEW OF LITERATURE

A. Deployment And Architectures Of IOT

IoT water monitoring systems generally contain a number of layers, such as the application layer, network layer, and sensing layer. The sensing layer can collect information from remote areas, while the network layer is responsible for transmitting data to central or cloud systems for the processing of data. Research such as [1] and [2] demonstrated IoT architectures that were flexible for real-time, cost-effective water quality monitoring on open-source hardware platforms such as Arduino and ESP32. Such systems used wireless connections to send data in real time and provided results on user-friendly dashboards.

In a related vein, studies [3] have discussed multi-node distributed systems for both rural and urban water bodies, emphasizing redundancy and scalability. In addition to that, [4] and [5] have proposed hybrid IoT architectures in which local gateways perform partial data processing before uploading to the cloud, thereby reducing both bandwidth and energy consumption.

Some systems used mobile or float sensor nodes to increase coverage, while other systems used permanent fixes to facilitate the monitoring of catchments and rivers in the long term. Indeed, this set of designs shows the flexibility of water quality IoT-based systems, which can scale from a miniaturized laboratory prototype up to a large field deployment.

B. Methods And Sensors To Measure

The key to the reliability and accuracy in IoT water monitoring is basically dependent on the sensors. Parameters commonly being monitored, mini sensor nodes that are integrated with various probes into one IoT node were designed by the researchers [6] and [7], which are highly sensitive but low in cost.

©IJRASET: All Rights are Reserved

Research [8] developed a changeable sensor platform that can be adjusted for various monitoring needs. Low-cost sensors were tested against high-quality laboratory equipment to check their accuracy. Even though these low-cost sensors have some small errors, many studies have shown that with the right calibration and correction models, they can provide enough precision for environmental use.

Work [9] proposed a method of correcting readings for errors caused by temperature and biofouling variations. In [10] and [11], the usage of special materials with cover protection was described, ensuring long-term reliability. Testing also has proven that incorporating redundancy using backup sensors for critical readings will allow for the detection and correction of data problems.

In general, the latest publications point to a high level of miniaturization, robustness, and flexibility in integration for scalable field-ready IoT systems that balance cost and integrity of measurement.

C. Integrating Systems And Communication Technologies

System integration is a key feature of IoT-based water monitoring systems, which unifies sensors, controllers, gateways, and cloud services as a complete ecosystem. These are the communication technologies that form the backbone, and which determine data transmission reliability, range, and consumed power.

The experiments in [1] and [4] use Wi-Fi and GSM modules for data transmission in miniature monitoring systems. Such implementations are viable in areas that have good coverage but consume much power. For addressing these issues, LoRa-based implementations are realized in [5] and [8], which provide long-range communication with negligible energy consumptions best suited for monitoring in rural or remote areas. BLE have also been considered in [9] and [12] for short range communication, to provide mesh networking, allowing enhanced scalability and reliability of wireless sensor networks.

Besides communication modules, integration frameworks are also highly required when dealing with data flow. Various systems used the HTTP protocol to send sensor data to either web dashboards or cloud servers. Studies [7] and [10] connected those pipes of data to services like AWS IoT Core and Thing Speak, which allowed users to see data in real time and receive notifications.

Power management is one of the key features of integrated designs. Power reduction microcontrollers and solar panels have been integrated into many systems to make them long-lasting. It has been demonstrated by research [3] that duty cycled communication, i.e., data is transmitted periodically instead of continuously, can be used to save power and still have good time.

It has been found that a combination of connectivity, cost, and power is necessary for efficient system integration. The choice of communication technology depends on how big a system is: Wi-Fi and GSM are suitable for small systems, LoRa and ZigBee are good for bigger networks. Integration architectures must further provide that data stays consistent and has little or no downtime, especially in rural areas.

D. Uses And Examples

IoT-based water monitoring systems are used for different purposes, including surface water tracking, the observation of groundwater, and industrial wastewater treatment. Research [6] used IoT networks to monitor river water quality continuously by measuring parameters like turbidity in order to detect early signs of pollution.

Similarly, study [7] designed a pond monitoring system that supported fish farming by maintaining suitable dissolved oxygen and nutrient levels, which directly improved the yield of the fishes and supported the ecosystem.

Study [9] presented an implementation of IoT technology for water management in urban environments, enabling local authorities to monitor the quality of water in pipes and detect leakage or contamination in real time.

Research [8] explored the integration of IoT in smart city grids that unified the management of water, waste, and energy systems.

Apart from that, [11] also demonstrated that mobile IoT devices can be used for field-based water testing, providing instant results without the need for laboratory analysis.

These various applications collectively underscore the efficiency of IoT-based water monitoring across geographies. It proves beneficial for managing rural areas, regulating industrial processes, and developing smart cities. When combined with technologies like cloud computing and artificial intelligence, IoT-based systems become even more powerful, supporting intelligent and sustainable decision-making.

E. Assessment, Calibration And Challenges

This will improve the accuracy of data, maintaining the scientific validity of an IoT-based monitoring system through regular assessment and calibration of instruments. Studies [1], [6], and [7] compared IoT sensor readings with laboratory standards and found that results generally stayed within ±5–10% of conventional measurements when sensors were properly calibrated.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

However, the calibration in changing field conditions is a major challenge.

Work [10] proposed the use of semi-automated calibration routines reliant on reference datasets, while in [11], frequent manual recalibration in the field was emphasized as an important activity due to sensor drift.

Other important causes of measurement inconsistencies that were pinpointed included temperature, salinity, and suspended solids.

Other major challenges include sensor fouling, unstable wireless connections, and power management failures.

Possible solutions include the usage of redundant sensors, energy-harvesting systems, and robust communication protocols.

Moreover, the absence of standardized testing frameworks across different platforms presents difficulties in performance comparison and replication.

The study has pointed out the need for creating calibration procedures and common models of evaluation. Ensuring long-term accuracy and reliability is very important for creating confidence in the IoT-based water quality monitoring systems.

III. GAPS AND FUTURE DIRECTIONS

1) Despite the significant developments in IoT-based water monitoring, there remain a number of gaps in the following areas:

2) Standardization of Calibration Procedures: Without strict and consistent calibration and validation standards, systems cannot be compared fairly.

3) Long-Term Performance: Most of the existing systems have only been tested over short durations; little is known about their long-term behaviour in changing conditions.

4) Additional sensors could give information on the quality of the water.

5) Power and Energy Optimization: There is a need for further study in low-power microcontrollers, adaptive duty cycling, and hybrid solar-energy solutions.

6) Data interoperability encompasses open communication protocols and standardised data formats, which are essential for large-scale implementation.

7) Network Reliability: Stable connectivity in large and wide areas is still a challenge, especially for LoRa- and GSM-based systems.

8) Scalability and Maintenance: Large networks with hundreds of sensor nodes require better orchestration and automated fault recovery systems.

9) Security and Privacy: Future designs need to incorporate strong access control and end-to-end encryption mechanisms.

10) Socioeconomic Integration: Any future systems should focus on affordability and accessibility by the community to increase its wider adoption and long-term sustainability.

IV. CONCLUSION

This review analysed thirteen recent studies related to IoT-based water quality monitoring systems, with a focus on advances in architectural design, sensor development, and communication technologies. This review demonstrated how IoT has evolved from early, experimental models into practical, field-deployable systems that can deliver reliable, continuous environmental information. Modular sensors, scalable communication networks, and cloud-based frameworks have been widely integrated to enhance the effectiveness of monitoring.

In spite of these developments, there are issues related to long-term calibration, efficient power use, and absence of uniform standards that remain unresolved. These will need a multidisciplinary effort with sustained advances in sensor engineering, network optimization, and solutions for intelligent data management. As IoT technologies continue to progress, their role in water management will be crucial in promoting smart and data-driven decisions in protecting water resources worldwide.

REFERENCES

[1] M. S. Miralam, “On the Deployment of IoT-Based Approach for an Efficient Water Management and Treatment,” Journal of Information Systems Engineering and Management, vol. 10, no. 10s, 2025.

[2] Shilwant, V., Mulik, P., Kolap, R., & Tahkur, R. (2024). Comparative Study of Water Quality Assessment with IoT & Lab Test. International Journal of Engineering Research & Technology (IJERT), 13(4).

[3] Pires, L. M., & Gomes, J. (2024). River Water Quality Monitoring Using LoRa-Based IoT. Designs, 8(6), 127. doi: 10.3390/designs8060127

[4] Correa, C., Dujovne, D., & Bolaño, F. (2023). Design and Implementation of an Embedded Edge-Processing Water Quality Monitoring System for Underground Waters. IEEE Embedded Systems Letters, 15(2), 81–84. doi: 10.1109/LES.2022.3184925

[5] Kenchannavar, H. H., Pujar, P. M., Kulkarni, R. M., & Kulkarni, U. P. (2022). Evaluation and Analysis of Goodness of Fit for Water Quality Parameters Using Linear Regression Through the Internet-of-Things-Based Water Quality Monitoring System. IEEE Internet of Things Journal, 9(16), 14400–14407. doi: 10.1109/JIOT.2021.3094724

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[6] Bakar, A. A. A., Bakar, Z. A., Yusoff, Z. M., Ibrahim, M. J. M., Mokhtar, N. A., & Zaiton, S. N. (2025). IoT-Based Real-Time Water Quality Monitoring and Sensor Calibration for Enhanced Accuracy and Reliability. International Journal of Interactive Mobile Technologies (iJIM), 19(1), 155–170. doi: 10.3991/ijim.v19i01.51101

[7] Kumar, J., Gupta, R., Sharma, S., Chakrabarti, T., Chakrabarti, P., & Margala, M. (2024). IoT-Enabled Advanced Water Quality Monitoring System for Pond Management and Environmental Conservation. IEEE Access, 12, 58156–58167. DOI: 10.1109/ACCESS.2024.3391807

[8] Alshami, A., Ali, E., Elsayed, M., Eltoukhy, A. E. E. E., & Zayed, T. (2024). IoT Innovations in Sustainable Water and Wastewater Management and Water Quality Monitoring: A Comprehensive Review of Advancements, Implications, and Future Directions. IEEE Access, 12, 58427–58453. doi: 10.1109/ACCESS.2024.3392573

[9] Kumar, M., Singh, T., Maurya, M. K., Shivhare, A., Raut, A., & Singh, P. K. (2023). Quality Assessment and Monitoring of River Water Using IoT Infrastructure. IEEE Internet of Things Journal, 10(12), 10280–10290. DOI: 10.1109/JIOT.2023.3238123


[10] Ye, Z., Wu, F., Zhang, C., Cheng, C.-T., Fan, W., Tang, B., & Liu, Y. (2025). Sensing and Reasoning of Water Quality Based on Deep Reinforcement Learning in Complex Watershed. IEEE Internet of Things Journal, 12(5), 5036–5047. DOI: 10.1109/JIOT.2024.3486771

[11] R. Wiryasaputra, C.-Y. Huang, Y.-J. Lin, and C.-T. Yang, “An IoT Real-Time Potable Water Quality Monitoring and Prediction Model Based on Cloud Computing Architecture,” Sensors, vol. 24, no. 4, p. 1180, 2024. doi: 10.3390/s24041180

[12] Y. Singh and T. Walingo, “Smart Water Quality Monitoring with IoT Wireless Sensor Networks,” Sensors, vol. 24, no. 9, p. 2871, 2024. doi: 10.3390/s24092871

[13] S. Shinde, P. S. Kumbhar, and S. G. Deokar, “Water Quality Assessment Tool for On-Site Water Quality Monitoring,” International Journal of Innovative Research in Computer and Communication Engineering, vol. 11, no. 5, pp. 4505–4512, May 2023. doi: 10.15680/IJIRCCE.2023.1105043

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)