



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: V Month of publication: May 2023

DOI: https://doi.org/10.22214/ijraset.2023.52381

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

### **Weapon Detection System**

Kiran Mudaraddi<sup>1</sup>, Keerthi T<sup>2</sup>, Likitha Yadav<sup>3</sup>, M. Varsha<sup>4</sup>, Nivedita M<sup>5</sup>

<sup>1</sup>Associate Professor, <sup>2, 3, 4, 5</sup>Final Year Students, Department of Computer Science and Engineering, Ballari Institute of Technology and Management, Ballari – 583104, India.

Abstract: Security is always a main concern in every sphere, due to a rise in crime rate in a crowded event or suspicious lonely areas. Anomaly detection and observance have major applications of computer vision to gear various problems. Due to demand in the protection of safety, security of private properties placement of surveillance systems can recognize and interpret the scene and anomaly events play a vital role in intelligence observance. Detection of weapon and militant using convolution neural network (CNN). Proposed implementation uses two types of datasets. One dataset contains pre-labelled images. And the other one labelled manually contains a set of images. Results are tabulated, both algorithms achieve good efficiency, but their operation in real situations can be based on the trade-off between speed and efficiency. Crime is defined as an act dangerous not only to the person involved, but also to the community as a whole. It is to predict the crime using image dataset and finally calculate accurate performance of the detector. The propose algorithms that are able to alert the human operator when a weapon and militant is visible in the image. It is mainly focused on limiting the number of false alarms in order to allow for real life application of the system. For future work, it is planned to use in live application and to improve the detection and reduce the crime.

#### I. INTRODUCTION

Currently, numerous cases of crimes are reportin public place, home using different types of weapon and militants such as firearms, swords, cutters, etc. To observe and decrease such types of crimes, CCTV camera is installed in public places. Generally, the surveillance footage recorded through these cameras are covered bysecurity staff. Success and failure of detecting crime rely upon the awareness of operator. It isnot always possible for a person to pay attention on all the surveillance footage on a single screen recorded through multiple video cameras. Nature and extent of crime depends on the types of weapons and militant that is used. If a video surveillance system has the ability to generate a prior alert, then by timely reaction losses may be reduced to the maximum extent. Advantage of weapon and militant classification can also be added to a surveillance system. Weapon and militants may be classified either using standard approaches with machine learning classifier or by using deep learning-based approach. The trained model is further used for labelling any new input image. Efficiency of suchtypes of approaches depends on the robustness and diversity of extracted features. To overcome these limitations, deep Convolutional Neural Networks is better to be used as it does not bear any explicit feature of the input image. DeepConvolutional Neural Networks consist of a number of convolutional layers, pooling layers and fully connected layers.

#### II. LITERATURE SURVEY

- 1) JIANYU XIAO SHANCANG L et al.developed advanced forensic video analysistechniques to assist the forensic investigation. Anadaptive video enhancement algorithm based on contrast limited adaptive histogram equalization (CLAHE) is introduced to improve the closed- circuit television (CCTV) footage quality for theuse of digital forensic investigation. To assist the video-based forensic analysis, deep learning- based object detection and tracking algorithm are proposed that can detect and identify potential suspects and tools from the footage.
- 2) JEONG SEO AND HYE YOUNG PARK et al. proposes a framework for recognizing objects in very low-resolution images through the collaborative learning of two deep neural networks: The proposed image enhancement network attempts to enhance extremely low- resolution images into sharper and more informative images with the use of collaborative learning signals from the object recognition network. It also utilizes the output from the image enhancement network as augmented learning data to boost its recognition performance on verylow-resolution objects
- 3) Harsh Jain et. al implements automatic gun (or) weapon detection using a convolution neuralnetwork (CNN) based SSD and Faster RCNN algorithms. The proposed implementation uses two types of datasets. One dataset, which had pre-labelled images, and the other one is a set of





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

4) Shenghao Xu developed a weapon detection system based on TensorFlow, which is an open-source platform for machine learning; the Single Shot Multi Box Detector (SSD), a popular object detection algorithm; and MobileNet, which is a convolution neural network (CNN) for producing high-level features.

- 5) Shuiwang Ji et al put forward a method for theautomated recognition of human actions insurveillance videos. Developed a novel 3D CNN model for action recognition Convolutional neural networks (CNNs) are a type of deep model that can act directly on the raw inputs. To boost the performance, it includes regularizing the outputs with high level features and combining the predictions of a variety of different models.
- 6) Shifu Zhou et al suggested a method fordetecting and locating anomalous activities invideo sequences of crowded scenes. The key for method is the coupling of anomdescribon with a spatial-temporal Convolutional Neural Networks. This architecture allows us to capture features from both spatial and temporal dimensions by performing spatial-temporal convolutions, thereby, both the appearance and motion information encoded in continuous frames are extracted.
- 7) Weapon and militant classification using deep Convolutional neural networks; Neelam Dwivedi IEEE Conference CICT 2020. This paper presents a novel approach for weapon and militant classification using Deep Convolutional Neural Networks (DCNN). That is based on the VGG Net architecture. VGG Net is the mostrecognized CNN architecture which got its placein Image Net competition 2014, organized for image classification problems.
- 8) Warsi A et al. have contributed to automatically detecting the handgun in visual surveillance by implementing YOLO V3 algorithm with Faster Region-Based CNN (RCNN) by differentiating the number of false negatives and false positives [20], thus, taking real-time images and incorporating with ImageNet dataset then training it using YOLO V3algorithm images, which were labelled manually. Results are tabulated, both algorithms achieve good accuracy, but their application in real situations can be based on the trade-off between speed and accuracy.
- 9) Wu et al. proposed a weapon detection systemthat combines YOLOv3 and CNN. The proposed system first uses YOLOv3 to detect objects within an image, including potential weapons. The resulting bounding boxes are then passed to a CNN, which classifies the objects within the boxes as either weapons or non-weapons.
- 10) Jiang et al. proposed a weapon detection system that combines deep learning and traditional computer vision techniques. The system uses a YOLOv3 object detection algorithm to identify potential weapons in animage, which are then passed to a CNN for classification.
- 11) Weapon Detection Using YOLOv3 and CNN" by S. Jain and S. K. Dubey. This paper presents a weapon detection system that uses YOLOv3 object detection algorithm and CNN for classification.

#### III.PROPOSED SYSTEM

Security and protection are a difficult task in today's modern day world. In order to provide safety for public it is important to have a system that can recognize the unlawful activities.

To tackle this problem we have created a computer based system to identify weapons and militants from the live surveillance camera.

We have implemented this proposed system using YOLOv3, CNN and python to detect weapons and militant. Initially, a dataset is created by collecting images from different resources which consists of various classes of weapons.

This dataset of annotated images of weapons and militant is split training, validation, testing sets and converting into YOLOv3 format.

The YOLOv3 model is then trained on the annotated dataset and evaluated using variousmetrics such as precision, recall and mAP. Once the model is trained and evaluated, I t is deployed to detect weapons and militants in real time images or videos along with the confidence scoreof each detected object using python libraries likeOpenCV or Pytorch.


#### IV. METHODOLOGY

In this work, we have attempted to develop an computer based system for security purpose that distinguishes the weapons progressively, if identification is true it will caution the security personals to handle the circumstance by arriving at the place of the incident through surveillance cameras.



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue V May 2023- Available at www.ijraset.com




Our work starts with collecting the dataset from various sources, then the collected dataset will undergo complete analysis. The image is selected for testing/training purpose only if it matches therequirements and is not repeated. The analysis of image involves pre-processing using YOLOv3 which does image sharpening, labelling of images, removes noise and background subtraction and considers only the image with finer details. Next step is used to extract features from the pre-processed image received as input. In CNN, we take the output from the high-pass filter as input, as CNN is a classifier it has a feature extracting process of its own, using its hidden layers which works in iterations to give afinal output.

We have adopted the concept of deep learning that is YOLOv3 and convolutional neural network. YOLOv3 is used to detect the object it takes the entire image at a single time into the CNN and predicts the output through bounding box coordinates and class probabilities. Convolutional neural network is used for featureextraction and classification of the input image.

- A. CNN Consists of 4 Layers
- 1) Convolutional Layer
- 2) Rectifying Layer
- 3) Pooling layer
- 4) Fully connected layer and Output Layer

#### a) Convolutional Layer

Convolutional Layer is the first layer in CNN, here 3\*3 part of the given matrix which was obtained from High-pass filter is given as input. That 3\*3 matrix is multiplied with the High-passfilter matrix for the corresponding position and their sum is written in the particular position.



Convolutional Output: A 3\*3 matrix


Convolution is followed by the rectification of negative values to 0s, before pooling. Here, it is not demonstrable, as all values are positive.



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue V May 2023- Available at www.ijraset.com


b) Pooling Layer




In Pooling layer 3\*3 matrix is reduced to 2\*2 matrix, which can be done by selecting the maximum of the particular 2\*2 matrix for the particular position. Figure 4.16 shows the PoolingLayer.

#### c) Fully Connected layer and Output Layer

The output of the pooling layer is flattened and this resultant matrix is fed into the FullyConnected Layer. In the fully connected layer there are several layers, Input layer, Hidden layerand Output layers are part of it. Then this output is fed into the classifier, in our case SoftMax Activation Function is used to classify the imageinto weapon and militant present or not.




#### B. System Architecture




ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue V May 2023- Available at www.ijraset.com

C. Flowchart



#### V. RESULTS





#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue V May 2023- Available at www.ijraset.com

#### VI. CONCLUSION

In this stage one-dimension array is used for the final classification process. The output image obtained from feature extraction is given as input to this process. Where continuous classification of all the features obtained from the previous stage. Each node of the input layer has a value from a one dimension array which represents the feature from the extracted region. That is sent to the hidden layer. Multiple features are getting from the input layer and undergo multiple iteration in the hidden layer. Finally get the predictive values by applying SoftMax activation function to it. Then, get some output values from this process and these values undergo further process. The highest value in the predictive value is considered as output identified as weapon and militant. By using these methods, the weapon and militant will be detected by considering highest accuracy values.

#### **REFERENCES**

- [1] Harsha Jain et.al. "Weapon and militantdetection using artificial Intelligence and deep learning for security applications" ICESC 2020.
- [2] Arif Warsi et.al "Automatic handgun and knifedetection algorithms" IEEE Conference 2019.
- [3] Neelam Dwivedi et.al. "Weapon and militant classification using deep Convolutional neural networks" IEEE Conference CICT 2020.
- [4] Gyanendra Kumar Verma et.al. "Handheld Gundetection using Faster R-CNN Deep Learning" IEEE Conference 2019.
- [5] Pallavi Raj et.al. "Simulation and Performance Analysis of Feature Extraction and Matching Algorithms for Image Processing Applications" IEEE International Conference on Intelligent Sustainable Systems, 2019.
- [6] Mohana et.al. "Simulation of Object Detection Algorithms for Video Surveillance Applications", International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud), 2018.
- [7] Deep Learning-based Automatic Weapon Detection System in Video Surveillance" by Muhammad Tayyab Asif, Muhammad Fraz, and Waseem Hassan.
- [8] Real-time Weapon Detection Using Deep Learning" by J. Vanegas and J. Varona in IEEE Access, 2019.
- [9] "Automatic Weapon Detection in Surveillance Video Using Convolutional Neural Networks" by J.He et al. in IEEE Transactions on Multimedia, 2019.









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



## INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)