



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** II **Month of publication:** February 2026

DOI: <https://doi.org/10.22214/ijraset.2026.77743>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

WeatherX: An Optimization Real-Time Embedded Technology in Weather Station Monitoring System Using Arduino

Shreya Bhushan Pawar¹, Pranita Vishwas Ahire², Sakshi Mahadev Patil³, Radhika Dilip Kamble⁴, Priyanka Alankar⁵
^{1, 2, 3, 4}Students, ⁵Lecturer, Electronics and Telecommunication Dept, JSPMs RSCOE Polytechnic, Tathawade, Pune

Abstract: *This paper presents the design and implementation of a low-cost, real-time Weather Station Monitoring System using the Arduino platform. The proposed system is developed to continuously measure and monitor key environmental parameters such as temperature, humidity, atmospheric pressure, rainfall, and light intensity. Various sensors are interfaced with the Arduino microcontroller to acquire real-time data, which is processed and displayed locally as well as transmitted to a cloud/server platform for remote monitoring and analysis. The system emphasizes accuracy, reliability, low power consumption, and cost-effectiveness, making it suitable for rural, agricultural, and educational applications. Data logging and wireless communication modules enhance the system's capability for long-term environmental analysis and forecasting. The integration of embedded technology ensures efficient signal conditioning, analog-to-digital conversion, and real-time data processing. Experimental results demonstrate that the proposed weather monitoring system provides stable and accurate readings with minimal latency. The developed prototype offers an optimized solution for real-time environmental monitoring and can be further extended for IoT-based smart weather analytics. This system contributes to sustainable environmental observation by offering an affordable and scalable weather monitoring solution.*

Keywords: *Arduino, Weather Station Monitoring System, Embedded Systems, Environmental Monitoring, Temperature and Humidity Sensor, Atmospheric Pressure Sensor, Rainfall Measurement, Data Real-Time Monitoring, Smart Agriculture, Low-Cost Weather Station*

I. INTRODUCTION

In recent years, real-time environmental monitoring has become increasingly important due to rapid climate change, urbanization, and the growing need for accurate weather forecasting. A Weather Station Monitoring System using Arduino provides a cost-effective, reliable, and efficient solution for measuring and analyzing atmospheric parameters such as temperature, humidity, atmospheric pressure, rainfall, and light intensity. Traditional weather monitoring systems are often expensive and complex, limiting their deployment in rural or small-scale applications. The Arduino-based approach overcomes these limitations by offering an open-source, user-friendly microcontroller platform that supports easy integration with various environmental sensors. With its flexible hardware and software architecture, Arduino enables real-time data acquisition, processing, and transmission to cloud platforms or local displays for further analysis. The proposed system focuses on designing and optimizing an embedded weather monitoring unit capable of collecting accurate environmental data and presenting it in a structured format. The integration of sensors with Arduino ensures precise measurement, while communication modules such as Wi-Fi or GSM allow remote monitoring and data logging. This enhances accessibility, improves decision-making in agriculture and disaster management, and supports smart city applications. Overall, the Arduino-based Weather Station Monitoring System represents a scalable and economical solution that combines embedded technology with environmental sensing, contributing to the advancement of IoT-enabled weather observation systems.

II. HARDWARE DESCRIPTION

Materials we used in design of hardware are:

A. Arduino Uno

The Arduino Uno is the main controller used in a weather station monitoring system. It is based on the ATmega328P microcontroller and acts as the central processing unit of the project. In an Arduino-based weather station, the Arduino Uno collects data from various sensors such as temperature, humidity, pressure, and rainfall sensors.

The board processes the sensor data using programmed instructions and then displays it on an LCD or sends it to a cloud/server through communication modules like Wi-Fi or GSM. It has digital and analog input/output pins, which make it easy to interface with different environmental sensors.



Fig: Ardino Uno

B. LCD16/2 Display




Fig: LCD 16/2 Display

The 16x2 LCD is commonly used in an Arduino-based weather station to display real-time environmental data. It can show 16 characters per line and has 2 lines, making it suitable for presenting parameters like temperature, humidity, and pressure simultaneously.

In the weather monitoring system, the LCD 16x2 display is interfaced with the Arduino Uno using digital I/O pins (or via an I2C module for fewer connections). The Arduino processes the sensor data and sends formatted output to the LCD, allowing users to view weather readings instantly without needing a computer.

The LCD 16x2 is preferred in research and academic projects because it is low-cost, easy to interface, consumes less power, and provides clear visual output for embedded system applications like weather stations.

C. BMP280 Barometric Pressure Sensor




Fig: BMP280 Sensor

In a weather station monitoring system, the BMP280 measures atmospheric pressure in the range of approximately 300 hPa to 1100 hPa, which covers most weather-related pressure variations. It also provides accurate temperature readings that are used for internal compensation of pressure measurements, ensuring reliable and stable output. The sensor includes an internal Analog-to-Digital Converter (ADC) and factory-calibrated coefficients stored in memory to enhance measurement accuracy.

The BMP280 communicates with microcontrollers such as Arduino, ESP8266, or ESP32 via I2C or SPI interfaces, allowing easy integration into embedded systems. Due to its low power consumption, high resolution, and compact size, it is ideal for real-time weather forecasting, altitude estimation, and environmental data logging. Its high sensitivity enables detection of small pressure changes, which is useful in short-term weather prediction and climate analysis applications.

The BMP280 contains a piezoresistive pressure sensing element that detects changes in air pressure. The internal ADC converts analog signals into digital data, which is sent to a microcontroller like Arduino Uno.

BMP280 is a compact, accurate sensor used to measure pressure and temperature in Arduino-based weather monitoring systems.

The BMP280 sensor measures atmospheric pressure and temperature and sends digital data to Arduino, enabling accurate real-time weather monitoring.

D. DHT11 Temperature & Humidity Sensor



Fig: DHT11 Sensor

The DHT11 sensor is a low-cost digital temperature and humidity sensor widely used in weather station monitoring systems based on Arduino platforms. It is suitable for basic environmental monitoring applications in embedded systems and IoT projects. The sensor provides digital output through a single-wire serial interface, which makes it easy to interface with Arduino microcontrollers without requiring an external ADC.

E. LM393 Rain Sensor




Fig: LM393 Sensor

The LM393 rain sensor module is a widely used rainfall detection device in embedded and IoT-based weather monitoring systems. It consists of a rain detection plate and an LM393 dual voltage comparator IC, which converts the analog signal from the rain-sensing plate into a digital output.

When raindrops fall on the sensing plate, the water droplets create conductive paths between the tracks, changing the resistance. This variation produces a corresponding voltage signal, which is compared by the LM393 comparator.

III. PROPOSED SYSTEM




Fig: Circuit Diagram of Weather Station Monitoring System Using Arduino

As shown in figure above The weather station monitoring system consists of an Arduino UNO interfaced with temperature-humidity (DHT11), pressure (BMP280), and rain sensors. Sensor data is collected through digital and analog pins and processed by the microcontroller. The measured environmental parameters are displayed in real time on a 16×2 LCD module using 4-bit communication mode.

The image shows an IoT-Based Weather Station Monitoring System built using an Arduino Uno as the main controller. In this system, different sensors are connected to the Arduino to measure environmental parameters. The BMP280 sensor measures atmospheric pressure and temperature and communicates with the Arduino through the I2C interface (SDA and SCL pins). The DHT11 is used to measure temperature and humidity, and its data pin is connected to a digital pin of the Arduino. A LM393 Rain Sensor Module detects rainfall and sends a digital signal to the Arduino when water is detected. The collected data is displayed on a 16×2 LCD display connected via I2C, allowing real-time monitoring of weather conditions.

IV. RESULT

The Figure shows the actual Weather Station Monitoring System Using Arduino in Real Life




Fig. Actual Weather Station Monitoring System Using Arduino

V. CONCLUSION

The weather station monitoring system using Arduino Uno successfully demonstrates a low-cost, reliable, and real-time environmental monitoring solution. By integrating sensors such as DHT11 and BMP280, the system accurately measures temperature, humidity, and atmospheric pressure and displays the data on an LCD module.


The project proves that embedded systems can be effectively used for continuous weather monitoring with minimal power consumption and simple hardware design. Furthermore, the system can be easily upgraded with IoT connectivity for remote data access and large-scale environmental analysis.

VI. ACKNOWLEDGEMENT

First of all we would like to give our sincere thanks to our guide Mrs. Priyanka Alankar, who accepted us as her students. She offered us so much advice, patiently supervising and always guiding in right direction. We have learnt a lot from her and she is truly a dedicated mentor. Her encouragement and help made us confident to fulfill our desires and overcome every difficulty we encountered. We would also like to express our gratitude to Mrs. A. N. Dubey, Project Coordinator & we would also like to express our gratitude to Mrs. A. N. Dubey, Head of department, E&TC Engineering Department, RSCOE, Polytechnic for her continuous guidance and support, Dr. S.S. Gaikwad, Principal, RSCOE, Polytechnic for inspiring us from time to time. We are also highly obliged to Dr. Prof. R. K. Jain, Director, RSCOE for giving us the opportunity to continue our education and enhance our knowledge. Finally, before ending we would like to express once again our gratitude and thanks to all those who are involved directly or indirectly in making this work a success.

REFERENCES

- [1] Arduino, Arduino Uno Rev3 Datasheet. Ivrea, Italy: Arduino, 2023.
- [2] Aosong Electronics Co., Ltd., DHT11 Temperature and Humidity Sensor Datasheet. Guangzhou, China: Aosong Electronics, 2018.
- [3] Bosch Sensortec, BMP280 Digital Pressure Sensor Datasheet. Reutlingen, Germany: Bosch Sensortec GmbH, 2015.
- [4] Hitachi, HD44780U (LCD-II) Dot Matrix Liquid Crystal Display Controller/Driver Datasheet. Tokyo, Japan: Hitachi Ltd., 1999.
- [5] V. N. Malavade and P. K. Akulwar, "IoT based weather monitoring system using Arduino," *International Journal of Engineering Research & Technology (IJERT)*, vol. 5, no. 3, pp. 1–4, Mar. 2016.
- [6] K. A. Delin and S. P. Jackson, "The sensor web: A new instrument concept," *IEEE Internet Computing*, vol. 5, no. 3, pp. 38–45, May–Jun. 2001.
- [7] C. Gomez and J. Paradells, "Wireless home automation networks: A survey of architectures and technologies," *IEEE Communications Magazine*, vol. 48, no. 6, pp. 92–101, Jun. 2010.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)