iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VIII **Month of publication:** August 2025

DOI: https://doi.org/10.22214/ijraset.2025.73599

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VIII Aug 2025- Available at www.ijraset.com

Webcam Based Eye Tracking for Hands-Free Navigation

Athulya Sunil[1], Gopika Sabu[2], Nihidha Parvin M[3], Dr. Jisha P Abraham[4], Prof. Richu Shibu[5]
Department of Computer Science and Engineering, Mar Athanasius College of Engineering (Autonomous), Kothamangalam

Abstract: ***Traditional computing devices leverage physical input devices for navigation, which might be challenging for physically disabled people. Webcam based eye tracking for hands-free navigation presents a hands-free human interaction system that enables users to control their computer cursor through eye movements. The system detects the face, eyes, and iris using MediaPipe in real time through a standard webcam and maps these features to screen coordinates, which are then used to control the cursor via PyAutoGUI. A calibration screen with nine reference points on different parts of the screen is used as a training dataset, as the system uses machine learning models for predicting the gaze. Additionally, slight head movements are also accounted for so as not to disrupt gaze tracking. The system also implements gaze-based navigation, like scrolling when dwelling upon the top or bottom of the screen, double blinking for single clicks, and triple blinking for double clicks. Future enhancements of the model can include voice-controlled navigation. The system demonstrates the viability of affordable, camera-based eye tracking as an effective assistive technology for computer accessibility.***
Keyword: Gaze tracking, Eye-controlled interface, Human-computer Interaction.

I. INTRODUCTION

In today's digital age, it is essential to make technology inclusive and accessible to all. Traditional input devices like keyboards and mice can be challenging or even impossible to use for individuals with physical disabilities or motor impairments. Assistive technologies, such as eye-tracking systems exist but these rely on external hardware like infrared sensors and head-mounted cameras, which are expensive, computationally intensive, and intrusive. Gaze-tracking technology offers a practical solution by enabling hands-free human-computer interaction. The system addresses these challenges by proposing a video-based, hands-free navigation system that eliminates the need for specialized hardware or invasive eye-mounted devices.Using computer vision techniques, the system detects and processes facial features,and uses gaze direction to control the cursor. Additionally, it provides gesture-based interactions, such as dwell-time-based scrolling and clicking using double or triple blinks, enabling a seamless and intuitive user experience.The solution reduces financial and computational barriers while prioritizing user comfort. Personalized calibration adapts to individual physiological traits, improving tracking accuracy and usability. Gesture-based commands, ensure full hands-free operation, making digital interactions more accessible.

II. AN OVERVIEW OF WEBCAM BASED EYE TRACKING

The evolution of human-computer interaction (HCI) has given rise to hands-free navigation systems, primarily aimed at improving accessibility for users with motor impairments. This overview discusses prior work in webcam-based gaze tracking, the integration of facial landmark detection technologies, machine learning models for screen mapping, and challenges in real-time implementation.

A. Gaze Tracking via Webcam and Iris Detection

Recent studies highlight the potential of webcam-based systems for low-cost, non-intrusive eye tracking. Chhimpa et al [1] introduced a gaze-based HCI system leveraging webcam video, MediaPipe-based facial landmark detection, and polynomial regression to estimate gaze points accurately. Their model supports real-time recalibration and can adapt to user head movement, making it highly suitable for hands-free control. Similarly, Cazzato et al [3] and Valenti et al [4] proposed systems combining pupil center tracking with head pose estimation to improve gaze direction detection, showcasing the feasibility of robust, markerless eye tracking systems.

©IJRASET: All Rights are Reserved

B. Facial Landmark Detection with MediaPipe FaceMesh

Google's MediaPipe FaceMesh provides a lightweight, real-time solution to extract 468 facial landmarks, enabling precise iris and eye region tracking. Zhu and Ji [2] explored the reliability of landmark-based tracking under natural head movement, a challenge addressed in your project by incorporating Kalman filtering and Z-index compensation for better depth and posture estimation.

C. Polynomial Regression for Screen Mapping

The use of polynomial regression models to map gaze coordinates to screen positions has shown effective results in various HCI studies. This approach allows non-linear mapping of gaze vectors to 2D screen locations. Your project enhances this with a nine-point calibration method, similar to that used by San Agustin et al , allowing user-specific screen mapping and higher accuracy.

D. Blink-Based Command Execution and Interaction

Interaction models relying on blink detection (using EAR—eye aspect ratio) are becoming common in accessibility tools. Wu et al [10] demonstrated blink-based systems using Kinect, while your system innovatively distinguishes between double and triple blinks for left and right clicks, respectively.This ensures a natural and efficient hands-free interaction.

E. Challenges and Future Enhancements

Although the system operates with minimal hardware, several challenges persist:

- Lighting conditions can affect iris visibility
- Head movement compensation requires continuous recalibration
- Blink detection can vary across users

Future work could address these through voice integration, virtual keyboards, and advanced ML models for gaze prediction, as discussed in Nam et al [8]

F. Conclusion

The literature establishes a strong foundation for webcam-based gaze tracking as an accessible and cost-effective HCI method. With enhancements like blink gesture control, polynomial screen mapping, and adaptive tracking, systems such as the one proposed in this project can play a critical role in inclusive computing and accessibility.

III. OBJECTIVES

The primary objective of this project is to develop a webcam-based, hands-free navigation system that enables users to interact with computers using eye movements and facial gestures. The system aims to deliver an accessible, low-cost alternative to physical input devices, particularly for individuals with motor disabilities. The key objectives of this study are outlined below:

A. Real-Time Gaze-Based Navigation

To provide a seamless and natural human-computer interaction, the system implements real-time eye and facial landmark tracking using a standard webcam. MediaPipe FaceMesh and PyAutoGUI are employed to detect iris movement and map it to on-screen cursor positions, enabling smooth, responsive navigation.

B. Personalized Calibration for Accuracy

A key challenge in gaze tracking is accounting for individual differences in eye structure and posture. To address this, the system uses a nine-point calibration method to personalize cursor mapping. This improves precision by adapting to each user's unique eye movement patterns and viewing angle.

C. Gesture-Based Interaction and Click Simulation

The system allows click and scroll actions using facial gestures. Double blinks simulate left clicks, triple blinks simulate right clicks, and vertical gaze movement triggers scrolling. These natural gestures ensure full mouse functionality without the need for physical interaction.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

D. Adaptive Tracking and Head Movement Compensation

To ensure robust performance in dynamic environments, the system incorporates z-index tracking and Kalman filtering to handle minor head movements, posture shifts, and lighting variations, maintaining consistent accuracy without requiring frequent recalibration.

E. Enhancing Accessibility for Users with Disabilities

One of the main goals is to make digital environments more inclusive. By removing the need for physical input devices, this system empowers individuals with mobility impairments to independently operate computers for education, communication, and employment.

F. Cost-Effective and Scalable Architecture

Unlike traditional eye-tracking systems that require specialized hardware, this solution operates using readily available webcams and open-source software, making it cost-effective and easily deployable across devices without significant infrastructure changes.

G. Conclusion

By fulfilling these objectives, the Webcam-Based Eye Tracking System aims to deliver a practical, affordable, and inclusive alternative to traditional input methods. The project supports users with physical disabilities and offers a novel interaction paradigm that enhances the accessibility and usability of computing systems.

IV. METHODOLOGY

This section describes the design, development, and implementation of the Webcam-Based Eye Tracking System for hands-free navigation. The system utilizes real-time computer vision techniques, polynomial regression, and gesture-based interaction to offer a seamless user experience without relying on physical input devices. The methodology is organized into the following components: system architecture, data acquisition, gaze calibration, and interaction handling.

A. System Architecture

The system architecture consists of key modules:

1) Webcam Video Input: Captures real-time video frames using a standard webcam for facial and eye tracking.
2) Facial Landmark Detection: Utilizes MediaPipe FaceMesh to extract 468 facial landmarks, with a focus on iris and eye-region detection.
3) Gaze Estimation Engine: Applies a polynomial regression model on calibrated data to map iris positions to screen coordinates.
4) Interaction Controller: Detects blinks and gaze movements to trigger mouse actions and scrolling.




Figure 1: Proposed System

B. Data Acquisition

The initial phase involves continuous video capture via OpenCV, followed by facial feature extraction using MediaPipe FaceMesh. This module identifies the eye corners, iris positions, and head orientation. The extracted data is preprocessed to minimize noise and ensure consistent detection.

Key steps:

- Frame-by-frame facial analysis
- Iris and Z-axis (depth) position tracking
- Data buffering for smoothing and modeling

C. Calibration and Polynomial Regression

To ensure precise mapping of gaze direction to screen coordinates, the system employs a nine-point gaze calibration process:

- Users are guided to look at nine points on the screen.
- Iris positions are recorded using blink-based confirmation.
- A polynomial regression model is trained to establish a mapping between eye position and screen coordinates.

This model adapts to each user's physiology and posture, enabling accurate and personalized navigation.

D. Real-Time Tracking and Cursor Control

During active use, the system performs real-time analysis of eye movements:

- Gaze vectors are mapped to cursor positions using the calibrated regression model.
- Kalman filtering is applied to reduce noise and cursor jitter.
- Z-index tracking helps compensate for minor head movements and posture changes.

The mapped positions are used to move the system cursor via PyAutoGUI.

E. Blink Detection and Gesture-Based Interaction

The system detects blinks using changes in the Eye Aspect Ratio (EAR) across landmarks:

- Double blink = Left click
- Triple blink = Right click
- Vertical gaze shifts trigger scrolling actions

These gestures allow users to interact fully with the system without mouse.

F. Implementation Details

The system is developed using the following tools and technologies:

- Python Libraries: OpenCV, MediaPipe, PyAutoGUI
- Machine Learning: Polynomial regression via Scikit-learn for gaze mapping
- Hardware: Standard webcam (minimum 720p), CPU/GPU for real-time processing




Figure 2: Workflow

G. Security and Usability Considerations

To maintain user trust and ease of use, the system incorporates:

- Real-time feedback: Visual overlays guide user calibration and provide cursor feedback.
- Lightweight architecture: No external hardware needed; works on most laptops/desktops.
- Offline capability: No internet is required, ensuring data privacy for users.

H. Conclusion

The proposed system offers a structured approach to enabling accessible and efficient eye-tracking-based navigation. By combining facial landmark extraction, personalized regression modeling, and gesture-based commands, the system enables real-time, hands-free interaction. It stands as a promising assistive technology for users with physical impairments and those seeking contact-free digital interfaces.

V. RESULTS AND DISCUSSION

This section presents the evaluation of the Webcam-Based Eye Tracking System for Hands-Free Navigation, focusing on system accuracy, gesture detection, and responsiveness. Performance was tested across various lighting conditions, seating positions, and screen resolutions.

A. Metrics for Evaluation

The system was evaluated using the following key performance indicators:

- Cursor Accuracy: Measures how closely the gaze-mapped cursor aligns with the user's intended screen location.
- Blink Detection Reliability: Assesses the system's ability to detect and correctly interpret double and triple blinks.
- Latency: Measures the time taken from gaze detection to cursor response.
- Stability Index: Evaluates the smoothness of cursor movement using Kalman filtering.

B. System Performance Metrics

The results from our system evaluation are summarized in Table 1.

Table 1: Evaluation Metrics for Webcam-Based Eye Tracking System

Metric	Value
Frame Rate	9 FPS
Average Processing Time	25 milliseconds/frame
Average Response Time	1 second
Blink Detection Accuracy	91.43% (32/35 blinks)
Cursor Control Reliability	Medium

The system performed with a frame rate of 9 FPS and an average processing time of 25 milliseconds per frame. The average response time from gaze detection to system action was approximately 1 second. Blink gestures were detected with an accuracy of 91.43% (32 out of 35 blinks). The cursor control reliability was rated as medium, indicating mostly stable tracking with occasional deviations.

C. Challenges and Limitations

Despite strong results, a few challenges and limitations were observed:

- Ambient Light Sensitivity: Performance decreased in poor lighting, affecting landmark detection.
- Blink Variation: Users with short or involuntary blinks occasionally triggered false detections.
- Posture Sensitivity: Significant changes in user head position led to tracking drift, requiring recalibration.
- Fatigue Factor: Extended usage could lead to eye strain, which slightly reduced accuracy over time.

D. Future Enhancements

The hands-free navigation system can be enhanced through AI-powered gaze prediction, voice-command integration and an eye-controlled virtual keyboard, making it more accurate and accessible across diverse environments.


- AI-based gaze stabilization for smoother tracking
- Multimodal control(voice + gaze) for complex tasks
- Adaptive calibration for different lighting/eyewear.
- Virtual keyboard for full hands-free typing
- Expanded reference points for precision

E. Conclusion

In this paper,we propose a webcam-based eye-tracking system that offers an effective, low-cost solution for hands-free computer interaction, leveraging standard hardware and real-time gaze estimation through MediaPipe. By integrating a robust 9-point calibration system, blink-based selection mechanisms, and head pose compensation, the system ensures accurate and stable control across varied user environments.The incorporation of polynomial regression and Kalman filtering enhances precision and responsiveness, while intuitive blink gestures enable seamless navigation, clicks, and scrolling. The approach not only demonstrates the viability of webcam-based gaze tracking but also advances digital accessibility particularly for users with motor impairments—by removing dependence on conventional input devices. Overall, the system signifies a meaningful step toward inclusive human-computer interaction, with potential for further extension into multimodal interfaces and adaptive assistive technologies.

REFERENCES

[1] G. R. Chhimpa, A. Kumar, S. Garhwal, Dhiraj, F. Khan, and Y.-K. Moon, “Revolutionizing gaze-based human–computer interaction using iris tracking: A webcam-based low-cost approach with calibration, regression and real-time re-calibration,” IEEE Access, vol. 12, pp. 168256–168269, 2024.
[2] Z. Zhu and Q. Ji, “Novel eye gaze tracking techniques under natural head movement,” IEEE Transactions on Biomedical Engineering, vol. 54, no. 12, pp. 2246–2260, Dec. 2007.
[3] D. Cazzato, F. Dominio, R. Manduchi, and S. M. Castro, “Real-time gaze estimation via pupil center tracking,” Paladyn, Journal of Behavioral Robotics, vol. 9, no. 1, pp. 6–18, Feb. 2018.
[4] R. Valenti, N. Sebe, and T. Gevers, “Combining head pose and eye location information for gaze estimation,” IEEE Transactions on Image Processing, vol. 21, no. 2, pp. 802–815, Feb. 2012.
[5] Y.-M. Cheung and Q. Peng, “Eye gaze tracking with a web camera in a desktop environment,” IEEE Transactions on Human-Machine Systems, vol. 45, no. 4, pp. 419–430, Aug. 2015.
[6] N. Aunsri and S. Rattarom, “Novel eye-based features for head pose-free gaze estimation with web camera: New model and low-cost device,” Ain Shams Engineering Journal, vol. 13, no. 5, Sep. 2022.
[7] E. Whitmire, L. Trutoiu, R. Cavin, D. Perek, B. Scally, J. Phillips, et al., “EyeContact: Scleral coil eye tracking for virtual reality,” in Proc. ACM Int. Symp. Wearable Comput., pp. 184–191, Sep. 2016.
[8] Y. Nam, B. Koo, A. Cichocki, and S. Choi, “GOM-face: GKP EOG and EMG-based multimodal interface with application to humanoid robot control,” IEEE Transactions on Biomedical Engineering, vol. 61, no. 2,
[9] pp. 453–462, Feb. 2014.
[10] J. San Agustin, H. Skovsgaard, E. Mollenbach, M. Barret, M. Tall,
[11] D. W. Hansen, et al., “Evaluation of a low-cost open-source gaze tracker,” in Proc. Symp. Eye-Tracking Res. Appl. (ETRA), pp. 77–80, 2010.
[12] T. Wu, P. Wang, Y. Lin, and C. Zhou, “A robust noninvasive eye control approach for disabled people based on Kinect 2.0 sensor,” IEEE Sensors Letters, vol. 1, no. 4, pp. 1–4, Aug. 2017.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)