



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: III Month of publication: March 2018 DOI: http://doi.org/10.22214/ijraset.2018.3184

www.ijraset.com

Call: 🛇 08813907089 🕴 E-mail ID: ijraset@gmail.com



Comparative Analysis of different Area Network Types

Rajveer Kaur¹, Heena² ^{1, 2} Computer Science and Applications Department, Panjab University

Abstract: Set of computers connected together form a network which can be categorized on different parameters such as scale and transmission technology. This paper provides information about different types of network on the basis of scale i.e. distance. Several categories of computer networks on the basis of scale are

PAN, LAN, MAN, WAN, CAN, HAN, SAN, VPN, EPN, POLAN, GAN etc. This paper throws light on distinct types of Networks such as PAN, LAN, MAN, WAN, CAN. This paper provides overall comparison of the above mentioned area networks on the basis of speed, congestion, technology, bandwidth, communication medium etc.

Keywords: LAN, MAN, WAN, CAN, PAN

I. INTRODUCTION

Computer network is a group of autonomous computers connected together by some means of technology.[9][18] Today it is difficult to imagine the world without emails, social networking websites, online shopping etc. [16] A computer network enable users to exchange information or resources proficiently and easily with the help of some medium providing various services such as email, chats, online chat, video telephone calls, and video conferencing.[17]

Network can extend from a few computers to the millions of computers connected together. Network size can be demonstrated by the geographical area they cover as well as by the number of nodes connected in a network. Size of network can vary from a single room or building to the city, country or even the entire world. Depending upon the geographical area covered by network, it can be classified into different types.

This paper covers five main categories: PAN, LAN, MAN, WAN, CAN. [18][10]We use following criteria to compare the above mentioned networks:

- A. Ownership
- B. Speed
- C. Congestion
- D. Medium
- E. Cost
- F. Bandwidth
- G. Communication Medium
- H. Area covered
- I. Maintenance
- J. Used For etc.

II. PAN(PERSONAL AREA NETWORK)

The idea of PAN was first given by Thomas Zimmerman and other researchers at M.I.T.'s Media Lab and later was supported by IBM's Almaden research lab.[20] PAN network is a computer network that allows devices to communicate around a single person. The network is structured for a single entity which can be in a small office, a building or apartment. PAN network connects different peripherals such as computers, telephones, video game consoles. PAN network can be wired or wireless such as USB, or they can be wireless, such as infrared, ZigBee, Bluetooth. [21]. It is a subset of LAN.The basic difference between PAN and LAN is that PAN supports individual person whereas LAN supports a group. [22]. The basic purpose of PAN (Personal Area Network) is to present a communication medium to the individuals, who want to carry their personal digital devices.[23].The area covered by PAN network is 10 meters.[1][2][3][4][18][19]

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue III, March 2018- Available at www.ijraset.com



Fig. 1 PAN Network

III.LAN(LOCAL AREA NETWORK)

LAN is a privately owned network. It is largely used to provide connection between personal computers enclosed in a single building e.g. house, office, company, institutions, organizations etc. By providing connection between computers, it allows sharing of resources such as printers; data etc.LAN can be wired as well as wireless. Wired LAN is building mostly from point to point links using different topologies for transmission. Example of wired LAN is Ethernet. [18][10]. WLAN known as wireless LAN is the network that connects various nodes using wireless communication medium in a restricted area such as in a single building or office etc. The advantage of using wireless communication medium is that user can move freely in the network coverage area. Due to its easy installation process and easy use, it is widely used in homes, hotels, medical centres etc. It is based on IEEE 802.11standards and is known as Wi-Fi.[1][2][3] [5][6][7][11]

COMPARISON BETWEEN WIRED AND WIRELESS NETWORKS[24]						
Parameters	Wired LAN	Wireless LAN				
1.Operational Speed	High	Low with respect to wired				
		LAN				
2.Cost factor	Cheap as comparison to	Expensive				
	wireless LAN.					
3. Installation process	Complex and time consuming.	Easy as comparison to Wired				
		LAN				
4. Bandwidth	High	Low				
5.Transmission	Copper cables, Fiber optic	Infrared and radio waves.				
Media	cables					
6. Movability	Limited	Works in the entire wireless				
		network coverage area.				

 TABLE I

 COMPARISON BETWEEN WIRED AND WIRELESS NETWORKS[24]



Fig. 2 LAN Network



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue III, March 2018- Available at www.ijraset.com

IV. MAN(METROPOLITAN AREA NETWORK)

MAN is a computer network that merges different networks situated in various buildings into a single network. The range of this network lies between 5 to 50 kilometres. The geographical area of MAN lies between LAN and WAN i.e. it covers more area than LAN but less than WAN. MAN network can be wired as well as wireless.[8] It connects various LAN's covering the entire city. Various computers in wired MAN can be connected using different communication mediums such as: a twisted pair, optical cables and in wireless MAN with the help of radio waves etc. [12] Example of MAN network : Network between different branches of a bank in a city, cable television networks, air reservation.[1][2][3][18][14]



Fig. 3 MAN Network

V. CAN (CAMPUS AREA NETWORK)

It is a type of network built upon connection of various LAN networks within restricted geographical area. It is also known as corporate network. These are interconnected with high speed Ethernet using optical fiber. The range of CAN varies from 1 km to 5 km.Network can be said to be CAN network if two same domain buildings are connected with a network. Example of CAN network: Any campus or university network such as the Stanford University Network at Stanford University.[1][2][3][6][15]



Fig. 4 CAN Network

VI.WAN(WIDE AREA NETWORK)

WAN i.e. wide area network is the connection of devices allowing communication over wide area i.e. covering a state, country even continent. Connecting devices in WAN network can be switches, routers, modems etc. WAN contains collection of hosts which are connected by a communication subnet which carries message from host to host. Mostly different people own and operate hosts and subnet. Transmission lines and switching elements are the components mostly found in WAN network. Transmission lines can be copper wire, optical fiber, radio waves etc. Switching lines popularly known as routers provides connection between these



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue III, March 2018- Available at www.ijraset.com

transmission lines. Due to large area covered in this network leads to propagation delay, low data rate problems. Example: Bank with different branch offices in different cities. In the following diagram WAN connects the three branch offices of Diskon, St. Petersburg, Magadan in Russia..[1][2][3][8][10]



Fig. 4 WAN Network

VII. COMPARISON BETWEEN DIFFERENT COMPUTER AREA NETWORKS

Table 2 demonstrates the contrast between PAN, LAN, MAN, CAN, WAN on various parameters.

Sr.No.	Parameters	PAN	LAN	MAN	CAN	WAN
1.	Ownership	Private	Private	Private or Public	Private	Private or Public
						or Leased
2.	Design	Easy	Easy	Difficult	Difficult	Difficult
	Maintenance					
3.	Speed	Low	High	Moderate	High	Low
4.	Congestion	Less	Less	More	Medium(More	More
					than PAN)	
5.	Area Covered	Short up to 10m	Confined to single	Covers up to	1Km to 5 Km	large area
			building such as	entire city.		covering country
			school, office etc.			even whole world
6.	Technology		Ethernet, Token		Ethernet, Token	ATM, Frame
	Used		Ring		Ring	Delay X.25
7.	Propagation	Short	Short	Moderate		Long
	Delay					
8.	Communication	Wireless or Wired	Coaxial Cable	Optical Fiber,	Optical Fiber	Satellite Links
	Medium			Coaxial Cable or		
				wireless		
9.	Bandwidth		High	Moderate	High	Low
10.	Cost	Cheap	Inexpensive	Cost Effective	Cheap	Expensive
11.	Fault Tolerance		More	Less		Less
12.	Used For	Revolves around	Home, Office	Cable TV	Enterprise,	Banks Branches
		single person	School	Network	University,	in a country.
					Government	
					Institution	

TABLE 2 Comparison of Characteristics of PAN, LAN, MAN, CAN, WAN



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 6 Issue III, March 2018- Available at www.ijraset.com

VII. CONCLUSIONS

A computer network provides the basis of communication between different nodes. This paper has presented an overview of various types of computer area networks. In this paper we have compared five computer area networks: LAN, PAN, MAN, and CAN, WAN. These technologies are compared on the basis of various parameters such as speed, congestion, fault tolerance, technology used,cost,bandwidth,communication medium, design maintenance, ownership, area covered, propagation delay, used for.

REFERENCES

- Mohammed Nadir Bin Ali, Mohamed Emran Hossain, Md. Masud Parvez, "Design and Implementation of a Secure Campus Network" IJETAE International Journal of Emerging Technology and Advanced Engineering Volume 5, Issue 7, July 2015.
- [2] Joysankar Bhattacharjee, "Design and Implementation of a Cost-effective and Secured "Private Area Network" for smooth as well as hassle-free Computing in University Campus" IOSR Journal of Electronics and Communication Engineering, Volume 11, Issue 1, Ver. I (Jan. - Feb .2016), PP 72-77
- [3] Prof. Manav Thakur, Swati Kumari, Khyati Pandey, Priyanka Prasad, "Design and Implementation of a Campus Area Network" International Journal of Advance Research in Engineering, Science & Technology, Volume 3, Issue 12, December-2016
- [4] Matthew N. O. Sadiku, Mahamadou Tembely, Sarhan M. Musa, "Understanding Personal Area Networks", International Journal of Advanced Research in Computer Science and Software Engineering, Volume 7, Issue 5, May 2017.
- [5] Rupali Chopade, Shashank Diwan, Ajinkya Jiman, Avinash Jadhav, Avinash Navale, Sagar Lad, "Local Area Network Administration Using Mobile IJEIT International Journal of Engineering and Innovative Technology", Volume 1, Issue 3, March 2012.
- [6] Devansh Diwan, V.K.Narang, Anuj Kumar Singh, "Security Mechanism in RIPv2, EIGRP and OSPF for Campus Network A Review", International Journal of Computer Science Trends and Technology IJCST, Volume 5 Issue 2, Mar – Apr 2017
- [7] Harsh Mittal, Manoj Jain, Latha Banda, "MONITORING LOCAL AREA NETWORK USING REMOTE METHOD INVOCATION", International Journal of Computer Science and Mobile Computing, IJCSMC, Vol. 2, Issue. 5, May 2013, pg.50 – 55.
- [8] Navpreet Kaur, Sangeeta Monga, "COMPARISONS OF WIRED AND WIRELESS NETWORKS: A REVIEW", International Journal of Advanced Engineering Technology, Vol. V/Issue II/April-June, 2014/34-35.
- [9] Nikam Vinayak S., Katkar Gauri A., Borse Mayuri A., Prof. Zadbuke A. S., "Controlling and Monitoring Applications of WLAN using Android phone", IJMTER International Journal of Modern Trends in Engineering and Research, Volume 02, Issue 10, [October – 2015]
- [10] Behrouz A.Forouzan "Data communications and networking" 5th Edition, Mc Graw Hill Education, 2014.
- [11] The Wikipedia website. [Online]. Available: https://en.wikipedia.org/wiki/Wireless_LAN
- [12] The Conceptdraw website. [Online]. Available: http://www.conceptdraw.com/How-To-Guide/metropolitan-area-networks
- [13] The Informationq website. [Online]. Available: https://www.informationq.com/computer-networking/
- [14] The Itrelease website. [Online]. Available: http://www.itrelease.com/2012/12/examples-and-types-of-networks/
- [15] The Wikipedia website. [Online]. Available: https://en.wikipedia.org/wiki/Campus_network
- [16] The Omnisecu website. [Online]. Available: http://www.omnisecu.com/basic-networking/why-we-need-computer-network.php
- [17] The Wikipedia website. [Online]. Available: https://en.wikipedia.org/wiki/Computer_network
- [18] A.S. Tanenbaum, D.J. Wetherall "Computer Networks", 5th Edition, Pearson, 2014.
- [19] The Study website. [Online]. Available: https://study.com/academy/lesson/types-of-networks-lan-wan-wlan-man-san-pan-epn-vpn.
- [20] The Searchmobilecomputing.techtarget website. [Online]. Available: http://searchmobilecomputing.techtarget.com/definition/personal-area-network
- [21] The Urgentcomm website. [Online]. Available: http://urgentcomm.com/personal-area/connecting-personal-level
- [22] The Compinfopro website. [Online]. Available: http://compinfopro.com/types-of-network-pan-man-wlan-san-can-dan
- [23] The Freewimaxinfo website. [Online]. Available: http://freewimaxinfo.com/personal-area-network-pan.html
- [24] The Rfwireless-world website. [Online]. Available: http://www.rfwireless-world.com/Terminology/wired-network-vs-wireless-network.html











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)