



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: III Month of publication: March 2018 DOI: http://doi.org/10.22214/ijraset.2018.3522

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com

Design and Implementation of CNN for detecting Melanoma through Image Processing

Shreya Ranjan¹, Sri Lakshmi Chundru², Vivek Kumar³, Shwetha M⁴, Dr. S. Mohan Kumar⁵, Dr. Jitendranath Mungara⁶, Prof. J.Karthiyayini⁷

⁴Student, B.E, Information science and Engineering Department, NHCE, Bangalore, India

⁵Associate Professor, Information science and Engineering Department, NHCE, Bangalore, India

⁶Head of department, Information science and Engineering Department, NHCE, Bangalore, India

⁷Senior Assistant Professor, Information science and Engineering Department, NHCE, Bangalore, India

Abstract: Melanoma is a type of skin cancer which is caused by prolonged exposure to u-v light. Early days melanoma detected through dermoscopy where doctor tries to recognize melanoma based on his experience and assumption. But many cases patient who suffers from melanoma dies because of it not detected early stages. In recent years, several procedures have been proposed to detect and analyze skin cancer. Early stages only skin cancer can be classified as malignant or benign. All proposed methods contribute better values of precision, sensitivity, specificity, and accuracy.

Keywords: machine learning, SVM network, neural network, pre-processing, segmentation, feature extraction, melanoma classification, melanoma validation, test cases, CNN, histogram.

I. INTRODUCTION

Malignant melanoma considered as one of the most deadly form of skin cancer. In US one person dies of melanoma every 57 minutes. In Australia 128000 new cases of cancer detected in 2014. Traditionally, in the skin cancer diagnosis process, pathologists use histopathological images of biopsy samples removed from patients and examine them under a microscope. However, these judgments depend on their personal experiencing and often lead to considerable confusion .Hence in order to detect melanoma computational tools and learning techniques required. Essential use of learning techniques is to improve performance requires a proper choice of the learning algorithm and of their statistical validation. Computer aided skin cancer diagnostic based on histopathalogical images is a difficult task given the relative paucity of labelled lesion data and consequently the low quality of training data available. In human skin melonocytes are contains melanin which is responsible for skin colour. Melanoma can be malignant or benign type. Malignant Melanoma is a tumour consisting of spindle-shaped cells with an increased dermal connective tissue component. This form of rnalignant melanoma is almost impossible to diagnose. In order detect melanoma at early stages we can follow four processes namely acquiring of images, segmentation, feature extraction and classification. Acquiring of images can be done through medical datasets of standard size. Before segmentation pre-processing process also done which consists of rescaling, hair removal, glare removal, colour enhancement will be done. During segmentation images will be converted into gray scale which will be converted into binary values. Feature extraction can be done through ABCD (Asymmetry, Border, Colour, Dimensions) rules. Finally based on values obtained skin cancer classified into malign or benign.

II. LITERATURE SURVEY

Melanoma skin cancer is critical and dangerous for human beings. According to Dr. H.R. Mhaske Early detection of Melanoma skin cancer is very much necessary for the patient because this Melanoma skin cancer directly lead to the death of a person. If it is detected at early stage then Melanoma skin cancer is completely curable. Early detection and classification of Melanoma skin cancer is done using different classifiers as Neural Network and Support Vector Machine[1] by using CAD *et a*[27],[28],[29],[30],[31],[32],[33]. According to Wilson F. Cueva, In the last decades, skin cancer increased its incidence becoming a public health problem. Technological advances have allowed the development of applications that help the early detection of melanoma by applying CAD algorithm[34],[35],[36],[37],[38],[39]). Using neural networks to perform a classification of the different kinds of moles. As a result, this algorithm developed after an analysis of 200 images was obtained a performance of 97.51% [2]. Melanoma skin cancer is on the rise globally due to increased ultraviolet radiation. according to suleiman mustafaimage pre-processing, segmentation and feature are key stages for accuracy in classification of segmented skin lesions. he focused on the



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue III, March 2018- Available at www.ijraset.com

use of colour space by experimenting with luminance to enhance the visualization for grab cut segmentation accuracy. he extracted geometric and corner features, that are used to train the SVM machine learning algorithm with promising results [3].

Aya Abu Ali proposed a method for classifying melanoma images into benign and malignant using Convolutional Neural Networks (CNNs).A regular convolutional network employing a modest number of parameters is used to detect melanoma images. Comparisons with the winning entry in the competition demonstrate that one can achieve a performance level comparable to stateof-the-art using standard convolutional neural network architectures that employ a lower number of parameters [4]. Automated melanoma recognition from dermoscopy images is one of the challenging task. First, the huge intra class variation of melanomas in terms of color, shape, size, textures and locations in the dermoscopy images as well as the high degree of visual similarity between melanoma and non-melanoma lesions make it difficult to discriminate melanomas from non-melanoma skin lesions. Here physicians are facing difficulty in discriminating the skin lesions. Second, the relatively low contrasts and uncertain boundaries between skin lesions (especially at their early stages) and normal skin regions make the automated recognition task more harder. Finally, the presence of artifacts, either natural (hairs, veins) or artificial (air bubbles, ruler marks etc.) may blur or obstruct the skin lesions and further becomes more serious situation to handle. A lot of efforts have been dedicated in solving this challenging problem. Early investigations are achieved to apply low-level hand-crafted features to distinguish melanomas from non-melanoma skin lesions, including, color [5], shape [6] and texture [7], [8]. Some of the researchers are undertaken to employ feature selection algorithms to select proper features and utilized combinations of these low-level features to improve the recognition performance [9], [10]. But these hand-crafted features are not able to deal with the huge intraclass variation of melanoma and the high degree of visual similarity between melanoma and non-melanoma lesions, and the artifacts existing in dermoscopy images, leading to unsatisfactory results. On the other hand, some researchers also proposed to perform segmentation first and then based on the segmentation results to recognize the melanomas [10]-[14]. The segmentation allows the feature extraction procedure to be conducted only on the lesion regions and thus generate more specific and representative features. The drawback of this methods, both the segmentation and classification procedures are still based on low-level features with limited discrimination capability. Recently, convolutional neural networks (CNNs) with hierarchical feature learning capability have led to breakthroughs in many medical image analysis tasks, including classification [12], [13], detection [14]–[15] and segmentation [16], [17]. Some researchers started to employ CNNs for classifying the melanoma and aiming to take the advantage of their discrimination capability to achieve performance gains. Codella et al. said that to integrate CNNs(convolutional neural network), sparse coding and support vector machine (SVM[40],[41],[42],[43],[44]) for melanoma recognition [18]. Next Kawahara et al. presented a fully convolutional neural network based on AlexNet 19] to extract representative features of melanoma [20]. But these methods either just depend on the features trained from natural image dataset (such as ImageNet [21]) without sufficiently considering the characteristics of melanoma or utilize CNNs with quite shallow architecture. They are not able to deal with the challenges of melanoma recognition properly. There are much more researches has to be done to tap the potentials of CNNs to further improve the accuracy of melanoma recognition. Many theoretical investigations [22], [23] and practical studies [24], [25] have demonstrated that the network depth is a major factor of model expressiveness. The discrimination capability of features learned from CNNs can be enriched by increasing the number of stacked layers (network depth). The performance gain of very deep networks in natural image processing tasks has been exploited by recent works [24]-[26].

III. PROBLEM STATEMENT

The goal of the reviews is to determine the good performance techniques to recognize the early skin cancer through image processing techniques. The result mainly concerned about pre-processing, segmentation, feature extraction, classification. The final objective is to obtain the methods which are having accuracy level is high.



Figure 1: Original Image

Figure 2: Filtered Image



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue III, March 2018- Available at www.ijraset.com

Above figure 1 is median filtered original image(RGB) which is converted into filtered image by applying shading corrected , hair removal and glare removal techniques.



Figure (a): Applying Histogram on Original image.



Figure (b): Applying Histogram on Filtered image.



IV. METHADOLOGY

Figure(c)[1]: Proposed Convolutional Neural Network Architecture.

From the above diagram we come to know that the input image will cross across different layers (such as convolutional, ReLU, Pooling, Soft-max, Fully connected, Dropout) and at last the output will be classified as melanoma and non melanoma.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue III, March 2018- Available at www.ijraset.com

V. CONCLUSIONS

From this paper we come to know that many researches took place to classify and detect melanoma skin lesion. Here we come to know that SVM classifier accuracy is improved compared to the other algorithm. By using CNN our result are comparable to stateof-the-art results while using a significantly lower number of parameters. In future work more technologies required to increase the efficiency of CNNs to enhance the accuracy of melanoma detection

REFERENCES

- [1] Ms. H. R. Mhaske et al, "melanoma skin cancer detection and classification based on supervised and unsupervised learning", IEEE conference paper.
- [2] Wilson F. Cueva et al ," Detection of skin cancer "Melanoma" through Computer Vision"2017 IEEE
- [3] Suleiman Mustafa et al," Image Processing and SVM Classification for Melanoma Detection" National Agency for Science and Engineering Infrastructure PMB 391, Abuja, Nigeria.2017 IEE
- [4] Aya Abu Ali et al, "melanoma detection using regular convolutional neural networks" 2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA).
- [5] R. J. Stanley, W. V. Stoecker, and R. H. Moss, "A relative color approach to color discrimination for malignant melanoma detection in dermoscopy images," Skin Res. Technol., vol. 13, no. 1, pp. 62–72, 2007.
- [6] Y. I. Cheng et al., "Skin lesion classification using relative color features," Skin Res. Technol., vol. 14, no. 1, pp. 53–64, 2008.
- [7] L. Ballerini, R. B. Fisher, B. Aldridge, and J. Rees, "A color and texture based hierarchical K-NN approach to the classification of non-melanoma skin lesions," in Color Medical Image Analysis. New York, NY, USA: Springer, 2013, pp. 63–86.
- [8] T. Tommasi, E. La Torre, and B. Caputo, "Melanoma recognition using representative and discriminative kernel classifiers," in Proc. Int. Workshop Comput. Vis. Approaches Med. Image Anal., 2006, pp. 1–12.
- H. Ganster, P. Pinz, R. Rohrer, E. Wildling, M. Binder, and H. Kittler, "Automated melanoma recognition," IEEE Trans. Med. Imag., vol. 20, no. 3, pp. 233– 239, Mar. 2001
- [10] M. E. Celebi et al., "A methodological approach to the classification of dermoscopy images," Comput. Med. Imag. Graph., vol. 31, no. 6, pp. 362–373, 2007.
- [11] G. Schaefer, B. Krawczyk, M. E. Celebi, and H. Iyatomi, "An ensemble classification approach for melanoma diagnosis," Memetic Comput., vol. 6, no. 4, pp. 233–240, 2014.
- [12] A. A. A. Setio et al., "Pulmonary nodule detection in CT images: False positive reduction using multi-view convolutional networks," IEEE Trans. Med. Imag., vol. 35, no. 5, pp. 1160–1169, May 2016.
- [13] M. Anthimopoulos, S. Christodoulidis, L. Ebner, A. Christe, and S. Mougiakakou, "Lung pattern classification for interstitial lung diseases using a deep convolutional neural network," IEEE Trans. Med. Imag., vol. 35, no. 5, pp. 1207–1216, May 2016.
- [14] H.-C. Shin et al., "Deep convolutional neural networks for computeraided detection: CNN architectures, dataset characteristics and transfer learning," IEEE Trans. Med. Imag., vol. 35, no. 5, pp. 1285–1298, May 2016
- [15] N. Tajbakhsh et al., "Convolutional neural networks for medical image analysis: Full training or fine tuning?" IEEE Trans. Med. Imag., vol. 35, no. 5, pp. 1299–1312, May 2016. [19] H. R. Roth et al., "A new 2.5D representation for lymph node detection using random sets of deep convolutional neural network observations," in Medical Image Computing and ComputerAssisted Intervention—MICCAI. New York, NY, USA: Springer, 2014, pp. 520–527.
- [16] Q. Dou et al., "Automatic detection of cerebral microbleeds from MR images via 3D convolutional neural networks," IEEE Trans. Med. Imag., vol. 35, no. 5, pp. 1182–1195, May 2016. [17] O. Ronneberger, P. Fischer, and T. Brox, "U-net: Convolutional networks for biomedical image segmentation," in Proc. Int. Conf. Med. Image Comput. Comput.-Assist. Intervent., 2015, pp. 234–241.
- [17] H. Chen, X. Qi, L. Yu, and P.-A. Heng, "Dcan: Deep contour-aware networks for accurate gland segmentation," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit., Apr. 2016
- [18] N. Codella, J. Cai, M. Abedini, R. Garnavi, A. Halpern, and J. R. Smith, "Deep learning, sparse coding, and SVM for melanoma recognition in dermoscopy images," in Machine Learning in Medical Imaging. New York, NY, USA: Springer, 2015, pp. 118–126.
- [19] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "Imagenet classification with deep convolutional neural networks," in Proc. Adv. Neural Inf. Process. Syst., 2012, pp. 1097–1105.
- [20] J. Kawahara, A. BenTaieb, and G. Hamarneh, "Deep features to classify skin lesions," in Proc. IEEE 13th Int. Symp. Biomed. Imag. (ISBI), Aug. 2016.
- [21] J. Deng, W. Dong, R. Socher, L.-J. Li, K. Li, and L. Fei-Fei, "ImageNet: A large-scale hierarchical image database," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2009, pp. 248–255.
- [22] J. Håstad and M. Goldmann, "On the power of small-depth threshold circuits," Comput. Complex., vol. 1, no. 2, pp. 113–129, 1991.
- [23] J. Håstad, "Computational limitations of small-depth circuits," Tech. Rep., 1987. [29] K. Simonyan and A. Zisserman. (Apr. 2014). "Very deep convolutional networks for large-scale image recognition." [Online]. Available: https://arxiv.org/abs/1409.1556
- [24] C. Szegedy et al., "Going deeper with convolutions," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit., Jun. 2015, pp. 1–9.
- [25] K. He, X. Zhang, S. Ren, and J. Sun. (Dec. 2015). "Deep residual learning for image recognition." [Online]. Available: https://arxiv.org/abs/1512.03385 [32] S. Zagoruyko and N. Komod
- [26] Mohan Kumar S & Dr. Balakrishnan, Classification Of Breast Mass Classification CAD System And Performance Evaluation Using SSNE, IJISET International Journal of Innovative Science, Engineering & Technology, Vol. 2, Issue 9, 417-425.September, 2015.Google Scholar& Other International Databases.
- [27] Dr. Mohan Kumar S, Dr. Balakrishnan, Classification Of Breast Mass Classification CAD System With Performance Evaluation, International Journal of Engineering And Computer Science, Volume 4, Issue 09, 14187-14193.September, 2015.Google Scholar& Other International Databases.
- [28] Dr. Mohan Kumar S, Dr. Balakrishnan, Classification Of Breast Micro calcification- CAD System And Performance Evaluation Using SSNE, International Journal of Advanced Research in Computer Science and Software Engineering, Volume 5, Issue 9, 824-830.September, 2015.Google Scholar& Other International Databases.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 6 Issue III, March 2018- Available at www.ijraset.com

- [29] Dr. Mohan Kumar S, Karthikayini, Essential Best Practices And Processes In Higher Educational Technical Institutions, International Journal Of Engineering Research And General Science, Volume 3, Issue 6, 231-236.December, 2015,Google Scholar.
- [30] Dr. Mohan Kumar S, Karthikayini, LNW-A System Model For A High Quality Effective E-Learning Using Cloud Environs, International Journal of Current Research and Review, Volume 7, Issue 23, 21-25...December, 2015,Google Scholar
- [31] Dr. Mohan Kumar S, Ayurveda Medicine Roles In Healthcare Medicine, And Ayurveda Towards Ayurinformatics, International Journal of Computer Science and Mobile Computing, Volume 4, Issue 12, 35-43..December, 2015,Google Scholar& Other International Databases.
- [32] Dr. Mohan Kumar S, Muralidhara, Importance Of Accreditation And Autonomous Status In HEI An Assessment With Special Orientation To Karnataka State, International Journal of Engineering Sciences & Research Technology, Volume 5, Issue 1, 472-479. January, 2016, Google Scholar& Other International Databases.
- [33] Dr. Mohan Kumar S, Interrelated Research Works And Importance Of Object Oriented Analysis And Modelling, International Journal of Engineering Sciences & Research Technology, Volume 5, Issue 1,59-62. January, 2016, Google Scholar& Other International Databases.
- [34] Dr.S Mohan Kumar, R.Jaya, A Survey On Medical Data Mining Health Care Related Research And Challenges, International Journal of Current Research, Volume 8, Issue 01, 25170-25173. January, 2016, Google Scholar& Other International Databases.
- [35] R.Jaya, Dr S Mohan Kumar, A Study On Data Mining Techniques, Methods, Tools And Applications In Various Industries, International Journal of Current Research & Review, Volume 8, Issue 04, 35-43. January, 2016, Google Scholar& Other International Databases
- [36] Clara K, Dr S Mohan Kumar, Cyber Crime Varient Activities And Network Forensic Investigation, International Journal of Emerging Technology and Advanced Engineering, Volume 6, Issue 04 March, 2016.Google Scholar& Other International Databases
- [37] Clara, Dr S Mohan Kumar, Exploratory Study Of Cyber Crimes, Digital Forensics And Its Tools, International Journal of Emerging Technology and Advanced Engineering, Volume 6, Issue 04.March, 2016.Google Scholar& Other International Databases
- [38] Revathi Y, Dr S Mohan Kumar, Efficient Implementation Using RM Method For Detecting Sensitive Data Leakage In Public Network, International Journal of Modern Trends in Engineering and Research, Volume 3, Issue 04,515-518. April 2016, Google Scholar& Other International Databases.
- [39] Revathi Y, Dr S Mohan Kumar, Review On Importance And Advancement In Detecting Sensitive Data Leakage In Public Network, International Journal Of Engineering Research And General Science, Volume 4, Issue 02,263-265. April 2016, Google Scholar& Other International Databases
- [40] Revathi Y, Dr S Mohan Kumar, A Survey On Detecting The Leakage Of Sensitive Data In Public Network, International Journal of Emerging Technology and Advanced Engineering, Volume 6, Issue 03,234-236.Jan 2016,Google Scholar& Other International Databases.
- [41] Mr.DilishBabu,J, Dr.S Mohan Kumar, A Survey On Secure Communication In Public Network During Disaster, IJESRTInternational Journal Of Engineering Sciences & Research Technology, Volume 5, Issue 3,430-434. March 2016, Google Scholar & Other International Databases.
- [42] Mr.DilishBabu, J, Dr.S Mohan Kumar, Survey On Routing Algorithms During Emergency Crisis Based On MANET, IJETAE International Journal of Emerging Technology and Advanced Engineering, Volume 6, Issue 3,278-281.March 2016,Google Scholar& Other International Databases.
- [43] Mr.DilishBabu,J, Dr.S Mohan Kumar, Emergency Communication System For Natural Disaster Using MANET, IJRDO International Journal of Research and Development Organization, Volume 2, Issue 5,1-10.May 2016,Google Scholar& Other International Databases.May 2016,Google Scholar& Other International Databases.
- [44] Ms.SulochanaPanigrahi, Dr S Mohan Kumar, Social Data Analysis Using Big-Data Analytic Technologies- Apache Flume, HDFS, HIVE, IJRDO International Journal of Research and Development Organization, Volume 2, Issue 5,16-21.May 2016,Google Scholar& Other International Databases.
- [45] Ms.SulochanaPanigrahi, Dr S Mohan Kumar, Social Media Analysis Using Apache Flume, Hdfs, Hive, International Journal of Current Trends in Engineering & Technology, Volume 2, Issue 2,282-285.March 2016,Google Scholar& Other International Databases.
- [46] Ms.SulochanaPanigrahi, Dr S Mohan Kumar, A Survey On Social Data Processing Using Apache Hadoop, Map-Reduce, International Journal of Scientific and Technical Advancements, Volume 2,121-123.March 2016,Google Scholar& Other International Databases.
- [47] Dr S Mohan Kumar, "Survey on detection of melanoma through Image processing Techniques ",Volume 6,issue III, March 2018,International journal for Research in applied Science and Engineering Technology.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)