



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 6      Issue: IV      Month of publication: April 2018**

**DOI: <http://doi.org/10.22214/ijraset.2018.4416>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Heuristic Method in Solving Optimization Problems of Online Shopping in Indonesia

Parida Harahap<sup>1</sup>, Esther Nababan<sup>2</sup>, Muhammad Zarlis<sup>3</sup>

<sup>1</sup>Himpunan Mahasiswa Islam

**Abstract:** *The development of online business in Indonesia is very rapid, this indicates the era of utilization of information technology has begun to be recognized existence. Shopping online has become one of the most common activities, done by millions of users every day. The variety of available orders makes it increasingly difficult to get the most out of all the stores. This research on the optimization of online shopping has grown rapidly. The focus of this research generally is to determine the optimum cost of product cost and product delivery issues. For that purpose the issue is of online shopping optimization. The existence of the solution of the optimum cost is shown by analyzing Linear Integer Programming by using heuristic algorithm method MinMin algorithm and Cellular processing Algorithm to optimize the problem of online shopping.*

**Keywords:** *Heuristic, optimization, Online shopping, Cellular processing Algorithm, MinMin Algorithm*

## I. INTRODUCTION

Shopping online or commonly called e-commerce more and more in Indonesia this is due to the development of the internet. Easy access to the internet either via wifi or gadget devices facilitate the public to access information about a product or service that was searched in addition to the incessant promotion conducted by e-commerce companies in ordering goods or services by ordering various kinds of facilities for the community.

Optimization is a way used to search for all possible real values of an objective function. The search process can be done by listing one by one the possible values or by developing a search algorithm. Later after the discovery of all these possibilities, choose which one is best. In other words, the optimization looks for the maximum or minimum value depending on the issue being discussed.

Heuristic methods can be used to find solutions of optimization problems, but do not guarantee always result in optimal solutions. In principle, heuristic methods are used to find the best solution possible within a given time range. The number of online store offers that are available so much make it difficult to get the best amongst all the stores. The prices in each online store have a standard price for the product. However, the total price may change due to different delivery times, different profits etc. Customers are interested in minimizing total product and delivery costs.

## II. LITERATURE REVIEW

In a previous study, a specialization of ISOP has been conducted with sensitive discounted prices (Blazewicz et al 2014a, 2014b) and a dual discount function both for price discount and delivery (Blazewicz et al., 2016). Wojciechowski and Musial (2010) first defined the heuristic algorithm. Internet shopping optimization issues (ISOP) (Musial, 2012) which was discovered about the description of computational experiments for ISOP problems and the results appear when shopping customers want to buy products in one online store for a minimum fee, taking into account also the shipping costs associated with the store where one or more products are purchased. The most interesting (and most complicated) specialization of ISOP is what's called online shopping with price-sensitive discount issues presented by Blazewicz et al. (2014). For each online store, the standard price for the product is known, as well as the increased total standard functionality and shipping rates. Optimization pricing can benefit customers. Moreover, we can show positive things as aspects of the information search stage much easier (Rose and Samouel, 2009). Furthermore, (Cheung et al. 2005) suggests that Internet subscribers are under the influence of many factors while shopping online (both internal and external).

The notation used in this research is:

- M : The set of stores
- N : The product set
- m : Number of stores
- n : Number of products
- a : The store indicator

- $b$  : The product indicator
- $N_a$  : The number of product sets available from store  $a$
- $d_a$  : The delivery price of all products from the store  $a$
- $c_{ab}$  : Price of product  $b$  in store  $a$
- $x_{ab}$  : 0-1 indicator of product usage  $b$  in store  $a$
- $y_a$  : 0-1 usage indicators in store  $a$
- $X = (X_1, \dots, X_m)$ : The order of product selection from store 1 .....  $m$
- $F(X)$  : Sum of product costs and delivery costs
- $\delta(x)$  : 0-1 indicator function for  $x = 0$  and  $x > 0$
- $X^*$  : optimal sequence of selection of products
- $F^*$  : Optimal (minimum) total cost

### III. PROBLEMS REVIEW

This study analyzes the problem of online shopping optimization, where the problem of this online shopping is minimizing product price in store  $a$  and shipping price in store  $a$ . In the case, the buyers look at the number of product set  $N = (1, \dots, n)$  to buy in store  $m$ . There is an abundance of supply of  $N_a$  product,  $c_{ab}$  part cost of product  $b \in N_a$ , and delivery costs and there is a set of products to delivery from store to buyer where in store  $a$ ,  $a = 1, \dots, m$ . It is assumed that  $c_{ab} = \infty$  If  $b \notin N_a$ . The problem set in choosing the product  $X = (X_1, \dots, X_m)$ , called the selected product where  $X_a \subseteq N_a$ ,  $a = 1, \dots, m$ ,  $X_a = N$  and the total price of the product and the shipping price minimized as :  $F(X) = \sum_{a=1}^m (\delta(|X_a|)d_a + \sum_{b \in X_a} c_{ab})$ . Where  $|X_a|$  denotes the cardinality of the multiset  $X_a$ , and  $\delta(x) = 0$  if  $x = 0$  and  $\delta(x) = \infty$  if  $x > 0$ .

### IV. INTEGER LINEAR PROGRAMMING

The  $x_{ab}$  variable is binary indicating product  $b$  is purchased from store  $a$ ,  $y_a$  is binary variable if the list of products is purchased from store  $a$ .

$$\min \sum_{a=1}^m \sum_{b=1}^n c_{ab} x_{ab} + \sum_{a=1}^m d_a y_a \tag{1}$$

$$x_{a,b} \in \{0,1\}, \forall a \in M, \forall b \in N \tag{2}$$

$$y_a \in \{0,1\}, \forall a \in M \tag{3}$$

$$\sum_{a=1}^m \sum_{b=1}^n x_{ab} = n \tag{4}$$

$$\sum_{a=1}^m x_{ab} = 1, \forall b \in N \tag{5}$$

$$ny_a - \sum_{b=1}^n x_{ab} \geq 0, \forall a \in M \tag{6}$$

In this ILP, the objective function is shown in (1), which is the total cost of purchasing a shopping list from the selected store, including postage, subject to the following constraints (4) making sure that the number of products purchased equals the number of products on the shopping list, while constraint (5) ensures that only one product of each type is selected; constraint (6) ensures that  $y_a$  variable takes a value 1 when the product is purchased from store  $a$ . It can be seen that this model of integer, where the decision variable  $x_{ab}$  and  $y_a$  is the integer value. In addition the objective function and the constraint function are linear model.

## V. HEURISTIC METHOD

In this heuristic method there are several heuristic approaches to solve ISOP. This method I propose includes variants of the MinMin algorithm with Local search stage (MinMin) and cellular processing algorithm as follows:

### A. MinMin algorithms and Variants

The MinMin algorithm has been well known in the field of scheduling presented by (Freund et al. 1998, Diaz et al. 2014, Nesmachnow et al. 2013) describes a task scheduling algorithm, with each task being assigned to a resource. It is divided into two phases:

The first phase is to set / calculate all the expected completion times for each task and resource: the dimension matrix  $t \times n$

During the second phase, all tasks are scheduled, based on the minimum turnaround time.

At each step of the algorithm, tasks with a minimum completion time are assigned to the appropriate resources and removed from the remaining task list.

---

#### 1) MinMin Algorithm

---

A general solution using the MinMin Algorithm Lopez-loces et al. (2016)

a) *Input*:  $N_a$ : Number of product inventory set in each store

$N$ : Shopping list.

$M$ : List of Shops.

b) *Output* :  $X = (X_1, \dots, X_m)$  : Sequence of selection of products.

( $F$  : sum of product costs and delivery costs)

- i)  $X = (X_1 = \phi, \dots, X_m = \phi)$
  - ii) while  $N \neq \phi$  do
  - iii)  $\min = \infty$
  - iv) for all  $a \in M$  do
  - v) for all  $b \in N$  do
  - vi) Product  $b$  is determined to  $X_a$
  - vii) if  $F(X) < \min$  then
  - viii)  $\min = F(X)$
  - ix)  $b' = b$
  - x) end i
  - xi) remove  $b$  from  $X$
  - xii) end fo
  - xiii) end for
  - xiv) Product  $b'$  is determined inShop  $a$  to  $X$
  - xv) Remove Product  $b'$  from  $N$  and product  $b'$  from  $N_a$
  - xvi) end while
  - xvii) return  $X$
- 

#### 2) Local Search Algorithm

---

Improves a solution to its local optimum in the search space. Lopez-loces et al. (2016)

a) *Input*:  $X_{old} : (X_{old1}, \dots, X_{oldm})$  : Sequence of selection of products to improve.

$N_a$ : Multiset of available products per shop.

b) *Output* :  $X = (X_1, \dots, X_m)$  : Improve sequence of selection of products.

( $F$  : sum of product costs and delivery costs)

- i) add products  $b$  and cost =  $c_{ab} + d_a$  from  $X_{olda}$  to
  - ii) sort  $V$  by cost in ascending order
  - iii)  $X = X_{ol}$
  - iv) oldTotalCost =  $F(X)$
-



- v) for all  $b \in V$  do
- vi) Remove Product  $b$  from  $X_a$
- vii) for all  $a \in M$  do
- viii) Product  $b$  is determined to  $X_a$
- ix) if  $F(X) < \text{oldTotalCost}$  then
- x)  $\text{oldTotalCost} = F(X)$
- xi)  $a' =$
- xii) end if
- xiii) Remove Product  $b$  from  $X_a$
- xiv) end fo
- xv) Product  $b$  is determined inShop  $a'$  to  $X_a$
- xvi) end for
- xvii) return  $X$

### B. Cellular Processing Algorithm

Cellular computing is described by Sipper (1999) a philosophy design algorithm based on three interrelated principles. The principle of simplicity dictates that the processing cell ideally performs a very simple task only takes a little time. Furthermore, the principle of parallelism propagates many individual cells to solve a task. The third is the principle of locality, which states that, given the high number of cells, communication between all is impractical, therefore local communication between neighboring cells is preferred. This paradigm is perfect for use in computing or data centers, as it utilizes the large number of processors available.

#### 1) MinMin+Local Search algorithm.

Generates an initial solution using the MinMin algorithm that is improved by a Local search method Lopez-loces et al. (2016)

- a) *Input*:  $N_a$  : Multiset of available products per shop.  
 $N$  : Shopping list.  
 $M$  : List of shops.
- b) *Output*:  $X = (X_1, \dots, X_m)$  : Sequence of selection of products  
 (minMin : MinMin heuristic in Algorithm 1)  
 (localSearch :Local Search in Algorithm 1)
- i)  $X = \text{minMin}(N_a; N; M)$
- ii)  $X = \text{localsearch}(X; N_a)$
- iii) return
- iv) improv ++
- v) end i
- vi) end while
- vii)  $X = \text{localSearch}(\text{bestX}, N_a)$
- viii) return bestX

Communication in this case is indicated by all solutions with all cells after complete iteration.

### III. CONCLUSION

Integer Linear Programming Modeling with MinMin and Varian Heuristic Algorithm Methods, Celular processing Algorithm is applicable for conditions where buyers want to minimize product price costs and minimize the cost of shipping products from the best online stores. With minimal shipping costs greatly beneficial buyers and make it easier for buyers to choose the best store from several online stores available.

### REFERENCES

- [1] Blazewicz, J., Bouvry, P., Kovalyov, M.Y., and Musial, J. (2014a). Internet shopping with price sensitive discounts 4ORA Quarterly Journal of Operations Research, Volume 12, Issue 4, 403406
- [2] Blazewicz, J., Bouvry, P., Kovalyov, M.Y., and Musial, J. (2014b). Internet shopping with price sensitive discounts 4ORA Quarterly Journal of Operations Research, Volume 12, Issue 1, 3548.
- [3] Blazewicz, J., Cheriére, N., Dutot, P.-F., Musial, J. and Trystram, D. (2016). Novel dual discounting functions for the Internet shopping optimization problem: New algorithms, Journal of Scheduling Volume 19, Issue 3, 245255.



- [4] Cheung, C.M., Chan, G.W. and Limayem, M. (2005). A critical review of online consumer behavior: Empirical research, *Journal of Electronic Commerce in Organizations* Volume 3, Issue 4), 119.
- [5] Diaz, C.O., Pecero, J.E. and Bouvry, P. (2014). Scalable, low complexity, and fast greedy scheduling heuristics for highly heterogeneous distributed computing systems, *The Journal of Supercomputing* Volume 67, Issue 3, 837853.
- [6] Freund, R., Gherrity, M., Ambrosius, S., Campbell, M., Halderman, M., Hensgen, D., Keith, E., Kidd, T., Kussow, M., Lima, J., Mirabile, F., Moore, L., Rust, B. and Siegel, H. (1998). Scheduling resources in multi-user, heterogeneous, computing environments with smartnet, *Proceedings of the 7th Heterogeneous Computing Workshop*, Orlando, FL, USA, 184199
- [7] Lopez-loces, M., C., Musial, J., Pecero, E., J., Fraire-Huacuja, J., H., Blaazewics, J., Bouvry P., (2016), exact and heuristic approaches to solve the internet shopping optimization problem with delivery costs, *International Journal Applied Mathematic Computer Science*, Volume 26, Issue 2, 391-406
- [8] Musial J. (2012) Applications of Combinatorial Optimization for Online Shopping, NAKOM, Poznan.
- [9] Nesmachnow, S., Dorronsoro, B., Pecero, J.E. and Bouvry, P. (2013). Energy aware scheduling on multicore heterogeneous grid computing systems, *Journal of Grid Computing* Volume 11, Issue 4, 653680.
- [10] Rose, S. and Samouel, P. (2009). Internal psychological versus external market driven determinants of the amount of consumer information search amongst online shoppers, *Journal of Marketing Management* Volume 25, Issue 12, 171190.
- [11] Sipper, M. (1999). The emergence of cellular computing, *Computer* Volume 32, Issue 7, 1826.
- [12] Wojciechowski A., Musial J. (2010). Towards Optimal Multi-item Shopping Basket Management: Heuristic Approach, *Lecture Notes in Computing Science*, Volume 6428, 349-357.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)