iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 **Issue:** V **Month of publication:** May 2018

DOI: http://doi.org/10.22214/ijraset.2018.5110

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887
Volume 6 Issue V, May 2018- Available at www.ijraset.com

Garbage Monitoring System Using IOT

Prof. Pramod Rodge[1], Rakshanda Baviskar[2], Akshay Bhadange[3], Sadashiv Lad[4]
[1]*HOD, Department of Computer Engineering, Shivajirao S. Jondhale College of Engineering, Dombivli, Maharashtra, India.*
[2, 3, 4]*Undergraduate, Department of Computer Engineering, Shivajirao S. Jondhale College of Engineering, Dombivli, Maharashtra, India.*

Abstract: ***In this venture we will specifically check thought IOT GECKO which dustbin is full and the regarded van will go and gather straightforwardly that waste from those specific zones. This approach can be a more intelligent one because of this time and cash can be effectively spared. This framework screens the junk receptacles and illuminate about the level of waste gathered in the trash canisters by means of a site page. For this the framework utilizes ultrasonic sensors set over the canisters to identify the junk level and contrast it and rubbish receptacles profundity. Hence this framework keeps the city clean by educating about the trash levels of receptacles by giving the graphical picture of the containers by means of IOT GECKO web advancement stage***
Keywords: IOT GECKO, Garbage Bins, Ultrasonic Sensors, Wi-Fi Modem, LCD Screen

I. INTRODUCTION

This undertaking IOT Garbage Monitoring framework is an extremely inventive framework which will keep the urban areas clean. This framework screens the waste receptacles and educates about the level of trash gathered in the rubbish canisters by means of a site page. For this the framework utilizes ultrasonic sensors put over the containers to distinguish the rubbish level and contrast it and the waste canisters profundity. The framework makes utilization of AVR family microcontroller, LCD screen, Wi-Fi modem for sending information and a ringer. The framework is controlled by a 12V transformer. The LCD screen is utilized to show the status of the level of rubbish gathered in the receptacles.

Though a page is worked to demonstrate the status to the client observing it. The site page gives a graphical perspective of the junk canisters and features the refuse gathered in shading to demonstrate the level of waste gathered. The LCD screen demonstrates the status of the rubbish level. The framework puts on the signal when the level of refuse gathered crosses as far as possible. Therefore this framework keeps the city clean by advising about the trash levels of the receptacles by giving graphical picture of the containers by means of a site page.

II. PROBLEM DEFINITION

In the conventional procedure of rubbish gathering the van of metropolitan organization go around the city and gathers the waste's shape different regions In this approach they may discover two cases, In the primary case they will discover the region where the refuse is in so extensive amount that it is streaming even out of the receptacles and scattered wherever around the container.

In second case they may discover certain territories where rubbish is in such a little amount, to the point that is relatively equivalent to invalid, so with this approach there is loss of time cash and fuel and in addition it is likewise destructive to the earth

III. LITERATURE SURVEY


Name Of the Paper	Year Of Published	Description
1)IOT based Smart Garbage and Waste Collection Bins	May 2016	This system is interfaced with microcontroller based system having IR Sensors, with central system showing current status of garbage on mobile web browser with html page by Wi-Fi module essential for its implementation
2) Waste Bin Monitoring System Using Integrated Technologies	July 2014	The sensors are placed in the common garbage bins placed at the public places. When the garbage reaches the level of the sensor, then that indication will be given to ARM 7 Controller. The controller will give indication to the driver of garbage collection truck as to which garbage bin is completely filled and needs urgent attention. ARM 7 will give indication by sending SMS using GSM technology.
3)An Overview for Solid Waste Bin Monitoring System	February 2012	Use the waste identification for sorting process. Based on RFID new technology new trash bag is added in a collective container. The technology use Radio Frequency Identification (RFID), Smart vehicular and trash Bag. They only identify RFID tags garbage bins, Low data speed, high cost. The Zlg bee and GSM system would be able to monitor the solid waste collection process.

©IJRASET: All Rights are Reserved

IV. PROPOSED SYSTEM

In this venture we will specifically check thought IOT GECKO which dustbin is full and the regarded van will go and gather straightforwardly that refuse from that specific zones

This approach can be a more brilliant one because of this time and cash can be effortlessly spared



V. SYSTEM ARCHITECTURE DIAGRAM





Fig 2: System Architecture

©IJRASET: All Rights are Reserved

V. ADVANTAGES

A. This project can be used in the smart city
B. Real time transmission and access
C. Avoids the overflow of garbage bins
D. Helps to keep our environment clean
E. Using this system waste collection would become efficient and also reduction in transportation cost

VI. RESULTS



VII. CONCLUSION


A. In this venture a coordinated arrangement of Wi-Fi modem, IOT, Ultrasonic sensors is presented for proficient and monetary rubbish gathering
B. The created framework gives enhanced database to trash accumulation time and waste sum at every area
C. By actualizing this undertaking we will abstain from flooding of junk from the compartment in neighborhood

The innovations which are utilized as a part of the proposed framework are sufficient to guarantee the down to earth and ideal for strong and in addition fluid trash gathering process checking and administration for green condition

REFERENCES

[1] S.S. Navghane, M.S. Killedar, Dr. V.M. Rohokale, “IOT Based Smart Garbage and Waste Collection Bin”, International Journal of Research In Electronics and Communication Engineering, Volume 5, Issue 5, May 2016
[2] Kanchan Mahajan, Prof. J.S. Chitode, “Waste Bin Monitoring System Using Integrated Technologies”, International Journal of Innovative Research in Science, Engineering and Technology (An ISO 3297:2007 Certified Organization) Vol. 3, Issue 7, July 2014
[3] Md. Safiqul Islam, M.A. Hannan Maher Arebey, Hasan Barsi, “An Overview For Solid Waste Bin Monitoring System “ Journal of Applied Sciences Research, ISSN181-544X, vol 5, Issue4, February 2012

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)