iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 **Issue:** V **Month of publication:** May 2018

DOI: http://doi.org/10.22214/ijraset.2018.5036

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887
Volume 6 Issue V, May 2018- Available at www.ijraset.com

Smart Device for Detection of Environmental Factors to Alert Asthma Patients

Manjunath C R[1], Himaja K R[2], K Praghnya Iyer[3]
[1, 2, 3]*Department of Computer Science and Engineering, School of Engineering and Technology-Jain University* Bengaluru, India

Abstract: ***Asthma is a lifetime incessant illness taking off to strange lung capacities and trouble in relaxing. Around 350 million individuals (which is proportionate to 1 in each 12 grown-ups), endure with asthma around the world. Self-checking is the preparatory game-plan to screen, treat and control the endless infection. Self-checking together encourages doctors and patients to have control over constant observing and to give on-time treatment. This is tied in with helping asthma patients who are keen to things which may not trouble customary individuals by any means, since when they are presented to some new environment. Viewpoints, for example, smoke, tidy, dampness and temperature may provoke asthma in them. In spite of the fact that asthma can't be annihilated totally, patients can evade conditions that reason asthma. It is fundamental to monitor what triggers asthma assault in a patient, since signs don't happen directly after the colleague to the activating constants. The Internet of Things (IoT) is turning into the ligament of today and furthermore future innovation. It can be abused to make life substantially less demanding for people by taking the favorable position that they have their own keen gadgets associated with the web. From this point of view, numerous medicinal related issues like constant illnesses can be unraveled. Here, IoT is utilized for making a brilliant gadget that measures ecological elements to caution asthma patients.***
Keywords: ***Asthma, IoT, Sensors, Alert, Allery, Triggers***

I. INTRODUCTION

A. Overview Of Asthma

Asthma is a constant fiery malady that causes the aviation routes of the lungs to swell and restricted, bringing about shortness of breath, wheezing and hacking. It is a significantly becoming worldwide and financial issue. As per WHO, about 300 million individuals are all inclusive experiencing asthma. In creating nations like India, it has been assessed that approximately 15-20 million individuals are asthmatic. Since there is no cure for asthma, the casualty rate of asthma is especially high, particularly in immature and creating nations.

Asthma is portrayed by intermittent scenes of wheezing, hacking, shortness of breath and chest snugness. Manifestations are typically more regrettable around evening time or at a young hour early in the day in light of cool air or exercise. Numerous natural variables assume a fundamental part being developed of asthma in individuals, including presentation to air contamination, allergens, other compound aggravations. Low air quality and high ozone levels have likewise been related with advancement and expanded asthma seriousness. Family history is likewise a hazard factor for asthma, with numerous qualities being embroiled. Very nearly 25 qualities have been related with asthma. A large number of these qualities are identified with insusceptible framework or balancing irritation. Likewise some hereditary variations may likewise cause asthma when they are joined with particular ecological exposures. There is no cure for asthma, just counteractive action.

A particular, modified arrangement for proactively checking and overseeing indications must be made. This arrangement ought to incorporate diminishment of presentation to allergens, testing to survey the seriousness of side effects, and the utilization of solutions. The treatment design ought to be composed down and exhortation acclimations to treatment as indicated by changes in manifestations. The best treatment for asthma is distinguishing triggers, for example, smoke, pets, or pharmaceuticals and dispensing with introduction to them. On the off chance that trigger shirking is deficient, at that point utilization of drug is prescribed.

Pharmaceutical medications are chosen in light of (in addition to other things) seriousness of ailment and the recurrence of side effects. However the adherence factor is variable- a large portion of the patients don't take their prescriptions routinely. Asthma administration is trying as it requires understanding asthma causes and triggers that are multi-calculated and individualistic in nature. Innovation is the best seek after conveying these new routes, for the most part through wearable associated gadgets, minimal effort sensors, customer-reviewed gadgets and so forth. Every one of these gadgets make them thing in like manner IoT (Internet of Things).

©IJRASET: All Rights are Reserved

B. overview of Iot

The Internet of Things (IoT) is a system of physical gadgets, vehicles, home machines and different things inserted with hardware, programming, sensors, availability which empowers these articles to associate and trade information. IoT interfaces everything by means of the Internet. IoT enables articles to be detected or controlled remotely crosswise over existing system framework, making open doors for more straightforward joining of the physical world into PC based frameworks,, and bringing about enhances effectiveness, precision and financial advantage notwithstanding lessened human intercession.

1) IoT is a Mix of following three:

a) Sensors and Actuators: This part measures a physical amount, for example, sound, temperature, dampness, and so forth, and believers it into an electrical amount to influence the framework to comprehend and as needs be.

b) Connectivity: The got signals are to be transferred on the system utilizing diverse correspondence medium, for example, Wi-Fi, Bluetooth or BLE LoPAN, and so on.

c) People and Processes: Networked inputs are then consolidated into bidirectional frameworks that coordinate information, individuals and procedures for better basic leadership.

2) IoT depEnds on four Basic Building Pieces

a) Sensors: Sensors are all over the place. They sense information from the environment. For instance, temperature sensors sense the temperature of a room the environment and offers it through the IoT passage/structure. Sensors sniff a wide assortment of data running from area,, climate, dust, stickiness, et cetera.

b) IoT Gateways and Frameworks: This is only a passage to the Internet for all things/gadgets that we need to collaborate with. Entryways go about as a bearer between the inside system of sensor hubs with the outer Internet or the World Wide Web. They do this by gathering the information from sensor hubs and transmitting it to the Internet framework.

c) Cloud Server: The information transmitted through the door is put away and prepared safely inside the cloud server. This handled information is then used to perform insightful activities that make every one of the gadgets shrewd.

d) Mobile applications: The natural versatile applications help end clients to control and screen their gadgets from remote areas. These applications push the vital data on your advanced mobile phones, tablets, and so on.




Figure 1: Architecture of IoT

There is most likely that IoT is changing the medicinal services industry inside and out by reclassifying how applications, gadgets and individuals associate and interface with each other in conveying human services arrangements. IoT is continually offering new apparatuses and in addition efficiencies that make up a coordinated medicinal services framework with the perspective of guaranteeing that patients are tended to better, human services costs are lessened fundamentally and treatment results are moved forward. The utilization of IoT in medicinal services takes into consideration robotization of procedures that would've already required some serious energy, took into consideration human mistakes, and so forth. Restorative gadgets utilized for medicinal services applications can be subdivided into 3 noteworthy gatherings:

©IJRASET: All Rights are Reserved

e) *Wearable outer gadgets:* Usually these are biosensors that screen physiological information with remote/remote correspondence which can be utilized for telemedicine and in- - tolerant checking. For instance, these gadgets screen pulse, heart-rate, temperatures, ceaseless glucose levels, oxygen levels, et cetera.

f) *Implanted medicinal gadgets*: Implanted gadgets supplant a missing natural structure or bolster a harmed organic structure, or improve a current natural structure. This class incorporates implantable implantation pumps and other medication conveyance gadgets, cardiovascular pacemakers, implantable neuro-stimulator frameworks, glucose screens.

g) *Stationary therapeutic gadgets:* There are an extensive variety of stationary restorative types of gear, which can be utilized for different applications, for example, clinical activities (surgical gadgets) and associated imaging tolerant? We attempt to gauge and foresee when a patient is going to have an asthma assault utilizing IoT. At whatever point there is a shot of the patient having an asthma assault, an alarm is sent to their shrewd gadget and the patient leaves to a sheltered zone. The thought is to make a gadget that is associated with the patient's advanced mobile phone by means of Wi-Fi or Bluetooth. The gadget will likewise contain sensors, for example, temperature, dampness, and so on, to screen the patient's environment and condition. At the point when there is probability that the patient will have an asthma assault, the patient is cautioned on his advanced mobile phone. On the off chance that the patient has a serious assault, a pain message is sent to the closest specialist/clinic, or to a dear companion or relative.

II. EXISTING SYSTEM

A. *Breathe*

Breath is a little gadget you can append anyplace on the body. The gadget is fit for estimating the air quality as we travel through specific conditions. At the point when the gadget is associated with the Breathe application, it enables the wearer to track the air quality in the greater part of the areas they've gone to that day, furnishing them with a sort of warmth guide of contamination to enable them to attempt and pick cleaner and more secure courses. It will even caution the client if the air quality turns out to be especially risky whenever. Moreover, this information is then assembled and pooled with other Breathe clients to give swarm sourced database of air quality levels the world over. The disadvantage of Breathe is that it doesn't caution the patient's close family or any clinic which may wind up unavoidable now and again if the patient has an extreme assault.




Figure 2.1: BREATHE Device

B. *Het*

The HET (warm and ecological tracker) framework incorporates a large group of detecting gadgets, which are consolidated into a wristband and a fix that clings to the chest. The fix incorporates sensors that track a patient's development, heart-rate, respiratory rate, the measure of oxygen in the blood, skin impedance and wheezing in the lungs. The wristband centers to a great extent around ecological elements, observing unpredictable natural mixes and ozone noticeable all around, and additionally surrounding dampness and temperature. The wristband likewise incorporates extra sensors to screen movement, heart-rate and measure of oxygen in the blood. The framework additionally has one non-wearable part: a spirometer, which patients inhale into a few times each day to quantify lung work. Moistness additionally influences a man's wellbeing by expanding asthma assault possibilities. We can utilize climate reports for dampness. For a few people, even physical exercise like practicing additionally triggers asthma. Subsequently, when the individual is running or strolling quick and intersection the typical limit estimation of customary walk, we can send a notice.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887
Volume 6 Issue V, May 2018- Available at www.ijraset.com




Figure 2.2: HET Device Prototype

C. Food Allergen Detectors

Sustenance allergen identifiers are additionally successful in overseeing asthma. There are 8 sorts of items that can cause 90% of all sensitivities: eggs, peanuts, tree nuts, angle, shellfish, soy, wheat , so on. Sustenance allergen identifiers enable us to identify nearness of these segments in nourishment by sparkling red as a caution. On the off chance that the nourishment is protected, at that point it gleams green. This idea is utilized to bolster a notice or wellbeing signal as a notice in PDA. For instance, Nima is such a finder. Results are shown on Nima and in a state of harmony with an application in the advanced cell of the client.



Figure 2.3: NIMA Detector

III. PROPOSED SYSTEM

A portion of the regular components which trigger asthma are:

A. Infections
B. Smoking and synthetic exhaust
C. Sinusitis
D. Outdoor allergens, for example, dusts from grass, trees, weed, so on
E. Indoor allergens, for example, pet dander, clean vermin and form.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887
Volume 6 Issue V, May 2018- Available at www.ijraset.com




Figure 3.1: Block diagram of proposed system

As delineated in Figure 3.1, the proposed framework says that if a man who is experiencing asthma enters an asthma-inclined zone, he/she will get a ready that he is helpless to an asthma assault. We will build up a gadget which contains different natural sensors, for example, temperature, moistness, smoke, barometric, dust, etc.,.

Temperature can be estimated by means of a differing exhibit of sensors. Every one of them deduce temperature by detecting some adjustment in a physical trademark. The two principle classifications of these sensors are contact and non-contact style temperature sensors. Fundamental detecting advances for temperature tests incorporate thermocouple, RTD, thermistor, strong state, fibre optics. The temperature scope of a sensor characterizes the temperature scope of a sensor characterizes the temperatures at which the sensor is evaluated to work securely and give exact estimations.

Humidity sensors are utilized to control asthma triggers. Hot moist air is heavier and hard to relax. Hot air can aggravate the aviation route and can prompt irritation. Again in the meantime, dampness noticeable all around can assimilate oxygen. Accordingly, for some asthma patients this isn't an issue. However lacking dampness can prompt aggravation of aviation routes as well. Subsequently, a few people encounter asthma manifestations is excessively dry (amid winters). This gives patients the need to utilize stickiness sensors.

Air contamination sensors identify dust by the guideline of dispersing of light. Regular dust checking has been a tedious work up until now. Be that as it may, these days anybody can investigate the nearness of dust particles on spot utilizing dust sensors. In this manner the dust indicator effectively distinguishes the nearness of dust to caution the client.

Preferably, the proposed gadget measures the earth factors utilizing these sensors. At the point when an asthma understanding enters any asthma-inclined region, the sensors in the gadget get all the natural components/allergens and caution the patients. After this, a misery message is sent to the closest healing facility/specialist or dear companion/relative so the patient gets prompt help through the gadget. This gadget will be associated with a framework/advanced cells of different doctor's facilities/specialists and furthermore to dear companions/relatives. When the trouble message is gotten, quick help is sent. If not, the patient would need to bite the dust over an infection which can be effortlessly checked and averted.

©IJRASET: All Rights are Reserved


IV. CONCLUSIONS

Preferably, the proposed gadget measures the earth factors utilizing these sensors. At the point when an asthma understanding enters any asthma-inclined region, the sensors in the gadget get all the natural components/allergens and caution the patients. After this, a misery message is sent to the closest healing facility/specialist or dear companion/relative so the patient gets prompt help through the gadget. This gadget will be associated with a framework/advanced cells of different doctor's facilities/specialists and furthermore to dear companions/relatives. When the trouble message is gotten, quick help is sent. If not, the patient would need to bite the dust over an infection which can be effortlessly checked and averted.

REFERENCES

[1] K. Ajith Kumar, M. Giri Prasath, D. Manikandan, K. P. Shanmuga Priya. “Smart Asthma Patient Assist System Using IOT and Android Technology” .IJIRT, Volume 4, Issue 9, February 2018
[2] AL-Jaf TG, Al-Hemiary EH. “Internet of Things Based Cloud Smart Monitoring for Asthma Patient”. In The 1st International Conference on Information Technology (ICoIT'17) 2017 Apr 10 (p. 380)
[3] Rajesh Kumar VRS, Rathish Babu TKS, Ramasubramanian M. “A Novel Approach for Asthma Prediction”. International Journals of Advanced Research in Computer Science and Software Engineering, ISSN: 2277-128X (Volume-7, Issue-6), June 2017.
[4] Jaimini U. “PhD Forum: Multimodal IoT and EMR based Smart Health Application for Asthma Management in Children”. In Smart Computing (SMARTCOMP), 2017 IEEE International Conference on 2017 May 29 (pp. 1-2), IEEE.
[5] Rao MA, Kausthubha NK, Yadav S, Gope D, Krishnaswamy UM, Ghosh PK. “Automatic prediction of spirometry readings from cough and wheeze for monitoring of asthma severity”. In Signal Processing Conference (EUSIPCO), 2017 25th European 2017 Aug 28 (pp. 41-45). IEEE.
[6] Abinayaa B, Raja AA. “Smart Portable Monitoring Device for Asthma Patients””. Middle-East Journal of Scientific Research. 2016;24(S1):136-42.
[7] Abdelgawad A, Yelamarthi K, Khattab A. “IoT-Based Health Monitoring System for Active and Assisted Living”. In International Conference on Smart Objects and Technologies for Social Good 2016 Nov 30 (pp. 11-20). Springer, Cham
[8] Siddiquee J, Roy A, Datta A, Sarkar P, Saha S, Biswas SS. “Smart asthma attack prediction system using Internet of Things”. In Information Technology, Electronics and Mobile Communication Conference (IEMCON), 2016 IEEE 7th Annual 2016 Oct 13 (pp. 1-4). IEEE.
[9] Finkelstein J, Jeong IC. “Using CART for advanced prediction of asthma attacks based on telemonitoring data”. In Ubiquitous Computing, Electronics & Mobile Communication Conference (UEMCON), IEEE Annual 2016 Oct 20 (pp. 1-5). IEEE.
[10] Rajput DS, Gour R. “An IoT framework for healthcare monitoring systems”. International Journal of Computer Science and Information Security. 2016 May 1 ;14(5):451.

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)