



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: V Month of publication: May 2018

DOI: <http://doi.org/10.22214/ijraset.2018.5147>

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

Explication of Dio 3 -Tuples from Truncated Octahedral Number-I

P. Saranya¹, G.Janaki²

¹Assistant Professor, Department of Mathematics, Cauvery College for women,

²Associate Professor, Department of Mathematics, Cauvery College for women,

Abstract: We attempt to explicate dio 3-tuples from truncated octahedral number of different ranks. We also present 4 sets of dio 3-tuples under 3 cases with some numerical examples.

Keywords: Dio 3-tuples, Truncated octahedral number.

I. INTRODUCTION

The study of Diophantine equation goes back to ancient Greeks. The most famous example from that time is $x^2 + y^2 = z^2$. Diophantine equations have over centuries provided fertile ground for mathematicians. The earliest work of importance have been on the problem of determining Pythagorean triples to the equation $x^2 + y^2 = z^2$. All triples are given by $x = d(a^2 - b^2)$, $y = 2abd$, $z = d(a^2 + b^2)$ where $a, b, d \in \mathbb{Z}$ with $\gcd(a, b) = 1$. The name Diophantine equation is in honour of the mathematician Diophantus, who lived in Alexandria around 300 AD. His work arithmetica was one of the ancient texts that went missing. It originally consisted of 13 books of which only 6 has survived into modern era.

[1-3] has been referred for multitudinal ideas on number theory. [4-19] has been studied for numerous ideas on diophantine triples. In this paper we attempt to explicate dio 3-tuples from truncated octahedral number of different ranks. We also present 4 sets of dio 3-tuples under 3 cases with some numerical examples.

II. METHOD OF ANALYSIS

A. Case (i)

Let $a = TO_{n-1} = 16n^3 - 81n^2 + 138n - 79$ = Truncated octahedral number of rank n-1

$b = TO_n = 16n^3 - 33n^2 + 24n - 6$ = Truncated octahedral number of rank n

We then have

$$ab + 544n^4 - 686n^3 - 2057n^2 + 5604n - 150 = \alpha^2$$

$$\text{where } \alpha = 16n^3 - 57n^2 + 80n + 18 \quad (1)$$

Let 'c' be any non-zero integer such that

$$ac + 544n^4 - 686n^3 - 2057n^2 + 5604n - 150 = \beta^2 \quad (2)$$

$$bc + 544n^4 - 686n^3 - 2057n^2 + 5604n - 150 = \gamma^2 \quad (3)$$

Introducing the linear transformation $\beta = a + \alpha$, $\gamma = b + \alpha$ in (2) and (3) we get $c = a + b + 2\alpha$

$$\text{ie., } c = 64n^3 - 228n^2 + 322n - 49 = 4TO_n - 96n^2 + 226n - 25$$

\therefore The triples (a, b, c) are dio 3-tuples with the property $D(544n^4 - 686n^3 - 2057n^2 + 5604n - 150)$

Some numerical examples are presented below in table I

Table I

N	(a ,b ,c)	D(n)
1	(-6,1,109)	3255
2	(1,38,195)	6046
3	(38,201,593)	23691
4	(201,586,1687)	84714
5	(586,1289,386)	230695

Below we present 3 sets of dio 3-tuples with their corresponding properties

Table II

S. No	(a, b, c)	D(n)
1	$(TO_{n-1}, TO_n, 4TO_n - 96n^2 + 226n - 21)$	$544n^4 - 622n^3 - 2285n^2 + 5924n - 74$
2	$(TO_{n-1}, TO_n, 4TO_n - 96n^2 + 226n - 23)$	$544n^4 - 654n^3 - 2171n^2 + 5764n - 113$
3	$(TO_{n-1}, TO_n, 4TO_n - 96n^2 + 226n - 27)$	$544n^4 - 718n^3 - 1943n^2 + 5444n - 185$

B. Case (ii)

Here we take $a = TO_{n-2} = 16n^3 - 129n^2 + 220n - 314$ = Truncated octahedral number of rank n-2

$b = TO_n = 16n^3 - 33n^2 + 24n - 6$ = Truncated octahedral number of rank n

Proceeding as in case (i) we've $c = 64n^3 - 324n^2 + 404n - 234 = 4TO_n - 192n^2 + 308n - 210$

∴ The triples (a, b, c) are dio 3-tuples with the property $D(960n^4 + 3892n^3 - 16982n^2 + 15736n - 35)$

Some numerical examples are presented below in tableIII

Table III

n	(a, b, c)	D(n)
1	(-207,1,-90)	3571
2	(-262,38,-210)	10005
3	(-383,201,-210)	77179
4	(-474,586,294)	286045
5	(-439,1289,1686)	740595

Below we present 3 sets of dio 3-tuples with their corresponding properties in tableIV

Table IV

S. No	(a, b, c)	D(n)
1	$(TO_{n-2}, TO_n, 4TO_n - 192n^2 + 308n - 204)$	$960n^4 + 3988n^3 - 17468n^2 + 16216n + 232$
2	$(TO_{n-2}, TO_n, 4TO_n - 192n^2 + 308n - 206)$	$960n^4 + 3956n^3 - 17306n^2 + 16056n + 141$
3	$(TO_{n-2}, TO_n, 4TO_n - 192n^2 + 308n - 208)$	$960n^4 + 3924n^3 - 17144n^2 + 15896n + 52$

C. Case (iii)

Here we take

$$a = TO_{n-2} = 16n^3 - 129n^2 + 220n - 314 = \text{Truncated octahedral number of rank } n-2$$

$$b = TO_{n-1} = 16n^3 - 81n^2 + 138n - 79 = \text{Truncated octahedral number of rank } n-1$$

Proceeding as in earlier cases we've $c = 64n^3 - 420n^2 + 438n - 93 = 4TO_n - 228n^2 + 342n - 69$

∴ The triples (a, b, c) are dio 3-tuples with the property $D(-3872n^4 + 38310n^3 - 95885n^2 + 72712n - 2306)$

Some numerical examples are listed below in tableV

Table V

n	(a, b, c)	D(n)
1	(-207,-6,-11)	8959
2	(-262,1,-385)	4106
3	(-383,38,-831)	73603
4	(-474,201,-965)	214990
5	(-439,586,-403)	332879

Below we present 3 sets of dio 3-tuples with their respective properties in tableVI

Table VI

s.no	(a, b, c)	D(n)
1	$(TO_{n-2}, TO_{n-1}, 4TO_n - 228n^2 - 342n - 63)$	$(-3872n^4 + 38406n^3 - 96515n^2 + 72952n - 1397)$
2	$(TO_{n-2}, TO_{n-1}, 4TO_n - 228n^2 - 342n - 65)$	$(-3872n^4 + 3834n^3 - 96305n^2 + 72872n - 1702)$
3	$(TO_{n-2}, TO_{n-1}, 4TO_n - 228n^2 - 342n - 67)$	$(-3872n^4 + 38342n^3 - 96095n^2 + 72792n - 2005)$

III.CONCLUSION

In this paper we have explicated dio 3-tuples under 3 cases from Truncated octahedral number of different ranks. One may also search for similar type of dio 3-tuples from some other special numbers with suitable properties.

REFERENCES

- [1] R.D. Carmichael, "The Theory of Numbers and Diophantine Analysis", Dover Publications, New York 1959
- [2] Mordell L.J., "Diophantine Equations" Academic Press, New York, 1970
- [3] Dickson. L.E. "History of Theory of Numbers and Diophantine Analysis", Vol.2, Dove Publications, New York 200
- [4] Bo He, A.Togbe, On the family of Diophantine triples $\{k + 1, 4k, 9k + 3\}$, Period Math Hungar, 58, 59–70, 200
- [5] Bo He, A.Togbe, On a family of Diophantine triples $\{k + 1, A^2k + 2A, (A+1)^2k + 2(A+1)\}$ with two parameters, Acta Math. Hungar, 124, 99 – 113, 200
- [6] M.N.Deshpande and E.Brown, Diophantine triplets and the Pell sequence, Fibonacci Quart, 39, 242 – 249, 2001.
- [7] M.N.Deshpande, One interesting family of Diophantine triplets, Internat. J. Math. Ed. Sci. Tech., 33, 253 - 256, 200
- [8] A.Filipin, Bo He, A.Togbe, On a family of two parametric $D(4)$ – triples, Glas. Mat. Ser. III, 47, 31 – 51, 201
- [9] Filipin A, Fujita Y and Mignotte M (2012). The non extendibility of some parametric families of $D(-1)$ -triples. Quarterly 605-621
- [10] M.A.Gopalan and G.Srividhya, Two special Diophantine Triples, Diophantus J. Math., 1(1), 23 – 27, 2012
- [11] M.A.Gopalan, V.Sangeetha, Manju Somanath, Construction of the Diophantine Triple involving polygonal numbers, Sch. J. Eng. Tech., 2(1), 19 – 22, 201
- [12] M.A.Gopalan, S.Vidhyalakshmi, S.Mallika, Special family of Diophantine Triples, Sch. J.Eng.Tech., 2(2A), 197 – 199
- [13] V.Pandichelvi, Construction of the Diophantine Triple involving Polygonal numbers, Impact J.Sci.Tech., Vol.5, No.1, 07 - 11, 201
- [14] Gopalan.M.A.G.Srividhya,"Some nonextendable P-5 sets ", Diophantus J.Math.,1(1),(2012),19-22
- [15] Gopalan.M.A.G.Srividhya,"Two Special Diophantine Triples", Diophantus.Math.,1(1),(2012),23-27
- [16] G.Janaki , P.Saranya, "Construction of Special Dio 3-Tuples from $\frac{CC_n}{Gno_n} - I$ ", International Journal of Advanced Research Development, vol-2, issu 6, 151-154, Nov 2017.
- [17] G.Janaki , P.Saranya, "Construction of Special Dio 3-Tuples from $\frac{CC_n}{Gno_n} - II$ ", International Journal for Research I Applied Science & Engineering Technology (IJRASET), Volume 5 Issue XI, November 2017.
- [18] G.Janaki , P.Saranya, " Construction of Gaussian Diophantine triples with the property $D(25)$ ", International Journal of Statistics and Applied Mathematics, 2(6): 301-302, 2017
- [19] G.Janaki , P.Saranya, " Half companion sequences of dio 3-tuples from $\frac{CC_n}{Gno_n}$ ", International Journal for Science an Advance Research in Technology (IJSART), 4(4):3013-3015 , April 2018.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)