



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 7 **Issue:** II **Month of publication:** February

DOI: <http://doi.org/10.22214/ijraset.2019.2088>

www.ijraset.com

Call: 08813907089

| E-mail ID: ijraset@gmail.com

Observation on the Positive Pell Equation

$$y^2 = 15x^2 + 10$$

M. A. Gopalan¹, A. Sathya², A. Nandhinidevi^{3*}

¹Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

²Assistant Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

³PG Scholar, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

Abstract: The binary quadratic Diophantine equation represented by the positive Pellian $y^2 = 15x^2 + 10$ is analyzed for its non-zero distinct integer solutions. A few interesting relations among the solutions are given. Employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas and parabolas.

Keywords: Binary quadratic, Hyperbola, Parabola, Pell equation, Integer solutions

I. INTRODUCTION

The binary quadratic equation of the form $y^2 = Dx^2 + 1$ where D is non-square positive integer, has been selected by various mathematicians for its non-trivial integer solutions when D takes different integral values [1-4]. For an extensive review of various problems, one may refer [5-16]. In this communication, yet another an interesting equation given by $y^2 = 15x^2 + 10$ is considered and infinitely many integer solutions are obtained. A few interesting properties among the solutions are presented.

II. METHOD OF ANALYSIS

The Positive Pell equation representing hyperbola under consideration is

$$y^2 = 15x^2 + 10 \quad (1)$$

The smallest positive integer solutions of (1) are

$$x_0 = 1, y_0 = 5$$

To obtain the other solutions of (1), consider the pellian equation

$$y^2 = 15x^2 + 1 \quad (2)$$

whose initial solution is given by

$$\tilde{x}_0 = 1, \tilde{y}_0 = 4$$

The general solution $(\tilde{x}_n, \tilde{y}_n)$ of (2) is given by

$$\tilde{x}_n = \frac{1}{2\sqrt{15}} g_n, \quad \tilde{y}_n = \frac{1}{2} f_n$$

where

$$f_n = (4 + \sqrt{15})^{n+1} + (4 - \sqrt{15})^{n+1}$$

$$g_n = (4 + \sqrt{15})^{n+1} - (4 - \sqrt{15})^{n+1}, \quad n = -1, 0, 1, \dots$$

Applying Brahmagupta lemma between (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the other integer solution of (1) are given by

$$x_{n+1} = \frac{1}{2} f_n + \frac{5}{2\sqrt{15}} g_n$$

$$y_{n+1} = \frac{5}{2} f_n + \frac{\sqrt{15}}{2} g_n$$

The recurrence relations satisfied by the solutions x and y are given by

$$x_{n+3} - 8x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 8y_{n+2} + y_{n+1} = 0$$

Some numerical examples of x_n and y_n satisfying (1) are given in the Table 1 below,

Table 1: Numerical Examples

n	x_n	y_n
0	9	35
1	71	275
2	559	2165
3	4401	17045
4	34649	134195

From the above table, we observe some interesting relations among the solutions which are presented below:

Both x_n and y_n values are odd.

A. Relations Among The Solutions Are Given Below

- 1) $x_{n+3} - 8x_{n+2} + x_{n+1} = 0$
- 2) $y_{n+3} - 31x_{n+2} + 4x_{n+1} = 0$
- 3) $8y_{n+1} + 31x_{n+1} - x_{n+3} = 0$
- 4) $8y_{n+3} - 31x_{n+3} + x_{n+1} = 0$
- 5) $x_{n+2} - 4x_{n+1} - y_{n+1} = 0$
- 6) $y_{n+2} - 4y_{n+1} - 15x_{n+1} = 0$
- 7) $y_{n+3} - 31y_{n+1} - 120x_{n+1} = 0$
- 8) $4x_{n+2} - x_{n+1} - y_{n+2} = 0$
- 9) $x_{n+3} - x_{n+1} - 2y_{n+2} = 0$
- 10) $4y_{n+3} - 31y_{n+2} - 15x_{n+1} = 0$
- 11) $y_{n+1} + 31x_{n+2} - 4x_{n+3} = 0$
- 12) $y_{n+2} + 4x_{n+2} - x_{n+3} = 0$
- 13) $y_{n+3} + x_{n+2} - 4x_{n+3} = 0$
- 14) $4y_{n+2} - y_{n+1} - 15x_{n+2} = 0$
- 15) $y_{n+3} - y_{n+1} - 30x_{n+3} = 0$
- 16) $y_{n+3} - 4y_{n+2} - 15x_{n+2} = 0$
- 17) $y_{n+3} + 4x_{n+1} - 31x_{n+2} = 0$
- 18) $4x_{n+3} - x_{n+2} - y_{n+3} = 0$
- 19) $31y_{n+2} - 4y_{n+1} - 15x_{n+3} = 0$
- 20) $31y_{n+3} - y_{n+1} - 120x_{n+3} = 0$
- 21) $4y_{n+3} - y_{n+2} - 15x_{n+3} = 0$
- 22) $y_{n+3} - 8y_{n+2} + y_{n+1} = 0$
- 23) $445y_{n+3} + 976y_{n+2} - 31307y_{n+1} = 0$
- 24) $14640x_{n+3} + 13543y_{n+3} - 952753y_{n+1} = 0$
- 25) $14640x_{n+2} + 1717y_{n+3} - 120787y_{n+1} = 0$
- 26) $14640x_{n+1} + 233y_{n+3} - 15743y_{n+1} = 0$

B. Each Of The Following Expressions Represents A Nasty Number

- 1) $[12 + 6x_{2n+3} - 42x_{2n+2}]$
- 2) $\frac{1}{8}[96 + 6x_{2n+4} - 330x_{2n+2}]$
- 3) $[12 + 6y_{2n+2} - 18x_{2n+2}]$
- 4) $\frac{1}{4}[48 + 6y_{2n+3} - 162x_{2n+2}]$
- 5) $\frac{1}{31}[372 + 6y_{2n+4} - 1278x_{2n+2}]$
- 6) $[12 + 42x_{2n+4} - 330x_{2n+3}]$
- 7) $\frac{1}{4}[48 + 42y_{2n+2} - 18x_{2n+3}]$
- 8) $[12 + 42y_{2n+3} - 162x_{2n+3}]$
- 9) $\frac{1}{4}[48 + 42y_{2n+4} - 1278x_{2n+3}]$
- 10) $\frac{1}{31}[372 + 330y_{2n+2} - 18x_{2n+4}]$
- 11) $\frac{1}{4}[48 + 330y_{2n+3} - 162x_{2n+4}]$
- 12) $[12 + 330y_{2n+4} - 1278x_{2n+4}]$
- 13) $\frac{1}{5}[60 + 54y_{2n+2} - 6y_{2n+3}]$
- 14) $\frac{1}{40}[480 + 426y_{2n+2} - 6y_{2n+4}]$
- 15) $\frac{1}{5}[60 + 426y_{2n+3} - 54y_{2n+4}]$

III. EACH OF THE FOLLOWING EXPRESSIONS REPRESENTS A CUBICAL INTEGER

- 1) $[x_{3n+4} - 7x_{3n+3} + 3x_{n+2} - 21x_{n+1}]$
- 2) $\frac{1}{8}[x_{3n+5} - 55x_{3n+3} + 3x_{n+3} - 165x_{n+1}]$
- 3) $[y_{3n+3} - 3x_{3n+3} - 9x_{n+1} + 3y_{n+1}]$
- 4) $\frac{1}{4}[y_{3n+4} - 27x_{3n+3} - 81x_{n+1} + 3y_{n+2}]$
- 5) $\frac{1}{31}[y_{3n+5} - 213x_{3n+3} + 3y_{n+3} - 639x_{n+1}]$
- 6) $[7x_{3n+5} - 55x_{3n+4} + 21x_{n+3} - 165x_{n+2}]$
- 7) $\frac{1}{4}[7y_{3n+3} - 3x_{3n+4} + 21y_{n+1} - 9x_{n+2}]$
- 8) $[7y_{3n+4} - 27x_{3n+4} - 81x_{n+2} + 21y_{n+2}]$
- 9) $\frac{1}{4}[7y_{3n+5} - 213y_{3n+4} - 639x_{n+2} + 21y_{n+3}]$
- 10) $\frac{1}{31}[55y_{3n+3} - 3x_{3n+5} - 9x_{n+3} + 165y_{n+1}]$
- 11) $\frac{1}{4}[55y_{3n+4} - 27x_{3n+5} - 81x_{n+3} + 165y_{n+2}]$
- 12) $[55y_{3n+5} - 213x_{3n+5} - 639x_{n+3} + 165y_{n+3}]$

$$13) \frac{1}{5} [9y_{3n+3} - y_{3n+4} + 27y_{n+1} - 3y_{n+2}]$$

$$14) \frac{1}{40} [71y_{3n+3} - y_{3n+5} + 213y_{n+1} - 3y_{n+3}]$$

$$15) \frac{1}{5} [71y_{3n+4} - 9y_{3n+5} + 213y_{n+2} - 27y_{n+3}]$$

IV. EACH OF THE FOLLOWING EXPRESSIONS REPRESENTS A BIQUADRATIC INTEGER

$$1) [x_{4n+5} - 7x_{4n+4} + 28x_{2n+2} + 4x_{2n+3} + 6]$$

$$2) \frac{1}{8} [x_{4n+6} - 55x_{4n+4} - 220x_{2n+2} + 4x_{2n+4} + 48]$$

$$3) [y_{4n+4} - 3x_{4n+4} - 12x_{2n+2} + 4y_{2n+2} + 6]$$

$$4) \frac{1}{4} [y_{4n+5} - 27x_{4n+4} + 4y_{2n+3} - 108x_{2n+2} + 24]$$

$$5) \frac{1}{31} [y_{4n+6} - 213x_{4n+4} + 4y_{2n+4} - 852x_{2n+2} + 186]$$

$$6) [7x_{4n+6} - 220x_{2n+3} - 55x_{4n+5} - 28x_{2n+4} + 6]$$

$$7) \frac{1}{4} [7y_{4n+4} - 3x_{4n+5} - 12x_{2n+3} + 28y_{2n+2} + 24]$$

$$8) [7y_{4n+5} + 28y_{2n+3} - 27x_{4n+5} - 108x_{2n+3} + 6]$$

$$9) \frac{1}{4} [7y_{4n+6} + 28y_{2n+4} - 213x_{4n+5} - 852x_{2n+3} + 24]$$

$$10) \frac{1}{31} [55y_{4n+4} - 3x_{4n+6} - 12x_{2n+4} + 220y_{2n+2} + 186]$$

$$11) \frac{1}{4} [220y_{2n+3} + 55y_{4n+5} - 27x_{2n+6} - 108x_{2n+4} + 24]$$

$$12) [55y_{4n+6} + 220y_{2n+4} - 213x_{4n+6} - 852x_{2n+4} + 6]$$

$$13) \frac{1}{5} [9y_{4n+4} - y_{4n+5} + 36y_{2n+2} - 4y_{2n+3} + 30]$$

$$14) \frac{1}{40} [71y_{4n+4} - y_{4n+6} + 284y_{2n+2} - 4y_{2n+4} + 240]$$

$$15) \frac{1}{5} [71y_{4n+5} - 9x_{4n+6} + 284y_{2n+3} - 36y_{2n+4} + 30]$$

V. EACH OF THE FOLLOWING EXPRESSIONS REPRESENTS A QUINTIC INTEGER

$$16) [x_{5n+6} - 7x_{5n+5} + 5x_{3n+5} - 35x_{3n+3} - 70x_{n+1} + 10x_{n+2}]$$

$$17) \frac{1}{8} [x_{5n+7} - 55x_{5n+5} + 5x_{3n+5} - 275x_{3n+3} - 550x_{n+1} + 10x_{n+3}]$$

$$18) [y_{5n+5} - 3x_{5n+5} + 5y_{3n+3} - 15x_{3n+3} - 30x_{n+1} + 10y_{n+1}]$$

$$19) \frac{1}{4} [y_{5n+6} - 27x_{5n+5} + 5x_{3n+4} - 135x_{3n+3} - 270x_{n+1} + 10y_{n+2}]$$

$$20) \frac{1}{31} [y_{5n+7} - 213x_{5n+5} - 1065x_{3n+5} + 5y_{3n+5} - 2130x_{n+1} + 10y_{n+3}]$$

$$21) [7y_{5n+7} - 55x_{5n+6} + 35x_{3n+5} - 275x_{3n+4} - 550x_{n+2} + 70x_{n+3}]$$

$$22) \frac{1}{4} [7y_{5n+5} - 3x_{5n+6} - 15x_{3n+4} + 35x_{3n+4} - 30x_{n+2} + 70y_{n+1}]$$

$$23) [7y_{5n+6} - 27x_{5n+6} - 135x_{3n+4} + 35y_{3n+4} - 270x_{n+2} + 70y_{n+2}]$$

- $$24) \frac{1}{4} [7y_{5n+7} - 213x_{5n+6} - 1065x_{3n+4} + 35y_{3n+5} - 2130x_{n+2} + 70y_{n+3}]$$
- $$25) \frac{1}{4} [y_{5n+6} - 27x_{5n+5} + 5x_{3n+4} - 135x_{3n+3} - 270x_{n+1} + 10y_{n+2}]$$
- $$26) \frac{1}{31} [55y_{5n+5} - 3x_{5n+7} - 15x_{3n+5} + 275y_{3n+3} - 30x_{n+3} + 550y_{n+1}]$$
- $$27) \frac{1}{4} [55y_{5n+6} - 27x_{5n+7} - 135x_{3n+5} + 275y_{3n+4} - 270x_{n+3} + 550y_{n+2}]$$
- $$28) [55y_{5n+7} - 213x_{5n+7} - 1065x_{3n+5} + 275y_{3n+5} - 2130x_{n+3} + 550y_{n+3}]$$
- $$29) \frac{1}{5} [9y_{5n+5} - y_{5n+6} - 5y_{3n+4} + 45y_{3n+3} + 90y_{n+1} - 10y_{n+2}]$$
- $$30) \frac{1}{40} [71y_{5n+5} - y_{5n+7} + 355y_{3n+3} - 5y_{3n+5} - 710y_{n+1} - 10y_{n+3}]$$
- $$31) \frac{1}{5} [71y_{5n+6} - 9y_{5n+7} + 355y_{3n+4} - 45y_{3n+5} + 710y_{n+2} - 90y_{n+3}]$$

VI. REMARKABLE OBSERVATIONS

- I) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in Table 2 below:

Table 2: Hyperbolas

S.NO	Hyperbola	(X,Y)
1	$5X^2 - 3Y^2 = 20$	$(x_{n+2} - 7x_{n+1}, 9x_{n+1} - x_{n+2})$
2	$5X^2 - 3Y^2 = 1280$	$(x_{n+3} - 55x_{n+1}, 71x_{n+1} - x_{n+3})$
3	$5X^2 - 3Y^2 = 20$	$(y_{n+1} - 3x_{n+1}, 5x_{n+1} - y_{n+1})$
4	$5X^2 - 3Y^2 = 320$	$(y_{n+2} - 27x_{n+1}, 35x_{n+1} - y_{n+2})$
5	$5X^2 - 3Y^2 = 19220$	$(y_{n+3} - 213x_{n+1}, 275x_{n+1} - y_{n+3})$
6	$5X^2 - 3Y^2 = 20$	$(7x_{n+3} - 55x_{n+2}, 71x_{n+2} - 9x_{n+3})$
7	$5X^2 - 3Y^2 = 320$	$(7y_{n+1} - 3x_{n+2}, 5x_{n+2} - 9y_{n+1})$
8	$5X^2 - 3Y^2 = 20$	$(7y_{n+2} - 27x_{n+2}, 35x_{n+2} - 9y_{n+2})$
9	$5X^2 - 3Y^2 = 320$	$(7y_{n+3} - 213x_{n+2}, 275x_{n+2} - 9y_{n+3})$
10	$5X^2 - 3Y^2 = 19220$	$(55y_{n+1} - 3x_{n+3}, 5x_{n+3} - 71y_{n+1})$
11	$5X^2 - 3Y^2 = 320$	$(55y_{n+2} - 27x_{n+3}, 35x_{n+3} - 71y_{n+2})$
12	$5X^2 - 3Y^2 = 20$	$(55y_{n+3} - 213x_{n+3}, 275x_{n+3} - 71y_{n+3})$
13	$11163X^2 - 20Y^2 = 71443200$	$(71y_{n+1} - y_{n+3}, 55y_{n+1} - y_{n+3})$
14	$3X^2 - 5Y^2 = 300$	$(9y_{n+1} - y_{n+2}, y_{n+2} - 7y_{n+1})$
15	$3X^2 - 5Y^2 = 300$	$(71y_{n+2} - 9y_{n+3}, 7y_{n+3} - 55y_{n+2})$

- 2) Employing linear combination among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in Table 3 below

Table 3: Parabolas

S.NO	Parabola	(X,Y)
1	$3Y^2 = 5X - 10$	$(x_{2n+3} - 7x_{2n+2}, 9x_{n+1} - x_{n+3})$
2	$3Y^2 = 40X - 640$	$(x_{2n+4} - 55x_{2n+2}, 71x_{n+1} - x_{n+3})$
3	$3Y^2 = 5X - 10$	$(y_{2n+2} - 3x_{2n+2}, 5x_{n+1} - y_{n+1})$
4	$3Y^2 = 20X - 160$	$(y_{2n+3} - 27x_{2n+2}, 35x_{n+1} - y_{n+2})$
5	$3Y^2 = 155X - 9610$	$(y_{2n+4} - 213x_{2n+2}, 275x_{n+1} - y_{n+3})$
6	$3Y^2 = 5X - 10$	$(7x_{2n+4} - 55x_{2n+3}, 71x_{n+2} - 9x_{n+3})$
7	$3Y^2 = 20X - 160$	$(7y_{2n+2} - 3x_{2n+3}, 5x_{n+2} - 9y_{n+1})$
8	$3Y^2 = 5X - 10$	$(7y_{2n+3} - 27x_{2n+3}, 35x_{n+2} - 9y_{n+2})$
9	$3Y^2 = 20X - 160$	$(7y_{2n+4} - 213x_{2n+3}, 275x_{n+2} - 9y_{n+3})$
10	$3Y^2 = 155X - 9610$	$(55y_{2n+2} - 3x_{2n+4}, 5x_{n+3} - 71y_{n+1})$
11	$3Y^2 = 20X - 160$	$(55y_{2n+3} - 27x_{2n+4}, 35x_{n+3} - 71y_{n+2})$
12	$3Y^2 = 5X - 10$	$(55y_{2n+4} - 213x_{2n+4}, 275x_{n+3} - 71y_{n+3})$
13	$3Y^2 = 5X - 10$	$(9y_{2n+2} - y_{2n+3}, y_{n+2} - 7y_{n+1})$
14	$Y^2 = 22326X - 1786080$	$(71y_{2n+2} - y_{2n+4}, 55y_{n+1} - y_{n+3})$
15	$Y^2 = 3X - 30$	$(71y_{2n+3} - 9y_{2n+4}, 7y_{n+3} - 55y_{n+2})$

VII. CONCLUSION


In this paper, we have presented infinitely many integer solutions for the positive Pell equation $y^2 = 15x^2 + 10$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of Pell equations and determine their integer solutions along with suitable properties.

REFERENCES

- [1] L.E. Dickson, History of Theory of numbers, Chelsea Publishing Company, volume-II, (1952) New York.
- [2] L.J. Mordel, Diophantine Equations, Academic Press, (1969) New York.
- [3] S.J. Telang, Number Theory, Tata McGraw Hill Publishing Company Limited, (2000) New Delhi.
- [4] D.M. Burton, Elementary Number Theory, Tata McGraw Hill Publishing Company Limited, (2002) New Delhi.
- [5] M.A.Gopalan, S.Vidhyalakshmi and A.Kavitha, On the integral solutions of the binary quadratic Equation $X^2 = 4(K^2 + 1)Y^2 + 4^t$, Bulletin of Mathematics and Statistics Research, 2(1)(2014), 42-46.
- [6] S.Vidhyalakshmi, A.Kavitha and M.A.Gopalan, On the binary quadratic Diophantine Equation $x^2 - 3xy + y^2 + 33x = 0$, International Journal of Scientific Engineering and Applied Science, 1(4)(2015), 222-225.
- [7] M.A.Gopalan, S.Vidhyalakshmi and A. Kavitha, Observations on the Hyperbola $10y^2 - 3x^2 = 13$, Archimedes J. Math., 3(1) (2013), 31-34.
- [8] S.Vidhyalakshmi, A.Kavitha and M.A.Gopalan, Observations on the Hyperbola $ax^2 - (a+1)y^2 = 3a - 1$, Discovery, 4(10) (2013),22-24.
- [9] S.Vidhyalakshmi, A.Kavitha and M.A.Gopalan, Integral points on the Hyperbola $x^2 - 4xy + y^2 + 15x = 0$, Diophantus J.Maths,1(7)(2014), 338-340.
- [10] M.A.Gopalan, S.Vidhyalakshmi and A.Kavitha, On the integral solutions of the binary quadratic equation $x^2 = 15y^2 - 11^t$, Scholars Journal of Engineering and Technology, 2(2A) (2014), 156-158.
- [11] A.Kavitha and V.Kiruthika, On the positive Pell equation $y^2 = 19x^2 + 20$, to appear in International Journal of Emerging Technologies in Engineering Research, 5(3) (2017), 71-74.
- [12] A.Kavitha and P.Lavanya, On the positive Pell equation $y^2 = 20x^2 + 16$, to appear in International Journal of Emerging Technologies in Engineering Research, 5(3) (2017), 75-79.



- [13] K.Meena, M.A.Gopalan, T.Swetha, On the negative Pell equation $y^2 = 40x^2 - 4$, International Journal of Emerging Technologies in Engineering Research, 5(1)(2017), 6-11.
- [14] S.Ramya and A.Kavitha, On the positive Pell equation $y^2 = 90x^2 + 31$, Journal of Mathematics and Informatics, (11)(2017), 111-117.
- [15] Shreemathi Adiga, N. Anusheela and M.A. Gopalan, On the Negative Pellian Equation $y^2 = 20x^2 - 31$, International Journal of Pure and Applied Mathematics, 119(14) (2018), 199-204.
- [16] Shreemathi Adiga, N. Anusheela and M.A. Gopalan, Observations on the Positive Pell Equation $y^2 = 20(x^2 + 1)$, International Journal of Pure and Applied Mathematics, 120(6) (2018), 11813-11825.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)