



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 7      Issue: IV      Month of publication: April 2019**

**DOI: <https://doi.org/10.22214/ijraset.2019.4259>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**



# Water Pollution: Review Article

Shivani Gajjar<sup>1</sup>, Chirag Shah<sup>2</sup>, Bhupesh Yagnik<sup>3</sup>, Nilam Miyani<sup>4</sup>, Vaishali Patel<sup>5</sup>

<sup>1, 2, 3, 4, 5</sup>Department of Environmental Science, Government Science College, Khokhara, Maninagar, Ahmedabad.

**Abstract:** *This study was conducted since 2016 to 2017 in Gujarat University. As a term paper for master of philosophy water pollution is a very important problem of 21<sup>st</sup> century. Due to water pollution pure water is becoming less scarce day by day. The biggest cause of water pollution is industrialization and increase in population. More than 70% of the fresh water in liquid form of our country is converted in too being unfit for consumption. Many virus sources of pollution such a savage discharge in to water, industrial effluents and agricultural runoff and their potential has been studied in mass. The review findings concluded that polluted river water is seriously caused for hampering of the sustainable ecosystem development change, land cover, and Environmental sensitivity.*

**Keyword:** *water pollution*

## I. INTRODUCTION

Water pollution has become a global problem now a days on going evolution of water resources policy is needed to counter this problem. As per experts reports approximately 14000 thousand people die because of water pollution. There are few points which one effect in water pollution. Various resources of water at global level conducted by gleick in 1993. In 1993 flekenmark pointed out the importance of pure water and its importance in the near future. Management of fresh water pond in varansi was conducted by mishra (1993).ground water is also one of our most important sources of water.

Presently the annual requirement of water globally is around 6k to 7k km. The ground water reserve globally 70, 00,000 km. When fecal water contain pathogens reaches under earth it makes it unfit for drinking. Pathogen polluted ground water may contain viruses and bacteria. Ground water contamination occurs when man made product such as gasoline, oil and chemical get in to the ground water and cause it became unsafe & unfit for human use.water pollution is a major environmental issue in India. The largest source of water pollution in India is untreated sewage. Other sources of pollution include agriculture runoff and unregulated small scale industries. Most rivers, lakes and surface water in India are polluted. There is a large gap between generation and treatment of domestic waste water in India. The uncollected waste accumulates in the urban areas causing unhygienic conditions and releasing pollutants that leach in to surface and ground waters. Major cities of India produce 38,354 million liters per day (MLD) of sewage, but the urban sewage treatment capacity is only 11,786 mld.a large numbers of Indian rivers are severely polluted as a result of discharge of domestic sewages. Agriculture pollution refers to biotic and abiotic byproducts of farming practices that result in contamination of the environment and surroundings ecosystems and injury to human. The pollution may come from a variety of sources, ranging from point source water pollution to more diffuse, landscape level causes, also known as non-point sources pollution. Management practices play a crucial role in the amount and impact of these pollutants. Management techniques range from animal management and fertilizers in global agricultural practices. This makes the river unsafe for drinking and bathing. About 1500 substance have been listed as pollutants in freshwater ecosystems and a generalized list of pollutant includes acid and alkalis, anions, detergent, domestic sewage and farm manure, food processing water, gases chlorine, ammonia, heat, organic toxic wastes, pathogens, polychlorinated biphenyls and radionuclide, in addition to oxidizable materials, domestic sewage contains detergents, nutrients, metals, pathogens and a verity of the other compounds. Industries generate a significant quantity of waste water which ultimately finds its way to stream or rivers. Industrial development is largely because of the production of chemicals resulting in the generation of toxic and hazardous substance. Mushrooming of large and small scale industries have generated a large amount of effluents. Industrial effluents cause serious menace to aquatic environment by entering in the food chain. A dairy effluent is reach in microbial population (mohanata 1984). Plant distribution as affected by paper mill effluent was studied by balchand and Namibian (1986).

## II. RESULT

Water pollution can be defined as the contamination of water resources and resources through hazardous waste such as sewage, asbestos, nitrates and phosphorus.undoubtedly,too damage caused to the water supply of these pollutants have are polluting drinking water and killing fish and marine animals. If the current situation does not change, there is a lack of sustainable water eligible in the near future. Physico-chemical characterization of the same was studied in mirzapur by Shukla (1989) and in Varanasi by Shukla (1989). Both the works culminate into a common conclusion that the physico-chemical properties of ganga water has degraded continuously and still it is following the same suit. Bacteriological pollution was studied in river Ganga by Shukla et al. The reports

favour the presence of a large number of pathogenic and non-pathogenic microorganisms in much beyond their excess limit. Quality of sewage water entering the river Yamuna was studied by sharma et al. (1981). Quality of water of river Yamuna in Agra was studied by sangu (1984) and at okhla by mohan et al. (1965). Bacterial study in Yamuna at Delhi was studied by kaushik and Prasad (1964). Pollution in river bhadra in Mysore was studied by David (1956). Study of pollution in selected rivers of Andhra Pradesh was conducted by venkateshwarlu (1986). Pollution in Tungabhadra reservoir was studied by Rao and govind (1964). Physico-chemical properties of water of hoogly estuary at various points was conducted by basu (1966). Agrawal and Srivastava (1984) conducted pollution studies in Ganga and Yamuna at Allahabad.

### III. CONCLUSION

To the alarming stage. The quality of water in most part of the world has degraded, though the situation in India is more severe. Aware different problems occurring in our nature. Water pollution is the cause of our undisciplined actions and irresponsibility. Humans are only creating problems in ecofriendly system. It can cause such a sickness and diseases that will badly in above study i come to the conclusion that the level of water pollution have reached affect our health.so therefor save ,protect and help prevent our waters from being polluted. Daily thousands casualties are reported, most of them are told to be due to heart attack. Falkenmark pointed out the importance of pure water and its importance in the near future (1993).and management of fresh water pond in varansi was conducted by Mishra (1993). If everyone followed these scientist examples and caused one positive change .the world would be a better place.

### REFERENCES

- [1] Agami, M., Litav, M. And Waisel, Y. 1976. The effects of various components of water pollution on the behavior of some aquatic macrophysics of the coastal rivers of Israel. *Aquat. Bot.* (2) 203-213
- [2] Balmforth, D.J. 1990. The pollution aspects of strome sewage overflows. *Water and environment management.* 4 (3): 219-226.
- [3] Brown, R.D. 1971. The use of biological analysis as indicators of water quality. *J. Environ. Hlth.* 34: 62-66.
- [4] Dugan, R. 1972. *Biochemical ecology of water pollution.* Plenum publishing Co. Lt.d. New York.
- [5] Lester, W.F. 1969. Standard based on the quality of receiving water. *J. Wat. Poll. Cont. Fed.* 68(3): 324-332.
- [6] Dwivedi, A.K, Shashi, J, Singh (2006).water pollution and groundwater recharging. *Current science*,91(4):407-408
- [7] Dwivedi ,A.K. and Shashi (2007) species erosion, the shrinking biodiversity- An approach, *Indian science cruiser*, 20(5):8-14
- [8] Dwivedi, A.K., U.B. prajapati and shashi. (2007) waste water and its management, *Indian science cruiser*, 21(4): 36-40.
- [9] S. Venkatramanan, S. Y. Chung, S. Y. Lee, and N. Park, "Assessment of river water quality via environmetric multivariate statistical tools and water quality index: A case study of Nakdong River Basin, Korea," *Carpathian Journal of Earth and Environmental Sciences*, vol. 9, no. 2, pp. 125–132, 2014
- [10] P. Mandal, R. Upadhyay, and A. Hasan, "Seasonal and spatial variation of Yamuna River water quality in Delhi, India," *Environmental Modeling & Assessment*, vol. 170, no. 1-4, pp. 661–670, 2010.
- [11] L. Ferencz and A. Balog, "A Pesticide survey in soil, water and foodstuffs from Central Romania," *Carpathian Journal of Earth and Environmental Sciences*, vol. 5, no. 1, pp. 111–118, 2010.
- [12] L. Parvulescu and C. Hamchevici, "The relation between water quality and the distribution of *Gammarus balcanicus schaferna* 1922 (Amphipoda: Gammaridae) in the Anina mountains," *Carpathian Journal of Earth and Environmental Sciences*, vol. 5, no. 2, pp. 161–168, 2010.
- [13] M. Pantelic, D. Dragan, S. Savic, V. Stojanovic, and I. Nad, "Statistical analysis of water quality parameters of Veliki Backi canal (Vojvodina, Serbia) in the period 2000–2009," *Carpathian Journal of Earth and Environmental Sciences*, vol. 7, no. 2, pp. 255–264, 2012.
- [14] A. Milanović, M. Urosev, and D. Milijašević, "Use of the RHS method in Goljijska Moravica river basin," *Bulletin of the Serbian Geographical Society*, vol. 86, no. 2, pp. 53–61, 2006.
- [15] A. Milanović, D. Milijašević, and J. Brankov, "Assessment of polluting effects and surface water quality using water pollution index: a case study of hydro-system Danube-Tisa-Danube, Serbia," *Carpathian Journal of Earth and Environmental Sciences*, vol. 6, no. 2, pp. 269–277, 2011.
- [16] M. Paiu and I. G. Breabăn, "Water quality index—an instrument for water resources management," in *Air and Water—Components of the Environment Conference*, G. Pandi and F. Moldovan, Eds., pp. 391–398, Presa Universitară Clujeană Press, Cluj Napoca, Romania.
- [17] R. Munteanu, *Hydrographical Basin of Timiș River—Hydrological Study*, Mirton Publishing, Timișoara, Romania, 1998 (Romanian).
- [18] A. M. Arba, *Water Resources from the Timiș-Bega Hydrographical System: Genesis, Hydrological Regime and Hydrological Risks*, West University of Timișoara Publishing, Timișoara, Romania, 2016 (Romanian).
- [19] O. Ionuș, "Water quality index—assessment method of the Motru River water quality (Oltenia, Romania)," *Annals of the University of Craiova, Series Geography*, vol. 13, pp. 74–83, 2010.
- [20] S.-M. Liou, S.-L. Lo, and S.-H. Wang, "A generalized water quality index for Taiwan," *Environmental Modeling & Assessment*, vol. 96, no. 1–3, pp. 35–52, 2004.
- [21] S. Tyagi, B. Sharma, P. Singh, and R. Dobhal, "Water quality assessment in terms of water quality index," *American Journal of Water Resources*, vol. 1, no. 3, pp. 34–38, 2013.
- [22] M. A. House and J. B. Ellis, "The development of water quality indices for operational management," *Water Science and Technology*, vol. 19, no. 9, pp. 145–154, 1987.
- [23] M. A. House, "Water quality indices as indicators of ecosystem change," *Environmental Modeling & Assessment*, vol. 15, no. 3, pp. 255–263, 1990.
- [24] A. A. Bordalo, R. W. Teixeira, and W. J. Wiebe, "A water quality index applied to an international shared river basin: the case of the Douro River," *Journal of Environmental Management*, vol. 38, no. 6, pp. 910–920, 2006.



- [25] B. Oram, Water Quality Index Calculator, According to the book Field Manual for Water Quality Monitoring, 2010,
- [26] D. Hallock, A Water Quality Index for Ecology's Stream Monitoring Program, Washington State Department of Ecology, Olympia, Wash, USA, 2002.
- [27] The Water Law 107 of 25 September 1996, Official Monitor of Romania, no. 244 of 08/10/1996.
- [28] The Law 310 of 30 June 2004, amending and supplementing The Water Law no. 107/1996, Official Monitor of Romania, no. 584 of 30/06/2004.
- [29] The Law 311 of 28 June 2004, amending and supplementing Law no. 458/2002 on drinking water quality, Official Monitor of Romania, 1st part, no. 582 of 30/06/2004.
- [30] The Order no. 161 of 16 February 2006, approving the Norms concerning the classification of surface water quality to determine the ecological status of water bodies, the Ministry of Environment and Water, Official Monitor, no. 511 of 13/06/2006.
- [31] Water Framework Directive (2000/60/EC), Official Journal of the European Community, vol. L327, pp. 1–73, 2000.
- [32] V. Trufas and C. Trufas, Hydrochemistry, University of Bucharest Press, Bucharest, Romania, 1975 (Romanian).





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)