



# iJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 7      **Issue:** IV      **Month of publication:** April 2019

**DOI:** <https://doi.org/10.22214/ijraset.2019.4288>

**www.ijraset.com**

**Call:** 08813907089

**E-mail ID:** [ijraset@gmail.com](mailto:ijraset@gmail.com)

# On the Negative Pell Equation $y^2 = 48x^2 - 23$

S. Mallika<sup>1</sup>, G. Ramya<sup>2</sup>

<sup>1</sup>Assistant Professor, <sup>2</sup>M. Phil Scholar, Department of Mathematics, SIGC, Trichy-620002, Tamilnadu, India.

**Abstract:** The binary quadratic equation represents by negative Pellian  $y^2 = 48x^2 - 23$  is analyzed for its distinct integer solutions. A few interesting relations among the solution are given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas and parabolas.

**Keywords:** Binary quadratic, Hyperbola, Parabola, Integral solutions, Pell equation.

**AMS Mathematics subject Classification (2010):** 11D09

## I. INTRODUCTION

The binary quadratic Diophantine equations (both homogeneous and non-homogeneous) are rich in variety. In [1-17] the binary quadratic non-homogeneous equations representing hyperbolas respectively are studied for their non-zero integral solutions. This communication concerns with yet another binary quadratic equation given by  $y^2 = 48x^2 - 23$ . The recurrence relations satisfied by the solutions x and y are given. Also a few interesting properties among the solutions are exhibited.

## II. METHOD OF ANALYSIS

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 48x^2 - 23 \quad (1)$$

whose smallest positive integer solution is

$$x_0 = 1, y_0 = 5$$

To obtain the other solutions of (1), consider the Pell equation

$$y^2 = 48x^2 + 1$$

whose smallest positive integer solution is

$$\tilde{x}_0 = 1, \tilde{y}_0 = 7$$

whose general solution is given by

$$\tilde{x}_n = \frac{1}{2\sqrt{48}} g_n, \tilde{y}_n = \frac{1}{2} f_n$$

where

$$f_n = (7 + \sqrt{48})^{n+1} + (7 - \sqrt{48})^{n+1}$$

$$g_n = (7 + \sqrt{48})^{n+1} - (7 - \sqrt{48})^{n+1}$$

Applying Brahmagupta lemma between  $(x_0, y_0)$  and  $(\tilde{x}_n, \tilde{y}_n)$ , the other integer solutions of (1) are given by

$$x_{n+1} = \frac{1}{2} f_n + \frac{5}{8\sqrt{3}} g_n$$

$$y_{n+1} = \frac{5}{2} f_n + \frac{6}{\sqrt{3}} g_n$$

The recurrence relations satisfied by x and y are given by

$$x_{n+3} - 14x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 14y_{n+2} + y_{n+1} = 0$$

Some numerical examples of x and y satisfying (1) are given in the Table: 1 below:

Table: 1 Numerical Examples

$n$	$x_{n+1}$	$y_{n+1}$
-1	1	5
0	12	83
1	167	1157
2	2326	16115
3	32397	224453
4	451232	3126227

From the above table, we observe some interesting relations among the solutions which are presented below:

A.  $x_{n+1}$  values are alternatively odd and even according as n values &  $y_{n+1}$  values are alternatively odd.

B. Relations Among The Solutions

- 1)  $x_{n+3} - 14x_{n+2} + x_{n+1} = 0$
- 2)  $7x_{n+1} - x_{n+2} + y_{n+1} = 0$
- 3)  $x_{n+1} - 7x_{n+2} + y_{n+2} = 0$
- 4)  $7x_{n+1} - 97x_{n+2} + y_{n+3} = 0$
- 5)  $97x_{n+1} - x_{n+3} + 14y_{n+1} = 0$
- 6)  $x_{n+1} - x_{n+3} + 2y_{n+2} = 0$
- 7)  $x_{n+1} - 97x_{n+3} + 14y_{n+3} = 0$
- 8)  $y_{n+2} - 7y_{n+1} - 48x_{n+1} = 0$
- 9)  $y_{n+3} - 97y_{n+1} - 672x_{n+1} = 0$
- 10)  $7y_{n+3} - 97y_{n+2} - 48x_{n+1} = 0$
- 11)  $97x_{n+2} - 7x_{n+3} + y_{n+1} = 0$
- 12)  $7x_{n+2} - x_{n+3} + y_{n+2} = 0$
- 13)  $x_{n+2} - 7x_{n+3} + y_{n+3} = 0$
- 14)  $7y_{n+3} - 7y_{n+1} - 672x_{n+2} = 0$
- 15)  $48x_{n+2} + y_{n+1} - 7y_{n+2} = 0$
- 16)  $y_{n+3} - 7y_{n+2} - 48x_{n+2} = 0$
- 17)  $97y_{n+2} - 7y_{n+1} - 48x_{n+3} = 0$
- 18)  $97y_{n+3} - y_{n+1} - 672x_{n+3} = 0$
- 19)  $7y_{n+3} - y_{n+2} - 48x_{n+3} = 0$
- 20)  $y_{n+1} - 14y_{n+2} + y_{n+3} = 0$

C. Each Of The Following Expressions Represents A Nasty Number

- 1)  $\frac{1}{23}(996x_{2n+2} - 60x_{2n+3} + 276)$

- 2)  $\frac{1}{161}(6942x_{2n+2} - 30x_{2n+4} + 1932)$
- 3)  $\frac{1}{23}(576x_{2n+2} - 60y_{2n+2} + 276)$
- 4)  $\frac{1}{161}(6912x_{2n+2} - 60y_{2n+3} + 1932)$
- 5)  $\frac{1}{2231}(96192x_{2n+2} - 60y_{2n+4} + 26772)$
- 6)  $\frac{1}{23}(13884x_{2n+3} - 996x_{2n+4} + 276)$
- 7)  $\frac{1}{161}(576x_{2n+3} - 996y_{2n+2} + 1932)$
- 8)  $\frac{1}{23}(6912x_{2n+3} - 996y_{2n+3} + 276)$
- 9)  $\frac{1}{161}(96192x_{2n+3} - 996y_{2n+4} + 1932)$
- 10)  $\frac{1}{2231}(576x_{2n+4} - 13884y_{2n+2} + 26772)$
- 11)  $\frac{1}{161}(6912x_{2n+4} - 13884y_{2n+3} + 1932)$
- 12)  $\frac{1}{23}(96192x_{2n+4} - 13884y_{2n+4} + 276)$
- 13)  $\frac{1}{138}(72y_{2n+3} - 864y_{2n+2} + 1656)$
- 14)  $\frac{1}{161}(6y_{2n+4} - 1002y_{2n+2} + 1932)$
- 15)  $\frac{1}{69}(432y_{2n+4} - 6012y_{2n+3} + 828)$

**D. Each Of The Following Expressions Represents A Cubical Integer**

- 1)  $\frac{1}{23}[166x_{3n+3} - 10x_{3n+4} + 498x_{n+1} - 30x_{n+2}]$
- 2)  $\frac{1}{161}[1157x_{3n+3} - 5x_{3n+5} + 3471x_{n+1} - 15x_{n+3}]$
- 3)  $\frac{1}{23}[96x_{3n+3} - 10y_{3n+3} + 228x_{n+1} - 30y_{n+1}]$
- 4)  $\frac{1}{161}[1152x_{3n+3} - 10y_{3n+4} + 3456x_{n+1} - 30y_{n+2}]$
- 5)  $\frac{1}{2231}[16032x_{3n+3} - 10y_{3n+5} + 48096x_{n+1} - 30y_{n+3}]$

6)  $\frac{1}{23} [2314x_{3n+4} - 166x_{3n+5} + 6942x_{n+2} - 498x_{n+3}]$

7)  $\frac{1}{161} [96x_{3n+4} - 116y_{3n+3} + 288x_{n+2} - 498y_{n+1}]$

8)  $\frac{1}{23} [1152x_{3n+4} - 166y_{3n+4} + 3456x_{n+2} - 498y_{n+2}]$

9)  $\frac{1}{161} [16032x_{3n+4} - 166y_{3n+5} + 48096x_{n+2} - 498y_{n+3}]$

10)  $\frac{1}{2231} [96x_{3n+5} - 2314y_{3n+3} + 288x_{n+3} - 6942y_{n+1}]$

11)  $\frac{1}{161} [1152x_{3n+5} - 2314y_{3n+4} + 3456x_{n+3} - 6942y_{n+2}]$

12)  $\frac{1}{23} [16032x_{3n+5} - 2314y_{3n+5} + 48096x_{n+3} - 6942y_{n+3}]$

13)  $\frac{1}{138} [12y_{3n+4} - 144y_{3n+3} + 36y_{n+2} - 432y_{n+1}]$

14)  $\frac{1}{161} [y_{3n+5} - 167y_{3n+3} + 3y_{n+3} - 501y_{n+1}]$

15)  $\frac{1}{69} [72y_{3n+5} - 1002y_{3n+4} + 216y_{n+3} - 3006y_{n+2}]$

E. Each Of The Following Expressions Represents A Bi-Quadratic Integer

1)  $\frac{1}{23} [166x_{4n+4} - 10x_{4n+5} + 664x_{2n+2} - 40x_{2n+3} + 138]$

2)  $\frac{1}{161} [1157x_{4n+4} - 5x_{4n+6} + 4628x_{2n+2} - 20x_{2n+4} + 966]$

3)  $\frac{1}{23} [96x_{4n+4} - 10y_{4n+4} + 384x_{2n+2} - 40y_{2n+2} + 138]$

4)  $\frac{1}{161} [1152x_{4n+4} - 10y_{4n+5} + 4608x_{2n+2} - 40y_{2n+3} + 966]$

5)  $\frac{1}{2231} [16032x_{4n+4} - 10y_{4n+6} + 64128x_{2n+2} - 40y_{2n+4} + 13386]$

6)  $\frac{1}{23} [2314x_{4n+5} - 166x_{4n+6} + 9256x_{2n+3} - 664x_{2n+4} + 138]$

7)  $\frac{1}{161} [96x_{4n+5} - 166y_{4n+4} + 384x_{2n+3} - 664y_{2n+2} + 966]$

8)  $\frac{1}{23} [1152x_{4n+5} - 166y_{4n+5} + 4608x_{2n+3} - 664y_{2n+3} + 138]$

9)  $\frac{1}{161} [16032x_{4n+5} - 166y_{4n+6} + 64128x_{2n+3} - 664y_{2n+4} + 966]$

$$10) \frac{1}{2231} [96x_{4n+6} - 2314y_{4n+4} + 384x_{2n+4} - 9256y_{2n+2} + 13386]$$

$$11) \frac{1}{161} [1152x_{4n+6} - 2314y_{4n+5} + 4608x_{3n+5} - 9256y_{3n+4} + 966]$$

$$12) \frac{1}{23} [16032x_{4n+6} - 2314y_{4n+6} + 64128x_{2n+4} - 9256y_{2n+4} + 138]$$

$$13) \frac{1}{138} [12y_{4n+5} - 144y_{4n+4} + 48y_{2n+3} - 576y_{2n+2} + 828]$$

$$14) \frac{1}{161} [y_{4n+6} - 167y_{4n+4} + 4y_{2n+4} - 668y_{2n+2} + 966]$$

$$15) \frac{1}{69} [72y_{4n+6} - 1002y_{4n+5} + 288y_{2n+4} - 4008y_{2n+3} + 414]$$

*F. Each Of The Following Expressions Represents A Quintic Integer*

$$1) \frac{1}{23} [166x_{5n+5} - 10x_{5n+6} + 830x_{3n+3} - 50x_{3n+4} + 1660x_{n+1} - 100x_{n+2}]$$

$$2) \frac{1}{161} [1157x_{5n+5} - 5x_{5n+7} + 5785x_{3n+3} - 25x_{3n+5} + 11570x_{n+1} - 50x_{n+3}]$$

$$3) \frac{1}{23} [96x_{5n+5} - 10y_{5n+5} + 480x_{3n+3} - 50y_{3n+3} + 960x_{n+1} - 100y_{n+1}]$$

$$4) \frac{1}{161} [1152x_{5n+5} - 10y_{5n+6} + 5760x_{3n+3} - 50y_{3n+4} + 11520x_{n+1} - 100y_{n+2}]$$

$$5) \frac{1}{2231} [16032x_{5n+5} - 10y_{5n+7} + 80160x_{3n+3} - 50y_{3n+5} + 160320x_{n+1} - 100y_{n+3}]$$

$$6) \frac{1}{23} [2314x_{5n+6} - 166x_{5n+7} + 11570x_{3n+4} - 830x_{3n+5} + 23140x_{n+2} - 1660x_{n+3}]$$

$$7) \frac{1}{161} [96x_{5n+6} - 166y_{5n+5} + 480x_{3n+4} - 830y_{3n+3} + 960x_{n+2} - 1660y_{n+1}]$$

$$8) \frac{1}{23} [1152x_{5n+6} - 166y_{5n+6} + 5760x_{4n+5} - 830y_{4n+5} + 11520x_{n+2} - 1660y_{n+2}]$$

$$9) \frac{1}{161} [16032x_{5n+6} - 166y_{5n+7} + 80160x_{3n+4} - 830y_{3n+5} + 160320x_{n+2} - 1660y_{n+3}]$$

$$10) \frac{1}{2231} [96x_{5n+7} - 2314y_{5n+5} + 480x_{3n+5} - 11570y_{3n+3} + 960x_{n+3} - 23140y_{n+1}]$$

$$11) \frac{1}{161} [1152x_{5n+7} - 2314y_{5n+6} + 5760x_{3n+5} - 11570y_{3n+4} + 11520x_{n+3} - 23140y_{n+2}]$$

$$12) \frac{1}{23} [16032x_{5n+7} - 2314y_{5n+7} + 80160x_{3n+5} - 11570y_{3n+5} + 160320x_{n+3} - 23140y_{n+3}]$$

$$13) \frac{1}{138} [12y_{5n+6} - 144y_{5n+5} + 60y_{3n+4} - 720y_{3n+3} + 120y_{n+2} - 1440y_{n+1}]$$

$$14) \frac{1}{161} [y_{5n+7} - 167y_{5n+5} + 5y_{3n+5} - 835y_{3n+3} + 10y_{n+3} - 1670y_{n+1}]$$

$$15) \frac{1}{69} [72y_{5n+7} - 1002y_{5n+6} + 360y_{3n+5} - 5010y_{3n+4} + 720y_{n+3} - 10020y_{n+2}]$$

### III. REMARKABLE OBSERVATIONS

- A. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbola which are presented in the Table: 2 below:

Table: 2 Hyperbolas

S. No	Hyperbola	$(X, Y)$
1	$X^2 - 48Y^2 = 529$	$(83x_{n+1} - 5x_{n+2}, x_{n+2} - 12x_{n+1})$
2	$X^2 - 48Y^2 = 103684$	$(1157x_{n+1} - 5x_{n+3}, x_{n+3} - 167x_{n+1})$
3	$X^2 - 48Y^2 = 529$	$(48x_{n+1} - 5y_{n+1}, y_{n+1} - 5x_{n+1})$
4	$X^2 - 48Y^2 = 25921$	$(576x_{n+1} - 5y_{n+2}, y_{n+2} - 83x_{n+1})$
5	$X^2 - 48Y^2 = 4977361$	$(8016x_{n+1} - 5y_{n+3}, y_{n+3} - 1157x_{n+1})$
6	$X^2 - 48Y^2 = 529$	$(1157x_{n+2} - 83x_{n+3}, 12x_{n+3} - 167x_{n+2})$
7	$X^2 - 48Y^2 = 25921$	$(48x_{n+2} - 83y_{n+1}, 12y_{n+1} - 5x_{n+2})$
8	$X^2 - 48Y^2 = 529$	$(576x_{n+2} - 83y_{n+2}, 12y_{n+2} - 83x_{n+2})$
9	$X^2 - 48Y^2 = 25921$	$(8016x_{n+2} - 83y_{n+3}, 12y_{n+3} - 1157x_{n+2})$
10	$X^2 - 48Y^2 = 4977361$	$(48x_{n+3} - 1157y_{n+1}, 167y_{n+1} - 5x_{n+3})$
11	$X^2 - 48Y^2 = 25921$	$(576x_{n+3} - 1157y_{n+2}, 167y_{n+2} - 83x_{n+3})$
12	$X^2 - 48Y^2 = 529$	$(8016x_{n+3} - 1157y_{n+3}, 167y_{n+3} - 1157x_{n+3})$
13	$16X^2 - 3Y^2 = 76176$	$(3y_{n+2} - 36y_{n+1}, 83y_{n+1} - 5y_{n+2})$
14	$48X^2 - Y^2 = 4976832$	$(y_{n+3} - 167y_{n+1}, 1157y_{n+1} - 5y_{n+3})$
15	$16X^2 - 3Y^2 = 76176$	$(36y_{n+3} - 501y_{n+2}, 1157y_{n+2} - 83y_{n+3})$

B. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabola which are presented in the Table: 3 below:

Table: 3 Parabolas


S. No	Parabola	$(X, Y)$
1	$23X - 96Y^2 = 529$	$(83x_{2n+2} - 5x_{2n+3}, x_{n+2} - 12x_{n+1})$
2	$322X - 96Y^2 = 103684$	$(1157x_{2n+2} - 5x_{2n+4}, x_{n+3} - 167x_{n+1})$
3	$23X - 96Y^2 = 529$	$(48x_{2n+2} - 5y_{2n+2}, y_{n+1} - 5x_{n+1})$
4	$161X - 96Y^2 = 25921$	$(576x_{2n+2} - 5y_{2n+3}, y_{n+2} - 83x_{n+1})$
5	$2231X - 96Y^2 = 4977361$	$(8016x_{2n+2} - 5y_{2n+4}, y_{n+3} - 1157x_{n+1})$
6	$23X - 96Y^2 = 529$	$(1157x_{2n+3} - 83x_{2n+4}, 12x_{n+3} - 167x_{n+2})$
7	$161X - 96Y^2 = 25921$	$(48x_{2n+3} - 83y_{2n+2}, 12y_{n+1} - 5x_{n+2})$
8	$23X - 96Y^2 = 529$	$(576x_{2n+3} - 83y_{2n+3}, 12y_{n+2} - 83x_{n+2})$
9	$161X - 96Y^2 = 25921$	$(8016x_{2n+3} - 83y_{2n+4}, 12y_{n+3} - 1157x_{n+2})$
10	$2231X - 96Y^2 = 4977361$	$(48x_{2n+4} - 1157y_{2n+2}, 167y_{n+1} - 5x_{n+3})$
11	$161X - 96Y^2 = 25921$	$(576x_{2n+4} - 1157y_{2n+3}, 167y_{n+2} - 83x_{n+3})$
12	$23X - 96Y^2 = 529$	$(8016x_{2n+4} - 1157y_{2n+4}, 167y_{n+3} - 1157x_{n+3})$
13	$552X - 3Y^2 = 38088$	$(3y_{2n+3} - 36y_{2n+2}, 83y_{n+1} - 5y_{n+2})$
14	$23184X - 3Y^2 = 7465248$	$(y_{2n+4} - 167y_{2n+2}, 1157y_{n+1} - 5y_{n+3})$
15	$552X - 3Y^2 = 38088$	$(36y_{2n+4} - 501y_{2n+3}, 1157y_{n+2} - 83y_{n+3})$

#### IV. CONCLUSION

In this paper, we have presented infinitely many integer solutions for all hyperbola represented by the negative Pell Equation  $y^2 = 48x^2 - 23$ . As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of negative Pell Equations and determine their integer solutions along with suitable properties.

## REFERENCES

- [1] R.A.Mollin and Anithasrinivasan, A note on the negative pell equation, International Journal of Algebra, 4(19) (2010) 919-922.
- [2] E.E.Whitford, some solutions of the Pellian Equation  $x^2 - Ay^2 = \pm 4$  JSTOR: Annals of Mathematics, Second series, 1 (1913-1914) 157-160.
- [3] S.AhmetTekcan, B.W.Gezer and O.Bizim. On the integer solutions of the pell Equation  $x^2 - dy^2 = 2^t$ , World Academy of Science, Engineering and Technology, 1(2007) 522-526.
- [4] S.Ahmet Tekcan, The Pell Equation  $x^2 - (k^2 - k)y^2 = 2^t$ , World Academy of Science, Engineering and Technology, 19(2008) 697-701.
- [5] V.Sangeetha, M.A.Gopalan and N\M.Somanath. On the Integral Solutions of the Pell equation  $x^2 = 13y^2 - 3^t$ , International Journal of Applied Mathematical Research, 3(1)(2014) 58-61.
- [6] M.A.Gopalan, G.Sumathi and S.Vidhyalakshmi, Observations on the hyperbola  $x^2 = 19y^2 - 3^t$ , Journal of the Engineering and Technology, 2(2A)(2014) 152-155.
- [7] M.A.Gopalan , S.Vidhyalakshmi and A.Kavitha ,On the Integral soluations of the binary quadratic equation  $x^2 = 15y^2 - 11^t$ , Scholars Journal of the Engineering and Technology, 2(2A)(2014) 156-158.
- [8] S.Vidhyalakshmi, V.Krithika and K.Agalya, On the negative pell equation  $y^2 = 80x^2 - 31$ , Proceeding of the National Conference on MATAM,PSNA college of Engineering and Technology, Dindugal,(2015)4-10.
- [9] K.Meena, M.A.Gopalan and R.Karthika, On the Negative pell equation  $y^2 = 10x^2 - 6$  , International Journal of Multidisciplinary Research and Development,2(12)(2015)390-392.
- [10] M.A.Gopalan, S.Vidhyalakshmi, V.Pandichelvi, P.Sivakamasundari and C.Priyadharsini, On the Negative pell equation  $y^2 = 45x^2 - 11$  International Journal of Pure Mathematical Science, 16 (2016)30-36.
- [11] K.Meena, S.Vidhyalakshmi and A.Rukmani. On the negative pell equation  $y^2 = 31x^2 - 6$  Universe of Engineering Technologies and Science, 11(XII) (2015) 1-4.
- [12] K.Meena, M.A.Gopalan and E.Bhuvaneswari, On the Negative pell equation  $y^2 = 60x^2 - 15$  , Scholars Bulletin , 1(11)(2015)310-316.
- [13] M.A.Gopalan, S.Vidhyalakshmi, R.Presenna and M.Vanitha, Observation on the negative pell equation  $y^2 = 180x^2 - 11$  , Universal Journal of Mathematics,2(1)(2016)41-45.
- [14] S.Vidhyalakshmi, M.A.Gopalan, E.Premalatha and S.SofiaChristinal , on the Negative Pell Equation  $y^2 = 72x^2 - 8$ ,International Journal of Engineering Research,4(2)(2016)25-28.
- [15] M.A.Gopalan, S.Vidhyalakshmi and N.Thiruniraiselvi. A study on the Hyperbola  $y^2 = 8x^2 - 31$ . International Journal of latest Research in Science and Technology, 2(1)(2013)454-456.
- [16] M.A.Gopalan, S.Vidhyalakshmi, T.R.Usha Rani, S. Mallika. Observation on  $y^2 = 12x^2 - 3$ .Bessel Journal of math, 2(3) (2012)153-158.
- [17] S.Mallika, P.Abinaya, On Negative Pellian Equation  $y^2 = 40x^2 - 15$  , Journal of Mathematics and Informatics, Vol.11, 2017,95-102.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24\*7 Support on Whatsapp)