



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 3 Issue: V Month of publication: May 2015 DOI:

www.ijraset.com

Call: 🛇 08813907089 🕴 E-mail ID: ijraset@gmail.com

Volume 3 Issue V, May 2015 ISSN: 2321-9653

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Agile Manufacturing: A Case Study in India

Khan Nasir¹, Sanjay Gomasta²

^{1,2}Department of Mechanical & Automation Engineering Amity University Gwalior, MP,

Abstract- Agile manufacturing is a new concept in manufacturing intended to improve the competitiveness of firms. Manufacturing processes based on Agile Manufacturing are characterized by customers supplier integrated process for product design, manufacturing, marketing, and support services. Now a day's Manufacturers are under tremendous pressure to improve productivity and quality while reducing cost. The new competition is in terms of reduced cost, improved quality products with higher performance, a wider range of products and better services all delivered simultaneously to enhance value to customers. To provide good quality product at low cost, small industries need a formulation of some manufacturing approaches like agile manufacturing to manufacture defect free products within their materials cost limit. Medium scale steel manufacturing industries like Magnum steel limited (MSL), banmore are facing problems of higher rejections in form of wastes so as to increase their cost. This paper aims to analyze the application of agile manufacturing in magnum steel limited in order to reduce wastages through implementing lean tools and techniques. An agility audit questionnaire is used for assessing the agility level of the company to identify the current level of performance within the company with respect to the key elements of agility. MSL's agile experience is reported including a list of recommendation for improving its competitiveness to offer solution alternatives not only to the current problems but also to the ones that may be encountered in the future. Realizing the importance of agile manufacturing in the 21st century manufacturing competitiveness, an attempt has been made in this paper to review the literature available on AM with the objective to identify key strategies and techniques of AM and develop a framework for the development of agile manufacturing systems (AMSs) along four key dimensions which include strategies, technologies, systems and people.

Key words- Agile Manufacturing, Lean technology, medium scale industry, audit questionnaire, cellular manufacturing.

I. INTRODUCTION

The agility was originally introduced in the report entitled "21st Century Manufacturing Enterprise Strategy" and published by the Iacocca Institute of Lehigh University (Goldman and Nagel, 1991) as an option for managing firms in a dynamic world. Since then, it has been adopted by researchers, managers and consultants as the last stage in the evolution of manufacturing models or systems This style of manufacturing resulted in inflexible plants that could not be easily reconfigured, and were associated with swollen raw materials, work-in-process and finished goods inventories. Automotive companies are attracted to agile manufacturing systems, because of the potential for equipment reuse and equipment investment cost reductions over time Since the early 1980s, in pursuit of greater flexibility, elimination of excess in inventory, shortened lead-times, and advanced levels of quality in both products and customer service, industry analysts have popularized the terms `world-class manufacturing' and lean production'.

The aim is to generate a framework that will reduce wastes and subsequently increase the flexibility in production. Customer Demand Uncertainty including lean and agile paradigms has been widely investigated so far and there are available research studies regarding this area.

Gunasekaran (2002) et.al [1] presents a case study conducted on agile manufacturing in the GEC Marconi Aerospace (GECMAe) company. The study provides the reader with an insight into the company and its agility level. An agility audit questionnaire is used for assessing the agility level of the company.

Nitin Upadhye, S. G. Deshmukh and Suresh Garg (2010) et.al [2] discusses the issues of MSMEs and presents a case to demonstrate the improvements achieved in an Indian mid size auto component's manufacturing unit after the implementation of LMS.Fawaz Abdullah (2003) et.al [3] addresses the application of lean manufacturing concepts to the continuous production/ process sector with a focus on steel industry. Debra A. Elkins, Ningjian Huang and Jeffrey M. Alden (2004) et.al [6] discuss two simple decision models that provide initial insights and industry perspective into the business case for investment in agile manufacturing systems. The models are applied to study the hypothetical decision of whether to invest in a dedicated, agile, or flexible manufacturing system for engine and transmission parts machining..Kalpakjian and Schimd (2003) et.al [14] define the agile manufacturing and

Volume 3 Issue V, May 2015 ISSN: 2321-9653

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

suggests it need and importance in global context. Mahesh Pophaley and Ram Krishna Vyas (2010) et.al present a classification, review and analysis of the literature on Plant Maintenance Management Practices (PMMP) employed in Automobile Industries.

II. RESEARCH METHODOLOGY

Once companies find out the major sources of waste and tools such as continuous improvement, autonomous maintenance, just in time, fishbone diagram and others will guide companies through corrective actions so as to eliminate waste. Continuous Improvement is the fundamental principle of lean manufacturing. One of the effective tools for continuous improvement is 5S, which is the basis for an effective lean company. Japanese name of Autonomous maintenance is JISHU HOZEN. This pillar is geared towards developing operators to be able to take care of small maintenance tasks, thus freeing up the skilled maintenance people to spend time on more value added activity and technical repairs. Cellular manufacturing is one of the cornerstones when one wants to become lean. The Fishbone Diagram is an easy to use and effective cause and effect technique developed by Kauoru Ishikawa (1982).

III. CASE STUDY

This research work is carried out in Magnum steel limited (MSL) located at banmore industrial area near Gwalior. The purpose is to perform an agility audit on the company using the questionnaire to identify the current level of performance. So first of all lean philosophy is implemented in MSL in order to minimize the wastages. As seen in industry, during production the maximum rejection occurs near about 14 % per month of total production in these rolling mills. The data has been analyzed for year 2013 so as to find out the areas of rejection. After analyzing the data, there are 10 areas are identified which contributes the maximum rejections during the whole processes.

Process	Defects	% Rejection	
Raw Material	Plastic, Claw etc	1.17	
Casting	Penal, Crack, Slag etc	1.28	
Welding	Piping, Clay, Slag, Balancing	1.76	
Furnace	Max Temp, Thermal Insulation etc	1.27	
Peeling	Popper, Overheating	1.26	
Roller	Gapping, Bearing Failure	2.93	
Conveyor	Jamming, Bearing Failure, Bending	5.71	
Pushing	Mishandling	1.79	
Cutting	Over cutting, Cracking	2.02	
Inspection Gauge, Eye		0.80	
	Raw Material Casting Welding Furnace Peeling Roller Conveyor Pushing Cutting	Raw MaterialPlastic, Claw etcCastingPenal, Crack, Slag etcWeldingPiping, Clay, Slag, BalancingFurnaceMax Temp, Thermal Insulation etcPeelingPopper, OverheatingRollerGapping, Bearing FailureConveyorJamming, Bearing Failure, BendingPushingMishandlingCuttingOver cutting, Cracking	

Table 1: process wise rejection of leave spring in 2013

Change Team is formed within the plant. Change teams includes mill in charge, supervisors and maintenance personnel. First of all, fishbone diagrams are drawn for roller area of rejection which is shown below:

www.ijraset.com IC Value: 13.98 **International Journal for Research in Applied Science & Engineering Technology (IJRASET)**




Figure 1: Fish bone diagram for roller rejection

A. Data Analysis

Data collected for the past three months. The operation is based on one shift per day. Every shift is for eight hours. The planned down time is 10 minutes per hour during shift for cooling and tiding up the work area. The collected data is shown in given tables:

S. No	Name of the process	% Rejection in various months				
		Oct 13	Nov 13	Dec 13		
1	Raw material	5.90	5.85	5.86		
2	Casting	6.48	6.37	6.44		
3	Welding	8.84	8.78	8.90		
4	Furnace	6.38	6.44	6.34		
5	Peeling	6.26	6.34	6.31		
6	Roller	14.60	14.65	14.57		
7	Conveyor	28.50	28.61	28.55		
8	Pushing	8.96	8.88	8.99		
9	Cutting	10.10	10.16	10.15		
10	Inspection	3.97	3.91	3.88		

Table 2: % Rejection in various processes from Oct 13 to Dec 13

In this paper the focus is on roller rejections, finding causes and suggests solutions and implements lean techniques in order to minimize wastages. After applying the adopted methodologies, providing the necessary training to the workers, supervise them and strictly follow the work instructions, the defects are reduced.

IV. RESULT AND DISCUSSIONS

So after implementing lean tools and techniques on selected rolling mill (16"/10"), there is a reduction in rejected pieces from 13.94 % to 11.26 % in the month of January and February 2014. This results in saving of Rs. 891000 (per piece cost Rs 2700 at that time) due to reduction of defects in February month (368 more pieces were produced in February 2014). The detailed result is shown in tabulated form.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

S. No	Leave spring	Before Lean		After Lean		
1	Month		Nov 13	Dec 13	Jan 14	Feb 14
2	Total production	12245	11990	12176	12183	12211
3	3 Total defected pieces		1677	1694	1440	1364
4	% of total Production	13.94	13.99	13.91	11.82	11.26

Table 3: Total production and % of defects after Lean from Jan 14 to Feb 14

S.	Leave spring	Before Lean			After Lean	
No						
1	Month	Oct 13	Nov 13	Dec 13	Jan 14	Feb 14
2	No of rejected pieces	1707	1677	1694	1440	1364
3	Amount in rupees	4608900	4527900	3888000	3682800	
4	Reduction in defects			254	368	
5	Saving in terms of Rupees (× Rs 2700)				685800	891000

Table 4: Total rejection in pieces and rupees after Lean from Jan 14 to Feb 14

S.	Type of Rejection	Before Lean			After Lean	
No		Oct 13	Nov 13	Dec 13	Jan 14	Feb 14
1	Raw material Rejection	1.18	1.17	1.18	1.13	1.09
2	Process Rejection	18.82	18.83	18.82	15.88	15.00
3	Total Rejection	20	20	20	17.01	16.09

Table 5: Comparison chart for type of rejection (in %) before and after Lean




Figure 2: % of defects in various months

SUGGESTIONS FOR REDUCING WASTAGES:

S.	Process	Types of Defects	Reason of Rejection	Suggestion
No				
1	Roller	Gapping, Bearing failure,	1 1 0	Rollers to be checked for correctness of positioning.

Table 6: Defects, reason and suggestions for defects in various processes

Volume 3 Issue V, May 2015 ISSN: 2321-9653

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

A. Agilty Audit Questionnaire

After approaching towards lean mindset, the current level of agility is to be investigated with the help of a standard audit questionnaire administered within the company studied, Magnum steel limited (MSL) with respect to the five key elements of agility are Enriching the customer, Co-operating to enhance competitiveness, Mastering change and uncertainty, Leveraging people and information and Manufacturing advancement and Safety aspects. Results for enriching the customer (MSL) (maximum possible score=12; current performance for enriching the customer=6/12=50% agility index; suggested performance for enriching the customer=11/12=91% agility index)


Results for co-operating to enhance competitiveness (MSL) (maximum possible score=9; current performance for enhancing competitiveness=4/9=44% agility index; suggested performance for enhancing competitiveness=9/9=100% agility index) Results for mastering change and uncertainty (MSL) (maximum possible score=8; current performance for mastering change and uncertainty=2/8=25% agility index; suggested performance for mastering change and uncertainty=(7,1/2)/8=94% agility index)

Results for leveraging people and information (MSL) (maximum possible score=14; current performance for leveraging people and information =4/14=28.5% agility index; suggested performance for mastering change and uncertainty=13/14=93% agility index)


Results for manufacturing advancement and Safety aspects (MSL) (maximum possible score=12; current performance for leveraging people and information=(4,1/4)/12=35% agility index; suggested performance for mastering change and uncertainty=12/12=100% agility index)

B. Recommendations

After analyzing the questionnaire, the some recommendations made for improving the agility level of the company. One of the most important suggestion is to apply a *cellular manufacturing* approach to shop floor for established products to reduces wastages, throughput time and hence unit cost. Consequently, cellular manufacturing would go a long way towards improving the turn/around delivery times as well. A short attempt is made to suggest the layout which is shown in given figure.



PROPOSED LAYOUT



V. CONCLUSION

The data collected from the questionnaire have led to the conclusion that cost is a key parameter for both production (the company) and more importantly, the customer. As cost is the primary issue, one should be in the mode of 'thinking *lean*'. To reduce costs, along with cellular manufacturing, adoption of other valuable concepts and technologies should also be considered. The market for Magnum steel limited (MSL) is by no means as turbulent, e.g. the mobile phone industry where there is a definite requirement to be agile and to remain so. This is not to say that agility is only applicable to new products and the leanness should be purely applied to older products. Quite the opposite, various enablers of agile manufacturing such as Lean manufacturing, Maintenance management, Supply chain management, Integrated production, Information systems and concurrent engineering are quite useful to employ in a company like MSL. Changes are being made in light of overall business perspective and market, not necessarily to become more agile, but simply because it make *sense* to change! We have made a number of recommendations to MSL with the objective of

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

improving its overall business competitiveness. Not all of them, however, need to be incorporated, or be implemented at the same time. Some of the recommendation have been reviewed at MSL, bearing in mind the future opportunities and threats to the business.

REFERENCES

[1] A.Gunasekaran (2002). "An investigation into the application of agile manufacturing in an aerospace company" Technovation 22 (2002) 405-415.

[2] Nitin Upadhye, S. G. Deshmukh and Suresh Garg (2010). "Lean manufacturing system for medium size manufacturing enterprises: an Indian case" International Journal of Management Science and Engineering Management 5(5): 362-375, 2010.

[3] Fawaz Abdullah (2003). "Lean manufacturing tools and techniques in a process industry with a focus on steel" University of Pittsburgh, 2003.

[4] Debra A. Elkins, Ningjian Huang and Jeffrey M. Alden (2004). "Agile manufacturing systems in the automotive industry" International Journal of Production Economics 91 (2004) 201–214.

[5] Kalpakjian and Schimd (2003). "Manufacturing processes for engineering materials" Prentice Hall, 4th edition, 2003.

[6] Mahesh Pophaley and Ram Krishna Vyas (2010). "Plant maintenance management practices in automobile industries: A retrospective and literature review" Journal of Industrial Engineering and Management, 3(3), 512-541, 2010.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)