



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: V Month of publication: May 2020

DOI: <http://doi.org/10.22214/ijraset.2020.5123>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Fabrication of Solar Sand Screening Machine

Puthineedi Pawan Kalyan Babji¹, I. Anudeep², G. Madhan Kumar³, S. Hemla Naik⁴, Venkat Harish S⁵

^{1, 2, 3, 4}B.Tech Student, Dept. of Mechanical Engineering, St. Martin's Engineering College, Hyderabad, India

⁵Assistant Professor, Dept. of Mechanical Engineering, St. Martin's Engineering College, Hyderabad, India

Abstract: Sand is widely used in construction, production of bricks and many ceramic industries. Sand requires to be filtered and separated from unneeded elements like stones and other large objects before it is put into the working. Here we are demonstrating the fabrication Screening machine. Our proposed model is a semi-automated sand filtering and it separates the unwanted elements in 3 different sized meshes and stored at the bottom through the specified path. Here we use a motorized shaft that is attached horizontally using mounts. The shafts are assembled to each filter structure with mesh below and covered with frame on the sides. We are connected cylindrical rod from the shaft to the filter frame in a way such as to achieve the best horizontal motion. Also we have a frame to hold the filters frame in place while ensuring required horizontal motion at the common time. Solar plates are used for charging the batteries & that stored energy is used to run the motors. Switching on the motors, allows us to operate the three different sized sand filters at same time for appropriate sand filtering needs and filtered sand is collected at output.

Keywords: Solar plate, Sand filter, Motors, Battery, Meshes.

I. INTRODUCTION

For minimising the required time content and human work needed in this sand screening work, we prepared solar sand screening model. In construction places sand requirement is very important role. All the construction industries are need a huge effort in minimum time. Because of this intension we are constructed 3 layer solar sand screening model it increases the fileting sand more with in short duration of time. Depending up on the size of objects to be segregated the size of hole and mesh is a change for each and every layer mesh is different. In normal time, for sand screening work more wages are paying to the workers instead of that they can buy our solar sand screening model. This machine working with the use of solar energy and solar plates. Solar energy is stored in batteries with the help of solar plates that stored energy in batteries are helped to run the model. Instead of providing manual power we recommend to use solar sand screening machine which segregates the different size objects in different layer is designed.

II. LITERATURE REVIEW

As per Mr. Pranit S. Patil, the experimental effort invovled in the modification of a concept element of a apparatus this is suitable of conducting more than one process in sequence, in the common time span the apparatus is showing in excel in production but maintaining the minimum cost .The authers used a inversion of double slider mechanism (scotch yoke technique) with 2 intersecting gears of bevel pair for motion of power at 2 places. This apparatus in sequence working 2 shafts from a 1 media with the output to cosnserve power transmission, minimise the amount, increase the output, decrease space of floor required by the equipment.

As per Mr. Nachimuthu A.K , for characterizing the size of particle transformation of a common a sieve is a device for filtering required parts from unwanted things this uses a woven screen they are a mesh or net. Authors are concentrated in their modification on, assembly of the mechanical elements of equipment and the instrument of the sieve equipment. Criteria such as strength, safety and mechanical system needs to concern some other ergonomic design were used to obtain fully working sieve equipment body shape.




Fig 1: Multilayer Sand Screening Machine

III. PRODUCT DESIGN

The main components of the project:

- A. Solar panel (12V-5W)
- B. Battery (12V-7Amps)
- C. Mesh (1200mm × 1000mm)
- D. Bearings (V Type ¾ inch)
- E. DC Motor (12V 30rpm)
- F. Hollow Frame (1800mm × 25mm × 25mm)

Power Transmission Process Layout.




Fig 2: Power Transmission Process Layout



Fig 3: Solar Panel

MESH SIZE			WIDTH
1/8"	1/2"	1"	3ft
1/4"	5/8"	1 1/2"	to
3/8"	3/4"	2"	8ft




Fig 4: Mesh Sizes




Fig 5: Mesh




Fig 6: Mesh Skin Grafts




Fig 7: Design Front view




Fig 8: Design Side view




Fig 9: Design top view




Fig 10: Design sand outlet view




Fig 11: Design over all view

IV. EXPERIMENTAL PROCEDURE

In fabrication process, there is a planning of the overall progress to make sure the project can be finished on schedule'

A. Flow Chart




Fig 12: Fabrication Process

Joining process: Semi-conductor packaging is a difficult process of adding many different elements and pieces together. To obtain this, semi-conductor packaging employs a multi stage of adding processes. The ability to select which joining method is suitable at every stage of packaging is important in producing highly reliable packages for semiconductor devices. Below are brief explanation of normal joining method used not only in semi-conductor joining, but in other industries as well.



Fig13 : Mesh welded frame



Fig 14: Base welded frame



Fig 15: Welded rotor shaft frame



V. CONCLUSION

Thus a minimum cost and simple model solar operated sand screening machine is fabricated. This equipment minimise the human working struggle and therefore we don't go many persons for sand filtering. This is a simple model of conventional design which gives more efficient work day to day household requirements and every day to day need and it is also used for industrial necessities during power off condition. By using this approach we can perform any type of operation as per our need by using of solar energy.

VI. ACKNOWLEDGEMENT

My sincere thanks to our respected Guide Assist Prof. Venkat Harish S for his continue support and improving skills for the completing the project work. We would like to reveal our truthful thanks to Dr. DV SREEKANTH (HOD) for strong support. Most humble gratitude towards Dr. P. SANTOSH KUMAR PATRA (PRINCIPAL) for cooperation..

REFERENCES

- [1] M. Mujumder & P. Gossh, "FEA of vibration screening methods by EPS", 2016.
- [2] Dr Patil Bavesh, "Design of motion Screen used in Coal Mining Industry to Prevent Failure". Feb-2013.
- [3] Zhaao Yue -meina, Zang Cheng-Young, renting, "Movement design theory and application of huge vibrating screen", 2009.
- [4] Multiuse Sand Screening equipment .Mr. Pranet S. Patel1, et.al , International futuristic Research Journal in Science, Engineering and Technology.
- [5] Design and Assembly frame work of Sand Sieving and Cement Mixture equipment Sai Karthik
- [6] Design, build and Testing of a Dry Sand Sieving equipment, Oladeji Akanni Ogunwole Journal of Multisector Science & Technology Volume: 01 Issue: 03 | July -2016.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)