



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: XII Month of publication: December 2020

DOI: <https://doi.org/10.22214/ijraset.2020.32403>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Determination of Optimum Offset Floor Level in Re-Entrant Corner Structure under Seismic Zone

III

Dheeraj Kaul¹, Sagar Jamle², Lalit Balhar³

¹M. Tech. Scholar, Department of Civil Engineering, Oriental University, Indore (M. P.), India

^{2,3}Assistant Professor, Department of Civil Engineering, Oriental University, Indore (M. P.), India

Abstract: *The Multistoried buildings structures are in very fascinated use for almost all urban part of living areas such as in metro cities. In this type the making of irregular shaped buildings have become more often now a day. In these study buildings of multistoried structure is taken for different cases. This paper presents the modeling of 10 cases in which irregular building has been considered for analysis such as by making offset at different floors including first, third, fifth, seventh, ninth, eleventh, thirteenth, fifteenth, seventeenth and nineteenth floors respectively in re-entrant corner of building. The comparative analysis of different parameters have been done to carry out research by software approach including parameters such as Base shear, maximum displacement, axial force, shear force and Bending moment, maximum stresses etc. Structural Stability IRS Case 2 then after IRS case 1 to IRS case 3 may observed and obtained as economical and satisfied as per Indian Standards.*

Keywords: *Concrete Grade, Dual system, Irregular Structure, Optimization, Re-entrant Corners, Shear Wall.*

I. INTRODUCTION

The earthquake as natural disaster is one of the most common occurring disasters in particular areas taking to the categories of zonal region. To overcome the effect of these disasters some of particular behaviours of buildings should be required to be taken into consideration so that providing all the necessary warning for the structure before any collapse or failure of a building. Different parameters which are reason for behaviour of earthquake on buildings are such as lateral stiffness, lateral displacement, storey drift etc. There is very less damage in irregular configurations made structures as compared to regular buildings structure during occurrence of a natural disaster such as earthquake. The irregular plan building structures are more taken to as priority now a days to build by our engineers and architects which makes all people to be satisfy needs in an urban areas.

II. LITERATURE SURVEY

The objective of this research is to analyse the seismic effect of the building of geometrical plan configurations and compare the analysis on various parameters i.e. axial forces, displacement, base shear, bending moment, shear force, etc. For this analysis response spectrum method has been used and it is analysed by using software approach. The study has been carried out to examine the effect on the stability of the building under seismic analysis and to make easiness in the selection of the shape of the building in the seismic zone. (Mohd. Shadab khan, 2018). Also, a review has also been done to include the live load changing factor due to making distance of live load due to corona virus disease. Coronavirus has affected several millions of people causing cardiovascular issues, and other health problems, which has caused the economy to slow down, increasing mortality rate. (Ravi Manne et. al.) The authors in this work put emphasis on the usage of wall belt supported system used in multistoried building. This work compares the various possibilities of the demand and supply of stability enhancement system, since review has done. The lateral load handling capacity has evolved as the main criteria in this work. In this, they pointed out if the width and thickness were kept fixed and if the height at which the shear strip behaves effective will be their optimum case (Neeraj Patel et. al.).

III. PROCEDURE AND 3D MODELING OF THE STRUCTURE

Earthquake analysis is carried out using a G+19 Storey building by software approach. The total 10 models are created on the software. The model 1 to 10 were made in the software in which all irregular buildings were considered along with offsets being provided on first, third, fifth floor and so on respectively from model 1 to 10. The analysis part consist of the effect on building under the different loads such as dead load, live load and lateral loads (earthquake and wind) etc into it based on software mechanism. The seismic data is taken as per the IS 1893(PART1):2016. The response spectrum analysis method is adopted for analysis of building.

Table 1: Model Description

Models	Description
IRS Case 1	Offset on first floor in re-entrant corner building.
IRS Case 2	Offset on third floor in re-entrant corner building.
IRS Case 3	Offset on fifth floor in re-entrant corner building.
IRS Case 4	Offset on seventh floor in re-entrant corner building.
IRS Case 5	Offset on ninth floor in re-entrant corner building.
IRS Case 6	Offset on eleventh floor in re-entrant corner building.
IRS Case 7	Offset on thirteenth floor in re-entrant corner building.
IRS Case 8	Offset on fifteenth floor in re-entrant corner building.
IRS Case 9	Offset on seventeenth floor in re-entrant corner building.
IRS Case 10	Offset on nineteenth floor in re-entrant corner building.

G + 19 storey’s irregular building are taken into consideration for study by providing offset at different floors on re-entrant corner. There were different 10 cases were modelled in the software having offset at different floor such as at first , third, fifth floor and so on respectively from model 1 to 10 with bay of 5m in X-direction as well as of 5m in Z-direction also. Different model cases were designed using M-30 grade of concrete and Fe-500 reinforcing steel used for main reinforcement and Fe-415 for distribution reinforcement. The model description that have been tabulated in table 1 are as follows for different plan




Fig 1: IRS Case 1- G+19 Storey Irregular Building with Offset on first floor in re-entrant corner building




Fig 2: Typical floor plan

IV. RESULTS ANALYSIS

The result parameters obtained by the application of loads and their combinations on various cases of the multistorey building as per Indian Standard 1893: 2016 code of practice.

Result of each parameter has discussed with its representation in graphical form below:-




Fig. 3: Graphical Representation of Maximum Displacement in X and Z direction for offset on all re-entrant corner Structural Stability Cases




Fig. 4: Graphical Representation of Base Shear in both X and Z direction for offset on all re-entrant corner Structural Stability Cases




Fig. 5: Graphical Representation of Maximum Axial Forces in Column for offset on all re-entrant corner Structural Stability Cases




Fig. 6: Graphical Representation of Maximum Shear Force in Column for offset on all re-entrant corner Structural Stability Cases




Fig. 7: Graphical Representation of Maximum Bending Moment in Column for offset on all re-entrant corner Structural Stability Cases




Fig. 8: Graphical Representation of Maximum Shear Force in Beam for offset on all re-entrant corner Structural Stability Cases




Fig. 9: Graphical Representation of Maximum Bending Moment in Beam for offset on all re-entrant corner Structural Stability Cases




Fig. 10: Graphical Representation of Maximum Torsional Moments in Beam for offset on all re-entrant corner Structural Stability Cases




Fig. 11: Graphical Representation of Maximum Torsional Moments in Columns for offset on all re-entrant corner Structural Stability Cases




Fig. 12: Graphical Representation of Maximum Principal Stresses for offset on all re-entrant corner Structural Stability Cases




Fig. 13: Graphical Representation of Maximum Von Mises Stresses for offset on all re-entrant corner Structural Stability Cases




Fig. 14: Graphical Representation of Maximum Shearing Stresses for offset on all re-entrant corner Structural Stability Cases

V. CONCLUSIONS

Attractive result has been found when comparing offset in re-entrant corner building system and after analysis of numerous parameters, the conclusion can be pointed out are as follows:-

- 1) There is minimum value of Maximum displacement in X direction will obtain in IRS case 1 (Value = 363.224 mm) offset in reentrant corner building as compare to other IRS case 2 to IRS case 10. as well as minimum value of maximum displacement in Z direction is comes in IRS case 4 (Value = 341.526 mm) when compare to other IRS case 1 to IRS case 3 and IRS case 5 to IRS case 10.
- 2) In the X direction Minimum base shear occur IRS case 10 (Value = 4363.09 KN) in the offset in reentrant corner building in as compare to other cases in the analysis and Z direction same as above written IRS case 10 (Value = 5024.950 KN) in minimum base shear performed.
- 3) IRS case 10 (Value = 13570.382 KN) is maximum column axial force occur when compare to other IRS case 1 to IRS case 9 for in offset in reentrant corner building.
- 4) For column shear force in Y direction IRS case 9 perform minimum value as compare to other cases similarly in the Z direction IRS case 4 perform minimum value in the analysis.
- 5) For column bending moment about Y direction IRS case 5 (Value = 427.417 KNM) comes minimum value when compare to other IRS cases or in the Z direction the value of bending moment in IRS case 10 (Value = 427.417 KNM) in compare from IRS case 01 to IRS case 9.
- 6) Now the beam shear force along Y direction show minimum value in IRS case 1 as compare to other IRS case 1 to IRS case 9. or as well as along Z direction minimum value in IRS case 1 to other IRS case 1 to IRS case 9.
- 7) The beam bending moment minimum value occur in IRS case 5 and IRS case 6 (Value = 4.575 KNM) along Y direction and minimum value in IRS case 1 (value = 899.257 KNM) as compare to other IRS cases
- 8) The beam torsional moment minimum value comes at IRS case 1 (value = 46.357 KNM) when compare all IRS cases, IRS case 2 to IRS case 6 increase the torsional moment and IRS case 7 to IRS case 10 decreases torsional moment.
- 9) Now column torsional moment minimum value comes at IRS case 10 (value = 31.984 KNM) when IRS case 1 to IRS case 9 decreases the torsional moment.
- 10) Minimum value of the maximum principal stresses at top in the IRS case 10 (value = 8.534 N/mm sq.).
- 11) Minimum value of the maximum Von Mises stresses at top in the IRS case 7 (value = 23.369 N/mm sq.) when compare to other IRS cases.
- 12) Minimum value of the shear stresses in the IRS case 2 and IRS case 3 (value = 23.369 N/mm sq.) when compare to other IRS cases..

Observing all the parameters, the main theme of this work has achieved with increasing stability by offset in reentrant corner in Semi Commercial Building, (G+19) multistoried building under seismic loading. Structural Stability IRS Case 2 then after IRS case 1 to IRS case 3 may observed and obtained as economical and satisfied IS 1893-2016 (part 1) or IS 456-2000, IS 13920 efficient case and should be recommended when this type of approach will be adopted in earthquake zone III.

VI. ACKNOWLEDGEMENT

I Dheeraj Kaul, would like to thank *Mr. Sagar Jamle* and *Mr. Lalit Balhar* sir for their continuous support and guidance for the completion of this entire work. I am glad that they simultaneously works me time to time and always do support individual scholars intensively.

REFERENCES

- [1] Sagar Jamle, Dr. M.P. Verma, Vinay Dhakad, (2017), "Flat Slab Shear Wall Interaction for Multistoried Building Analysis When Structure Length is greater than width under seismic Forces", International Journal of Software & Hardware Research in Engineering (IJSHRE), ISSN: 2347-4890 Vol.-05, Issue-3, pp. 32-53.
- [2] Neeraj Patel, Sagar Jamle, (2019), "Use of Shear Wall Belt at Optimum Height to Increase Lateral Load Handling Capacity in Multistory Building: A Review", International Journal of Advanced Engineering Research and Science, (ISSN : 2349-6495(P) | 2456-1908(O)), vol. 6, no. 4, pp. 310-314, <https://dx.doi.org/10.22161/ijaers.6.4.36>
- [3] Sachin Sironiya, Sagar Jamle, M. P. Verma, (2017), "Experimental Investigation On Fly Ash & Glass Powder As Partial Replacement Of Cement For M-25 Grade Concrete", IJSART - Volume 3 Issue 5, ISSN- 2395-1052, pp. 322-324.
- [4] Prabhulal Chouhan, Sagar Jamle, M.P. Verma, (2017), "Effect of Silica Fume on Strength Parameters of Concrete as a Partial Substitution of Cement", IJSART - Volume 3 Issue 5, ISSN- 2395-1052.
- [5] Sagar Jamle, Dr. M.P. Verma, Vinay Dhakad, (2017), "Flat Slab Shear Wall Interaction for Multistoried Building under Seismic Forces", International Journal of Software & Hardware Research in Engineering (IJSHRE), ISSN: 2347-4890 Vol.-05, Issue-3, pp. 14-31.
- [6] Taha A. Ansari, Sagar Jamle, (2019), "Performance Based Seismic Analysis of Regular R.C. Building", International Journal of Management, Technology And Engineering, ISSN: 2249-7455, Vol. 09, no. 07, pp. 342-351, DOI:16.10089.IJMTE.2019.V9I7.19.28639

- [7] Prakash Mandiwal, Sagar Jamle, (2018), "Use of Polyethylene Glycol as Self Curing Agent in Self Curing Concrete - An Experimental Approach", International Research Journal of Engineering and Technology, (ISSN: 2395-0072(P), 2395-0056(O)), vol. 5, no. 11, pp. 916-918.
- [8] Surendra Chaurasiya, Sagar Jamle, (2018), "Determination of Efficient Twin Tower High Rise Building Subjected to Seismic Loading", International Journal of Current Engineering and Technology, INPRESSCO, E-ISSN 2277 – 4106, P-ISSN 2347 – 5161, Vol. 8, No. 5, pp. 1200 – 1203, DOI: <https://doi.org/10.14741/ijcet/v.8.5.1>
- [9] Archit Dangi, Sagar Jamle, (2018), "Determination of Seismic parameters of R.C.C. Building Using Shear Core Outrigger, Wall Belt and Truss Belt Systems", International Journal of Advanced Engineering Research and Science, (ISSN : 2349-6495(P) | 2456-1908(O)), vol. 5, no. 9, pp.305-309, <https://dx.doi.org/10.22161/ijaers.5.9.36>
- [10] Mohd. Arif Lahori, Sagar Jamle, (2018), "Investigation of Seismic Parameters of R.C. Building on Sloping Ground", International Journal of Advanced Engineering Research and Science, (ISSN: 2349-6495(P), 2456-1908(O)), vol. 5, no. 8, pp.285-290, <https://dx.doi.org/10.22161/ijaers.5.8.35>
- [11] Gaurav Pandey, Sagar Jamle, (2018), "Optimum Location of Floating Column in Multistorey Building with Seismic Loading", International Research Journal of Engineering and Technology, (ISSN: 2395-0072(P), 2395-0056(O)), vol. 5, no. 10, pp. 971-976.
- [12] Suyash Malviya, Sagar Jamle, (2019), "Determination of Optimum Location of Rooftop Telecommunication Tower over Multistorey Building under Seismic Loading", International Journal of Advanced Engineering Research and Science, (ISSN : 2349-6495(P) | 2456-1908(O)), vol. 6, no. 2, 2019, pp. 65-73, <https://dx.doi.org/10.22161/ijaers.6.2.9>
- [13] Neeraj Patel, Sagar Jamle, (2019), "Use of Shear Wall Belt at Optimum Height to Increase Lateral Load Handling Capacity in Multistorey Building", International Journal for Research in Engineering Application & Management (ISSN : 2454-9150), vol. 4, no. 10, pp. 596-603, doi: 10.18231/2454-9150.2018.1372
- [14] Taha A. Ansari, Sagar Jamle, (2019), "Performance Based Analysis of RC Buildings with Underground Storey Considering Soil Structure Interaction", International Journal of Advanced Engineering Research and Science (ISSN: 2349-6495(P) | 2456-1908(O)), vol. 6, no. 6, pp. 767-771, <https://dx.doi.org/10.22161/ijaers.6.6.89>
- [15] Sagar Jamle and Shirish Kumar Kanungo, (2020), "Determination of Stable Underground Storage Reservoir System- Recent Advancements in Structural Engineering Volume 1", LAP LAMBERT Academic Publishing, Mauritius, ISBN: 978-620-2-51435-4.
- [16] Sagar Jamle, Nirmal Delmiya, Rahul Singh, (2020), "Efficient Use of UPV Meter: A Non Destructive Test of Concrete by Fragmentation Analysis", Journal of Xi'an University of Architecture & Technology, ISSN: 1006-7930, vol. 12, no. 4, pp. 3385-3394. <https://doi.org/10.37896/JXAT12.04/1078>
- [17] Pankaj Kumar Dhakad, Sagar Jamle, (2020), "Base Shear Reduction by Using Optimum Size of Beams with Different Grades in Multistoried Building at Different Levels", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 4, pp. 170-178. <https://dx.doi.org/10.22161/ijaers.7.4.20>
- [18] Gagan Yadav, Sagar Jamle, (2020), "Use of Shear Wall with Opening in Multistoried Building: A Factual Review", International Journal of Current Engineering and Technology, (ISSN: 2277-4106 (O), 2347-5161(P)), vol. 10, no. 2, pp. 243-246. <https://doi.org/10.14741/ijcet/v.10.2.9>
- [19] Surendra Chaurasiya, Sagar Jamle, (2019), "Twin Tower High Rise Building Subjected To Seismic Loading: A Review", International Journal of Advanced Engineering Research and Science, (ISSN : 2349-6495(P) | 2456-1908(O)), vol. 6, no. 4, pp. 324-328, <https://dx.doi.org/10.22161/ijaers.6.4.38>
- [20] Archit Dangi, Sagar Jamle, (2019), "Stability Enhancement of Optimum Outriggers and Belt Truss Structural System", International Research Journal of Engineering and Technology, (ISSN: 2395-0072(P), 2395-0056(O)), vol. 6, no. 2, pp. 772-780.
- [21] Durgesh Kumar Upadhyay, Sagar Jamle, (2020), "Stability Enhancement in Wall Belt Supported Dual Structural System using Different Grades of Concrete", International Journal of Current Engineering and Technology, (ISSN: 2277-4106 (O), 2347-5161(P)), vol. 10, no. 2, pp. 237-242. <https://doi.org/10.14741/ijcet/v.10.2.8>
- [22] Mohd. Arif Lahori, Sagar Jamle, (2019), "Response of Multistorey Building Located on 20° and 30° Sloping Ground under Seismic Loading", International Research Journal of Engineering and Technology, (ISSN: 2395-0072(P), 2395-0056(O)), vol. 6, no. 1, pp. 1063-1069.
- [23] Prafoolla Thakre, Sagar Jamle, Kundan Meshram, (2020), "Opening Area Effect of Shear Wall in Multistorey Building under Seismic Loading", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 2, pp. 122-129. <https://dx.doi.org/10.22161/ijaers.7.2.17>
- [24] Romesh Malviya, Sagar Jamle, (2020), "Increasing Stability of Multistoried Building using Different Grades of Concrete in Column Member Sets at Different Locations", International Journal of Current Engineering and Technology, (ISSN: 2277-4106 (O), 2347-5161(P)), vol. 10, no. 2, pp. 208-213. <https://doi.org/10.14741/ijcet/v.10.2.3>
- [25] Mohammad Bilal Rasheed, Sagar Jamle, (2020), "Conceptual Approach on Effect of Various Concrete Grade in Outrigger and Wall Belt Supported System: A Perceptual Review", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 5, pp. 100-104. <https://dx.doi.org/10.22161/ijaers.7.5.14>
- [26] Sagar Jamle and Roshan Patel, (2020), "Analysis and Design of Box Culvert- A Manual Approach in Structural Engineering", LAP LAMBERT Academic Publishing, Mauritius, ISBN: 978-620-0-78760-6.
- [27] Mohit Kumar Prajapati, Sagar Jamle, (2020), "Strength irregularities in multistoried building using base isolation and damper in high Seismic zone: A theoretical Review", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 3, pp. 235-238. <https://dx.doi.org/10.22161/ijaers.7.3.37>
- [28] Gagan Yadav, Sagar Jamle, (2020), "Opening Effect of Core Type Shear Wall Used in Multistoried Structures: A Technical Approach in Structural Engineering", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 3, pp. 344-351. <https://dx.doi.org/10.22161/ijaers.7.3.50>
- [29] Durgesh Kumar Upadhyay, Sagar Jamle, (2020), "A Review on Stability Improvement with Wall Belt Supported Dual Structural System Using Different Grades of Concrete", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 3, pp. 293-296. <https://dx.doi.org/10.22161/ijaers.7.3.43>
- [30] Pankaj Kumar Dhakad, Sagar Jamle, (2020), "Base Shear Reduction by using Optimum Size of Beams with same Grade of Concrete: An Informative Review", International Journal of Current Engineering and Technology, (ISSN: 2277-4106 (O), 2347-5161(P)), vol. 10, no. 2, pp. 259-262. <https://doi.org/10.14741/ijcet/v.10.2.12>

- [31] Manoj Patidar, Sagar Jamle, (2020), "Optimization of Stability of Multistoried Structure by Changing Grades of Concrete in Shear Wall Member", Journal of Xi'an University of Architecture & Technology, ISSN: 1006-7930, vol. 12, no. 4, pp. 2479-2497. <https://doi.org/10.37896/IJAT12.04.979>
- [32] Manoj Patidar, Sagar Jamle, (2020), "Use of different Grades of Concrete in Shear Wall: A Comprehensive Review", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 4, pp. 355-359. <https://dx.doi.org/10.22161/ijaers.74.44>
- [33] Sagar Jamle, Nirmal Delmiya, Rahul Singh, (2020), "Efficient Use of UPV Meter: A Non Destructive Test of Concrete by Fragmentation Analysis", Journal of Xi'an University of Architecture & Technology, ISSN: 1006-7930, vol. 12, no. 4, pp. 3385-3394. <https://doi.org/10.37896/IJAT12.04.1078>
- [34] Shahdab Khan, Sagar Jamle, (2020), "Use of Shear Wall Member at Corners to Enhance the Stability Using Different Grades: An Immense Review", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 5, pp. 396-400. <https://dx.doi.org/10.22161/ijaers.75.47>
- [35] Ankush Nagar, Sagar Jamle, (2020), "Base Shear Reduction Techniques: A Review", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 5, pp. 466-471. <https://dx.doi.org/10.22161/ijaers.75.57>
- [36] Bhagwat Mahajan, Sagar Jamle, (2020), "Stability Increment Techniques by Altering Beam Members: A Review", International Journal for Research in Applied Science & Engineering Technology (IJRASET), ISSN: 2321-9653, vol. 8, no. 6, pp. 1403-1407. <http://doi.org/10.22214/ijraset.2020.6227>
- [37] Ankush Nagar, Sagar Jamle, (2020), "An Analytical Approach to Determine Base Shear Reduction Effects in Multistoried Building", International Journal for Research in Applied Science & Engineering Technology (IJRASET), ISSN: 2321-9653, vol. 8, no. 6, pp. 1395-1402. <http://doi.org/10.22214/ijraset.2020.6226>
- [38] Sakshi Goyal, Sagar Jamle, (2020), "Stability Increment Practices using Wall Outrigger Members: A Review", International Journal for Research in Applied Science & Engineering Technology (IJRASET), ISSN: 2321-9653, vol. 8, no. 6, pp. 1656-1661. <http://doi.org/10.22214/ijraset.2020.6270>
- [39] Soni P., Tamrakar P. L. (2016) "Structural Analysis of Multi-story Building of Different shear Walls Location and Heights" International Journal of Engineering Trends and Technology (IJETT) ,Volume 32, Number 1,ISSN: 2231-5381 , pp 50-57.
- [40] Sharma R. , Amin J.A. (2015) "Effects of opening in shear walls of 30- storey building' Journal Of Materials And Engineering Structures, pp 44–55
- [41] Chouhan P., Jamle S., & et. al. (2017) "Effect of Silica Fume on Strength Parameters of Concrete As A Partial Substitution of Cement" IJSART - Volume 3 Issue 5, ISSN ONLINE: 2395-1052 Pp 968 -972,
- [42] Darshita T., Anoop P. (2012) International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 Impact Factor (2012): 3.358 Volume 3 Issue 6, June 2014 Licensed Under Creative Commons Attribution CC BY Study of Strength and Workability of Different Grades of Concrete by Partial Replacement of Fine Aggregate by Crushed Brick and Recycled Glass Powder, Paper ID: 02014168, pp141-145.
- [43] Ravi Manne, Snigdha Kantheti, (2020), "Coronavirus Impact on Cardiovascular System of Body - Review", International Journal for Research in Applied Science & Engineering Technology (IJRASET), ISSN: 2321-9653, Vol.08, Issue 11, pp. 276-280, DOI: <https://doi.org/10.22214/ijraset.2020.32118>
- [44] Sakurai M., Kuramoto H. & et. al. (2008) Seismic Performance of Rc Shear Walls With Multi-openings The 14th World Conference on Earthquake Engineering October 12-17, Beijing, China , Beijing, China, Pp1-8
- [45] Satpute S G, Kulkarni D B (2013) "Comparative Study Of Reinforced Concrete Shear Wall Analysis In Multi-storeyed Building With Openings By Nonlinear Method" Int. J. Struct. & Civil Engg. Res. (IJSCER), ISSN 2319 – 6009, Vol. 2, No. 3.
- [46] Sakurai M., Kuramoto H. & et. al. (2008) Seismic Performance of Rc Shear Walls With Multi-openings The 14th World Conference on Earthquake Engineering October 12-17, Beijing, China , Beijing, China, pp1-8
- [47] Satpute S G, Kulkarni D B (2013) "Comparative Study Of Reinforced Concrete Shear Wall Analysis In Multi-storeyed Building With Openings By Nonlinear Method" Int. J. Struct. & Civil Engg. Res. (IJSCER), ISSN 2319 – 6009, Vol. 2, No. 3.
- [48] J.A. Amin , A.K. Ahuja (2008) , "Experimental study on wind pressures on irregular plan shape buildings" BBAA VI international Colloquium on bluffbodies aerodynamics & applications Milano, Italy, July 20-24 2008.
- [49] Shaik munner hussain, Dr. Sunil kumar tengli, 2018 , " Study of torsional effects on iirregular buildings under seismic loads , International Journal of Applied Engineering Research ISSN 0973-4562 Volume 13 Number 7 (2018) PP 55-60 .
- [50] Mohd. Shadab khan, (2018) Analysis of G+ 10 Floor buildings of different Geometric plan by Response spectrum method Using Staad pro, International Journal of Engineering Science & Research Technology, (IJESRT) 7,(12) December ,2018.
- [51] Abhay Guleria, (2014)" Structural Analysis of Multistorey Building Using E-tabs for different plan Configuration "International Journal of Engineering Research & Technology (IJERT) ISSN 2278-0181. Vol-3 issue -5, May -2014.
- [52] N Mohan Reddy, Dr. E. Arunakanthi , (2015), Seismic Analysis of Multistorey Building with irregular plan Configuration International Journal of Scientific Research & Development , Vol-3, Issue-09, 2015, ISSN 2321-0613.
- [53] Ravindra ahlawat , ashok K. ahuja, (2015) "Wind Loads on T-plan shape Tall buildings"Journal of Academia & Industrial Research (JAIR), Volume 4 , Issue 1, June-2015. ISSN 2278-5213.
- [54] Bhumika Pashine ,et.al ,2016 , Wind Analysis of multistorey structure with T-shape & L-shape Geometry" International Journal of Engineering Development and Research (IJEDR) Volume 4, Issue 3, 2016, ISSN 2321-9939.
- [55] C.M. Ravi Kumar, et.al ,(2013)"Seismic vulnerability Assesment of RC buildings with shear wall" International Journal of Engineering Research & Applications (IJERA) – Volume -3, Issue-3, May-June 2013. ISSN 2248-9622, pp 646-652.
- [56] Md. Kashif Ansari, Prof. H.S Vidhyadhar, (2016) "Seismic Behaviour of Multistoried RCC Building having Vertical mass irregularity " International Journal of Scientific Research and Development IJSRD, Volume 4, Issue 4, 2016 , ISSN: 2321-0613.
- [57] Qaiser uz Zaman Khan, et.al , (2013) "Investigation of Seismic Performance of Vertically Irregular Reinforced Concrete Buildings " , Life Science Journal, 2013.
- [58] Rucha S. Banginwar, (2012). " Effect of Plan Configuratuons on the seismic behaviour of the structure By Response Spectrum Method" , International Journal of Engineering Research & Applications (IJERA), Volume 2, Issue 3, May-June 2012 ISSN: 2248-9622. pp 1439-1443.
- [59] Lalit Balhar, Dr. J.N. Vyas , "Comparative Analysis of Flat slabs & Conventional Rc slabs with and without Shear wall", International Research Journal of Engineering and Technology (IRJET) Issue 01, Vol 6 (January 2019).
- [60] Lalit Balhar, Dr. J.N. Vyas, "Review paper on Comparative Analysis of Flat slabs & Conventional Rc slabs with and without Shear wall", International Research Journal of Engineering and Technology (IRJET) Issue 02, Vol 6 (February 2019).



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)