iJRASET
International Journal For Research in Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 **Issue:** I **Month of publication:** January 2021

DOI: https://doi.org/10.22214/ijraset.2021.32751

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue I Jan 2021- Available at www.ijraset.com

Face Recognition using Sketch, Thermal and Infrared Images

Kanchan P. Chame[1], Pornima M. Birajdar[2]
[1]*Department of CSE, M.S. Bidve Engineering College Latur, Maharashtra, India*
[2]*Asst.Professor Department of CSE, M.S. Bidve Engineering College, Latur, Maharashtra, India*

Abstract: ***Heterogeneous face recognition aims to acknowledge faces across totally different sensor modalities. Typically, gallery images are normal visible spectrum pictures, and probe images are infrared images / sketches or thermal images. Now a day's vital improvements in face recognition are obtained by CNNs, gained knowledge from massive training datasets. In this paper, we are trying to find a match between a sketch with a digital photograph, a thermal image with a digital photograph, and an infrared image with a digital photograph. We explored different machine learning methods to reduce the discrepancies between the various modalities. In this paper, we make use of some high-level features of deep convolutional neural networks that are trained on the digital photographs and these images do not belong to any type or any domain. CNN can also be used for encoding the images that are taken from various media. A generic framework for Heterogeneous Face Recognition is planned by making use of Deep Convolutional Neural Networks low-level features for each domain and it is called Domain-Specific Units. Domain-Specific Units extracts the shallow features for every new image domain. It also handles the transformation to a generic face space shared between all image domains. Experiments carried out on four face databases i.e CUHK Face Sketch Database (CUFS), CASIA NIR-VIS face database (CASIA), Near-Infrared and Visible Light (NIVL) dataset, Polarimetric And Thermal Database (Pola Thermal) covering 3 different image domains i.e. sketch, thermal image, infrared image, and show improvements, in terms of matching ratio.***

Index Terms: ***Face Recognition, Heterogeneous Face Recognition, Reproducible Research, Domain Adaptation, Deep Neural Networks.***

I. INTRODUCTION

The overall performance of real-world face recognition systems suffers a very high illumination variation, which is a traditional challenge in face recognition. The technique of near-infrared (NIR) imaging provides a low-cost and effective solution to acquire high-quality images in conditions of low light or complete darkness, for which NIR imaging is widely used. It mainly focuses on transforming data from different modalities onto a common comparable space. Since the changes in facial appearance are often influenced by many factors (e.g. identities, illuminations, and expressions). It shows different modalities have diverse distributions, reducing the intra-class variations of heterogeneous face data and it is more complex than that of homogeneous face data.

Faces are distinct in appearance between NIR-VIS pairs. For a subject, we refer to the facial shape, skin, and hair intrinsic properties. The extrinsic properties come from light sources, including light source spectra and distributions which differ a lot between NIR and VIS. However, in heterogeneous face recognition, some intrinsic properties, such as skin absorption and scattering, are correlated to the light source spectra, so they are not completely invariant within the same identity.

In this paper, we present a novel algorithm and analyze the heterogeneous problems in NIR-VIS, THERMAL-VIS, and SKETCH-VIS recognition. Consequently, traditional approaches that directly match two kinds of face images would cause problems. Then what other representations could serve as an invariant property between heterogeneous faces?

Finally, we discover that the local image structures could be learned for a robust representation of the heterogeneous problem. The reason is that, no matter how the light source changes (homogeneous or heterogeneous), the local relationships of a face would not change too much. To achieve the goal, two steps are adopted in this work. First, we use Deep Convolutional Neural Network to normalize the appearance of heterogeneous face images, so that they look similar to each other. This contributes to further recognition. Second, after normalization, we apply SSIM i.e. Structural similarity Index Measure, PSNR(Peak Signal to Noise Ratio), MSE (Mean Squared Error). The SSIM is a perceptual metric that quantifies image quality degradation. SSIM measures the perceptual difference between two similar images. SSIM is based on the visible structure in the image. MSE measures the average squared difference between the image. Low MSE means low error. It is used for measuring image quality. It represents the measure of peak error. The lower the value of MSE means low quality and the higher value means high quality. Deep Convolutional neural networks (DCNNs) have achieved great success in the vision community, significantly improving the state-of-the-art in classification problems.

©IJRASET: All Rights are Reserved

II. LITERATURE REVIEW

A. *Heterogeneous Face Recognition Exploitation Kernel Prototype Similarities B. F. Klare, A. K. Jain*

Heterogeneous face recognition (HFR) consists of identified images of the different domains such as the infrared image to visual spectra image and sketch to visual spectra images [1]. HFR has become very popular in recent days e.g. forensic laboratory where the gallery images consist of criminal images or passport photos but the probe images consist of different domains such as sketch or infrared. Gallery and probe photographs are interpreted with nonlinear similarities [2]. The training set has images in each probe and gallery. The efficiency is enhanced by estimating the feature into a linear discriminant subspace [3]. HFR uses random sampling to handle the tiny sample size downside [4]. Wang and Tang proposed a Markov random field model for converting a sketch into a photograph. NIR to VIS face recognition by processing face images with a difference of Gaussian filter and encoding them using multi-block: local binary pattern MB-LBP [5].



Fig. 1 Heterogeneous face recognition using prototype similarities [6]

Working with heterogeneous face recognition starts with gallery and probe images. The comparison of the two images is calculated by the kernel function. The training set consists of gallery and probe images. For gallery and probe images, medium 2 positive semi-definite kernel matrices are composed during training. As showon in figure 1 Kernel prototypes similarities make the use of cosine kernel function. Cosine kernel is selected because it is devoid of parameter also it consistently gives higher accuracy on all tested scenarios. Making use of prototype similarities it degenerates to minimum kernel i.e. 0 if we are making use of cosine kernel. Because of this, the system can remain stable.

©IJRASET: All Rights are Reserved

B. Mimetically Optimized MCWLD for Matching Sketches with Digital Face pictures H. S. Bhatt, S. Bharadwaj

One way of finding crimes and arrested criminals is matching sketches with visual spectra images [7]. With this work, they are making use of an automated algorithm to extract discriminating information from sketch and visual spectra images [8]. Such information is encoded using multiscale circular Weber's local descriptor [9]. Further, an evolutionary memetic improvement algorithm is projected to assign an optimal weight to each native facial region to boost the identification performance [10]. Forensic sketches or digital face pictures may be of poor quality; hence a preprocessing technique is employed to enhance the standard of pictures and improve the identification performance. Wang and Tang proposed a new approach i.e. Eigen transformation to transform a digital photo into a sketch before matching. Uhl and Lobo proposed photometric standardization of sketches to compare it with visual spectra images. Sketches and photos were normalized and Eigen analysis is used for matching. Yuen and Man used local and global feature measurements for identifying sketches and mug-shot images.



Fig. 2 Steps Involved in Matching Sketches with Digital Face Images [11]

As shown in the figure 2 Local Binary Descriptor (LBP) it is mostly used for face recognition. LBP is mostly used for calculating the difference between grey color intensities between pixel neighbors and used for sketch recognition. LBP extracts the texture feature of every input image. WLD calculates the micro patterns in a tiny area with fine granularity. WLD circularly computes the multiscale descriptor for matching sketch with a photograph. MCWLD is used for computing the number of neighboring pixels.

C. On Matching Sketches with Digital Face pictures H. S. Bhatt, S. Bharadwaj, R. Singh, and M. Vatsa

This work makes use of an efficient algorithm for identifying sketches with digital face images [12]. The algorithm extracts discriminating information that is present in the facial region at a different level of granularity. Sketches and digital pictures are spoiled into a multi-resolution pyramid to conserve high-frequency information that forms the discriminating facial pattern [13]. Extended uniform circular native binary pattern-based descriptors use these patterns to create a singular signature of the face image [14]. Further, for matching, a genetic improvement-based approach is projected to search out the optimum weights corresponding to every facial region [15]. The knowledge obtained from completely different levels of the Laplacian pyramid is combined to boost the identification accuracy. Experimental results on sketch-digital image pairs from the CUHK and IIIT-D databases show that the proposed algorithm will give higher identification performance compared to existing algorithms [16]. Robert and Niels proposed photometric standardization of sketches to compare it with digital photos. They further geometrically normalized sketches and photos to match them through Eigen analysis. Wang and Tang proposed Eigen transformation-based approach that transforms a digital image to sketch and then performs matching. In another approach, they presented an algorithm that separates shape and texture information and then applied a Bayesian classifier for recognition.



Fig. 3 Illustrating the Steps Involved in The Sketch to Digital Image Matching Algorithm [17]

Figure 3 shows the steps used for matching the sketch with the digital image. It starts with calculating the Laplacian pyramid to preserve edges and frequency information that is available in the image. Extended Uniform Circular Local Binary Pattern (EUCLBP) at each step of the Laplacian pyramid. Matching is done with the help of genetic optimization. The identification rate at each level of the Laplacian pyramid is joined using weighted sum rule fusion.

©IJRASET: All Rights are Reserved

D. Shared illustration Learning for Heterogeneous Face Recognition D. Yi, Z. Lei, and S. Z. Li

After intensive analysis, heterogeneous face recognition remains a difficult problem. the most difficulties are in the heterogeneous face image spaces [18]. The heterogeneity is usually tightly come with other variation, that links heterogeneous face images extremely nonlinear [19]. Several glorious strategies are proposed to model the nonlinear relationship, however they apt to overfit the training set, because of a small number of samples [20]. Inspired by the unsupervised algorithms in deep learning, this paper proposes a unique framework for heterogeneous face recognition. We first extract the Gabor feature of the face with some localized point and then use Restricted Boltzmann Machines (RBMs) for learning a shared representation natively to remove the heterogeneity of the face around each facial point [21]. Finally, the shared representations of native RBMs are connected and processed by PCA. Face recognition problem of Near-infrared (NIR) to Visual Spectra Image (VIS) and two face databases are selected to improve the performance of the proposed method. On CASIA HFB information, we tend to get comparable results to progressive strategies. On a harder database, CASIA NIR-VIS two.0, we tend to outstrip different strategies significantly [22]. The proposed system consists of 3 main steps: (1) extracting local Gabor features around facial points, as exciting face recognition systems do; (2) learning a shared representation by RBM for each group of native features; (3) processing the whole RBM representations by PCA and matching by Cosine similarity. Among them, the important step is (2), in which a 3-layer RBM is constructed and the central layer represents the shared properties of heterogeneous data.



Fig. 4 The Proposed Framework for Heterogeneous Face Recognition by Combining Traditional Face Recognition Modules and Local Rbms [23]

As shown in the figure4 it consists of two modalities i.e NIR and VIS. Initially, the Gabor feature of NIR and VIS images are extracted with many facial points. With the help of this Gabor feature, a series of RBMs were used for learning the shared representation of NIR and VIS for each facial point. Later PCA process and concatenate all local shared representations. At last similarity of NIR and VIS features are evaluated by cosine metric. In the case of level 1, we extract discriminant features for each domain i.e NIR and VIS. The task of level 2 is that make a relationship between these 2 domains. The local relationship is easy that's why we are making use of local RBM for learning shared representation. For each facial point.

E. Local-Gravity-Face (LG-face) for Illumination-Invariant and Heterogeneous Face Recognition H. Roy, D. Bhattacharjee

In this transactionon paper, Local-gravity-face proposes a unique technique referred to as Local- Gravity-Face (LG-face) for illumination-invariant and heterogeneous face recognition (HFR) [24]. LG-face introduces a concept called the Local Gravitational Force Angle (LGFA) [25]. The LGFA is the direction of the gravitational force that the middle pixel exerts on the opposite pixels at a local neighborhood [26]. Theoretical knowledge tells that LGFA is an illumination-invariant feature, that considers the reflectance part of the local texture effect of the neighboring pixels. It preserves the edge information. CMU-PIE database gives rank 1 with an identification rate of 97.78% and the Extended Yale B database are achieved under varying illumination, it shows that LG-face is the best technique of illumination-invariant face recognition. For HFR, once face seems in several modalities, LG-face produces a standard feature illustration [27]. Rank one recognition rate of 99.96% on the CUFS database, 98.67% on the CUFSF database, and 99.78% on the CASIA-HFB database show that LG-face is also an efficient technique for HFR. The Local-gravity-face method performs consistently even it consists of noise and complicated variations [28].

©IJRASET: All Rights are Reserved

F. The HFB Face information for Heterogeneous Face biometrics analysis S. Z. Li, Z. Lei, M. Ao

A face database is a combination of visual (VIS), near-infrared (NIR), and three-dimensional (3D) face images [29]. It is referred to as the HFB Face database, it's discharged currently to market analysis and development of Heterogeneous image processing [30]. Here we are going to make use of PCA (Principal Component Analysis) and LDA (Linear Discriminant Analysis) strategies on the database [31,32]. Image Processing by an image matching of different types of the face is done by using Biometric Methods and it is called HBF means heterogeneous face biometrics. Six experiments were carried out for better performance on the HFB database. Tang and many other people evaluate a method for matching sketch with digital photographs using PCA. Authors developed inter-modality face matching [33,34].

III. EXISTING SYSTEM

A. Cosine Similarity

Cosine similarity is a metric used to determine how similar the images are irrespective of their size. The term similarity is used for the classification of data or image. Mathematically, it measures the cosine of the angle between two vectors projected in a multi-dimensional space. The cosine similarity is advantageous because even if the two similar images are far apart by the Euclidean distance (due to the size of the image), but have chances that they might be oriented closer together[35]. Algorithm 1 shows the smaller the angle, the higher the cosine similarity. The general idea is to learn a transformation matrix from training data so that cosine similarity performs well in the transformed subspace. The similarity measure gives the similarity of two images or two vectors that we want to compare and increase their efficiency. Cosine Similarity is also used to calculate the degree of similarities. Cosine similarity has a special property that makes it suitable for metric learning: the resulting similarity measure is always within the range of −1 and +1. Cosine similarity (CS) between two vectors x and y is estimated using equation 3.1:

$$\cos(A, B) = \frac{A \cdot B}{\|A\| \cdot \|B\|} \quad (3.1)$$

1) Algorithm 1: Cosine Similarity Metric

a) Input

- S = $\{x_i, y_i, l_i\}_{i=1}^{s}$: a set of training samples $(x_i, y_i \in R^m, l_i \in \{0,1\}$
- T = $\{x_i, y_i, l_i\}_{i=1}^{t}$: a set of validation samples $(x_i, y_i \in R^m, l_i \in \{0,1\}$
- d: the dimension of the transformed subspace (d ≤ m)
- A_p : a predefined matrix ($A_p \in R^{d \times m}$)
- K: K-fold crosses validation

b) Output: A_{CSML} : output transformation matrix ($A_{CSML} \in R^{d \times m}$)

- $A_0 \leftarrow A_p$
- $\alpha \leftarrow \left| \frac{Pos}{Neg} \right|$
- Repeat
  - $\min_cve \leftarrow \infty$ // store minimum cross validation error
  - For each value of β // coarse-to-fine strategy
    - ✓ $A^* \leftarrow$ the matrix maximizing $f(A)$ given (A_0, α, β)evaluating on S
    - ✓ **if** $cve(T, A^*, K) < \min_cve$ then //
    - A. $\min_cve \leftarrow cve(T, A^*, K)$
    - B. $A_{next} \leftarrow A*$
  - $A_0 \leftarrow A_{next}$
- until *convergence*
- $A_{CSML} \leftarrow A_0$
- Return A_{CSML}

©IJRASET: All Rights are Reserved

B. Drawbacks of the Existing System

1) The measurement used in the processes of data mining, information retrieval, and text matching.

2) Once the vectors are assigned to properties of a variable. The measurement becomes a valuable tool for understanding similarities between objects.

3) Cosine similarity gives very few results for matching heterogeneous faces.

4) It is less accurate for the thermal database. It gives a better result for the sketch database but even less accurate as compared to the new technology or our proposed system i.e. SSIM (structure similarity index measure).

IV. PROPOSED SYSTEM

A. Deep Convolutional Neural Network

DCNN (Deep Convolutional Neural Network) has become the most widely used method in the field of face recognition. To simplify the DCNN model, the convolution and sampling layers are combined into a single layer. Based on the already trained network, greatly improve the image recognition rate. Deep Convolutional neural network structure is proposed, it minimizes the input data pre-treatment. In the structure of a convolution neural network, the input data is given from the initial input layer, through each layer processing, and then into the other hierarchy, each layer has a convolution kernel to obtain the most significant data characteristics. The previously mentioned features such as translation, rotation can be obtained by this method. A deep convolutional neural network (DCNN) consists of many neural network layers. Two different types of layers, convolutional and pooling, are typically alternated. The depth of each filter increases from left to right in the network. The last stage is typically made of one or more fully connected layers.



Fig. 5 DCNN Architecture

Figure 5 shows Image processing based on convolutional neural networks needs to combine a huge number of pictures for the computer to learn. This method needs a lot of people images, after gathering the images from different sources, we need to combine those images into one set. A huge number of images cropped irrelevant parts of the face. This article uses face detection and cropped faces are saved in the created folder. Here, the images have been trimmed and resized. Then all the images are processed and combined in the face dataset, each line represents the category of two people, after all the face images combined, and then get the large face database gray degree treatment.

we uses Algorithm 2 for face detection purpose.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue I Jan 2021- Available at www.ijraset.com

Algorithm 2: DCNN For Face Detection

Data: θ_s, L, n_layers

Result: θ_t

$\theta_t = \theta_s[1 : n_layers];$ //domain specific units

$\theta_s = \theta_s[n_layers];$ //domain independ units

while has_data do

batch=get_batch();

$[\frac{\partial L}{\partial \theta_s}, \frac{\partial l}{\partial \theta_t}] = forward_backward(batch, \theta_s, \theta_t, L);$

$\theta_t[\beta] = \theta_t[\beta] + \lambda \frac{\partial L}{\partial \theta_t}[\beta];$

if adapt_kernels then

$\theta_t[W] = \theta_t[W] + \lambda \frac{\partial L}{\partial \theta_t}[W]$

end

end

Block Diagram



Fig.6 Face Recognition System

Steps involved in figure 6 are as follows:

1) *Pre-processing:* In the preprocessing phase, we are taking images from a different domain like sketch, thermal, infrared images for processing on that data. Here, we first convert the BGR image to an RGB image, later convert the RGB image into a grayscale image. After that perform the DCNN algorithm on the input image for face detection. Later save the detected face from the image into the processed folder for further processing i.e. detected face will be needed for comparing the images.
2) *SSIM (Structural Similarity Index Measure):* SSIM is a perception-based model that considers image degradation as a perceived change in structural information, while also incorporating important perceptual phenomena, including both luminance masking and contrast masking terms. Structural information is the idea that the pixels have strong inter-dependencies especially when they are spatially close. These dependencies carry important information about the structure of the objects in the visual scene. Luminance masking is a phenomenon whereby image distortion (in this context) tends to be less visible in bright regions, while contrast masking is a phenomenon whereby distortions become less visible where there is the significant activity or "texture" in the image.

The SSIM Index quality assessment index is based on the computation of three terms, namely the luminance term, the contract term, and the structural term. The overall index is a multiplicative combination of the three terms.For estimating SSIM we will use equation 4.1.

©IJRASET: All Rights are Reserved

SSIM (x,y)=$[s(x,y)\ ]^{\gamma}.[l(x,y)]^{\alpha}.[c(x,y)]^{\beta}$ (4.1)

Algorithm 3: Structure Similarity Index Measure

input**:** original and test image signals x and y, constants $k=[k_1,k_2]$, images L and window size w_size.

output**:** mssim index value between two images and ssim_map, quality map of the test image.

$C_1 = (k_1.L)^2$

$C_2 = (k_2.L)^2$

$x = convolutio\ \ n(x, window\ )$

$y = convolutio\ \ n(y, window\ )$

$w_size\ = sizeofthew\ \ indow\ .$

$m_x = mean\ (x, w_size\ )$

$m_y = mean\ (y, w_size\ )$

$s_x^2 = \text{var}\ iance\ (x, w_size\ )$

$s_y^2 = \text{var}\ iance\ (y, w_size\ )$

$s_{xy} = \text{cov}\ ariance\ \ (x, y, w_size\ )$

$den_1 = m_x^2 + m_y^2 + C_1$

$den_c = s_x^2 + s_y^2 + C_2$

$ssim\ _map\ = 1$

forall the sliding window w, $w \in W$ do

if $C_1 > 0$ and $C_2 > 0$ then

$ssim_map(w) = s(x,y \mid w).l(x,y \mid w).c(x,y \mid w)$ Compute the SSIM index at a window

else

if $den_l(w).den_c(w) > 0$ then

$ssim_map(w) = s(x,y \mid w).l(x,y \mid w).c(x,y \mid w)$ Compute the SSIM index at w window

if $den_1(w) \neq 0$ and $den_c(w) = 0$ then

$ssim_map(w) = l(x,y \mid w)$ Compute the luminance factor at a window

mssim=$\frac{1}{|w|}\sum_{w \in W}$ Compute the MSSIM index

The result of algorithm 3 is mean structural similarity index measure which shows how our proposed system that is mssim more better than the cosine similarity metric.

3) MSE (Mean Square Error): The mean-square error (MSE) and the peak signal-to-noise ratio () are used to compare image compression quality. The MSE represents the cumulative squared error between the compressed and the original image, whereas represents a measure of the peak error. The lower the value of MSE, the lower the error.

We will estimate MSE using equation 4.2.

$$MSE = \frac{\sum i,j(X(i,j)-Y(i,j))^2}{M \times N} \quad (4.2)$$

©IJRASET: All Rights are Reserved

4) *PSNR (Peak Signal to Noise Ratio):* PSNR block computes the peak signal-to-noise ratio, in decibels, between two images. This ratio is used as a quality measurement between the original and a referenced image. The higher the psnr, the better the quality of the referenced or reconstructed image. With the help of equation 4.3 we will calculate PSNR.

$$psnr = 10 . \log_{10} (\frac{255^2}{MSE}) \quad (4.3)$$

B. Datasets

Dataset of face recognition system that uses spectral sensors is developed, the choice of database plays an important role in testing such a system. If a large database is publicly available to all researchers in the domain, testing, benchmarking, and comparing is fairly straightforward. However, for spectral imaging, acquiring such a common database that may help in surging forward in the domain, has been a challenging task.

1) *CASIA NIR VIS Face database:* The CASIA HFB Database is a publicly available database of heterogeneous face images. As shown in figure 7,the heterogeneous face images refer to images of a person in different spectral bands. It consists of images in the visual (VIS) and Near Infra-Red (NIR) spectrum and also sketches images. It also contains 3D images of the face. This database was used and released to study mapping between images captured in different wavelengths.

The limitations of this database as per Li et al are:

a) a small number of subjects.

b) Lack of protocols for the reproduction of experimental results and evaluation of performance.

Fig.7 CASIA Database

2) *NIR Face Images:* To obtain good quality NIR image, two strategies are designed to control the light direction: (1) mount active lights on the camera to provide frontal lighting, (2) minimize environmental lighting. We set two requirements on the active lighting: (1) the lights should be strong enough to produce a clear frontal-lighted face image without causing disturbance to human eyes, and (2) the minimization of the environmental lighting should have a minimum reduction of the intended active lighting.Figure 8 shows different NIR images along with their VIS images.

Fig. 8 NIR VIS Database

©IJRASET: All Rights are Reserved

3) *Sketch Images:* The key of sketch–photo recognition method is transforming the photos and sketches into the same modality to reduce the differences in between them, and then face recognition by sketches in pseudo-sketches or by pseudo-photos in photos is performed using classical approaches. By transforming a photo image into a sketch, we reduce the difference between photo and sketch significantly, thus allowing effective matching between the two images. Figure 9 shows sketch image of student along with their VIS images.

Fig. 9 Sketch VIS Database

4) *Thermal Images:* Thermal human face images are generated from the body heat pattern of the human being. Thermal Infra-Red (IR) imagery is independent of ambient lighting conditions as the thermal IR sensors only capture the heat pattern emitted by the object. The range of human face and body temperature nearly the same and quite uniform, varying from 35.5°C to 37.5°C providing a consistent thermal signature. Figure 10 contains Thermal and VIS image that is collected by U.S.army.

Fig.10 Thermal VIS Database

V. RESULT ANALYSIS

In this section, we discuss the results of our proposed approach from four different image databases covering three different domains. DCNN architecture was employed to extract distinctive face features and the Softmax classifier was used to classify faces in the fully connected layer of DCNN. In the experiment part, CASIA HFB Database showed that the proposed approach has improved the face recognition performance with better recognition results.

A. Sketch and VIS Iimages

When we are transforming from sketch to vis images with these sets of experiments it was possible to observe that, despite the adaptation of only the increase of recognition rates, the joint adaptation increases, even more. We can suggest that there are domain-specific feature detectors and such feature detectors need to be taken into consideration for the Heterogeneous Face Recognition task. From the following figure 11 the best average rank one recognition rate is achieved by using DCNN Networks as a base trainer. This model achieved an average recognition rate of SSIM is 94.63% and cosine is 91.85%.



Fig 11 VIS image for Sketch image Input

©IJRASET: All Rights are Reserved

B. Near Infra-Red and VIS Images

When we are transforming from infra-red to vis images with these set of experiments the adaptation of the batch normalization offsets only improve the recognition rates. The normal position one acknowledgment rate looking at changed arrangements of our proposed approach with twelve reference frameworks from the writing. In the next set of experiments, we investigate if there are domain-specific feature detectors. From the following figure 12 ,it shows that the best average rank one recognition rate is achieved by using DCNN Networks as a base trainer. This model achieved an average recognition rate of SSIM is 96.57% and cosine is 89.51%.



Fig.12 VIS image for NIR image Input

C. Thermal Images and VIS Images

When we are transforming from thermal to vis images, with these sets of experiments we also observed the same trends using Triplet Networks as a base trainer. Adapting the average recognition rate, one recognition rate is improved by 62%. The transformation of the cluster standardization balances just improves the acknowledgment rates. In the following arrangement of examinations, we explore if there is an area explicit element locator. From figure 13 , it the best average rank one recognition rate is achieved by using DCNN Networks as a base trainer. This model achieved an average recognition rate of SSIM is 54.48% and cosine is 49.32%.



Fig.13 VIS image for Thermal Image Input

©IJRASET: All Rights are Reserved

VI. FUTURE SCOPE

Face recognition from the real data images, captured images, sensor images, and database images are challenging problems due to the wide variation of face appearances, illumination effect, and the complexity of the image background. Face recognition is one of the most effective and relevant applications of image processing and biometric systems. In this paper, we are discussing the face recognition methods, algorithms proposed by many researchers using deep convolutional neural networks (DCNN) which have been used in the field of image processing and pattern recognition.

VII. CONCLUSION

With this work, we previously demonstrated that DCNN works perfectly with VIS face images and gives discriminative power in the Heterogeneous Face Recognition task. Tests completed in three distinctive image domain areas have appeared such that DCNNs are precise for the VIS-NIR task. The VIS-Sketch task they are less precise yet at the same time it that is better than an arbitrary conjecture and certain baselines in this dataset.

The VIS-Thermal assignment is one module, yet these DCNNs are still in a way that is better than an arbitrary conjecture. To improve these acknowledgment rates utilizing the discriminative capacities of such DCNNs previously prepared for VIS, we have presented a technique for HFR called Domain Explicit Units. Such units learn low-level component indicators that are area explicit and share a similar arrangement of significant level highlights from the source space without re-train them. For reproducibility reasons for the work, the source code prepared for models and acknowledgment rate scores is accessible.

REFERENCES

[1] P. J. Grother, G. W. Quinn, and P. J. Phillips, “MBE 2010: Report on the evaluation of 2d still-image face recognition algorithms,” National Institute of Standards and Technology, NISTIR, vol. 7709, 2010.
[2] X. Tang and X. Wang, “Face sketch recognition,” IEEE Trans. Circuits and Systems for Video Technology, vol. 14, no. 1, pp. 50– 57, 2004.
[3] Q. Liu, X. Tang, H. Jin, H. Lu, and S. Ma, “A nonlinear approach for face sketch synthesis and recognition,” in Proc. of IEEE Conference on Computer Vision & Pattern Recognition, 2005, pp. 1005–1010
[4] J. Li, P. Hao, C. Zhang, and M. Dou, “Hallucinating faces from thermal infrared images,” in Proc. Int. Conference on Image Processing, 2008, pp. 465 –468.
[5] D. Lin and X. Tang, “Inter-modality face recognition,” in Proc. of European Conference on Computer Vision, 2006.
[6] B. F. Klare and A. K. Jain, “Heterogeneous face recognition using kernel prototype similarities,” IEEE Trans. Pattern Anal. Mach. Intell., vol. 35, no. 6, pp. 1410–1422, Jun. 2013.
[7] X. Tang and X. Wang, “Face photo recognition using sketch”, in Proceedings of International Conference on Image Processing, 2002, vol. 1, pp. 257–260.
[8] X. Tang and X. Wang, “Face sketch synthesis and recognition”, in Proceedings of International Conference on Computer Vision, 2003, vol. 1, pp. 687–694.
[9] Q. Liu, X. Tang, H. Jin, H. Lu, and Songde Ma, “A nonlinear approach for face sketch synthesis and recognition”, in Proceedings of International Conference on Computer Vision and Pattern Recognition, 2005, vol. 1, pp. 1005–1010.
[10] L. Yung-hui, M. Savvides, and V. Bhagavatula, “Illumination tolerant face recognition using a novel face from sketch synthesis approach and advanced correlation filters”, in Proceedings of International Conference on Acoustics, Speech and Signal Processing, 2006, vol. 2.
[11] H. S. Bhatt, S. Bharadwaj, R. Singh, and M. Vatsa, “Memetically optimized MCWLD for matching sketches with digital face images,” IEEE Trans. Inf. Forensics Security, vol. 7, no. 5, pp. 1522–1535, Oct. 2012.
[12] X. Gao, J. Zhong, J. Li, and C. Tian, “Face sketch synthesis algorithm based on E-HMM and selective ensemble”, IEEE Transactions on Circuits and Systems for Video Technology, vol. 18, no. 4, pp. 487–496.
[13] E. D. Goldberg. Genetic Algorithms in Search, Optimization, and Machine Learning. Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA, 1989.
[14] G. Huang, M. Ramesh, and L.-M. T. Berg. Labeled Faces in the wild: A database for studying face recognition in an unconstrained environment, 2007.
[15] B. Klare and A. Jain. Sketch-to-photo matching: a feature-based approach. In Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, volume 7667, 2010.
[16] B. Klare, L. Zhifeng, and A. Jain. On matching forensic sketches to mugshot photos. In MSU Technical report, 2010.
[17] H. S. Bhatt, S. Bharadwaj, R. Singh, and M. Vatsa, “On matching sketches with digital face images,” in Proc. 4th IEEE Int. Conf. Biometrics, Theory Appl. Syst. (BTAS), Sep. 2010, pp. 1–7.
[18] Q. Liu, X. Tang, H. Jin, H. Lu, and S. Ma. A nonlinear approach for face sketch synthesis and recognition. Proceedings of International Conference on Computer Vision and Pattern Recognition, pages 1005– 1010, 2005
[19] Nur Arad and Daniel Reisfeld. “Image warping using few anchor points and radial functions”. Computer Graphics Forum, 14(1):35– 46, 1995.
[20] Anthony Bell and Terrence J. Sejnowski. “The independent components of natural scenes are edge filters”. Vision Research, 37:3327– 3338, 1997.
[21] Thomas Berg and Peter Belhumeur. “Tom-vs-Pete classifiers and identity-preserving alignment for face verification”. In Proceedings of the British Machine Vision Conference, pages 129.1–129.11, 2012.
[22] Dong Chen, Xudong Cao, Fang Wen, and Jian Sun. “Blessing of dimensionality: High-dimensional feature and its efficient compression for face verification”. In Computer Vision and Pattern Recognition (CVPR), 2013 IEEE Conference on, pages 3025–3032, 2013.
[23] D. Yi, Z. Lei, and S. Z. Li, “Shared representation learning for heterogeneous face recognition,” in Proc. 11th IEEE Int. Conf. Workshops Autom. Face Gesture Recognit. (FG) vol. 1, May 2015, pp. 1–7.
[24] T. I. Dhamecha, P. Sharma, R. Singh, and M. Vatsa. On the effectiveness of histogram of oriented gradient features for visible to near-infrared face matching. In Proceedings of International Conference on Pattern Recognition, Stockholm, Sweden, August 2014.

©IJRASET: All Rights are Reserved

[25] M. Turk and A. Pentland, “Eigenfaces for recognition,” J. Cognitive Neursci., vol. 3, no. 1, pp. 71–86, 1991.
[26] P. Belhumeur, J. Hespanha, and D. Kriegman, “Eigenfaces vs. fisher face: Recognition using class specific linear projection,” IEEE Trans. Pattern Anal. Mach. Intell., vol. 19, no. 7, pp. 711–720, 1997.
[27] S. Lawrence, C. L. Giles, A. Tsoi, and A. Back, “Face recognition: A convolution neural-network approach,” IEEE Trans. Neural Netw., vol. 8, no. 1, pp. 98–113, 1997.
[28] L. Wiskott, J. M. Fellous, N. Kruger, and C. V. Malsburg, “Face recognition by elastic bunch graph matching,” IEEE Trans. Pattern Anal. Mach. Intell., vol. 19, no. 7, pp. 775–779, 1997.
[29] X. He, X. Yan, Y. Hu, P. Niyogi, and H. Zhang, “Face recognition using laplacianfaces,” IEEE Trans. Pattern Anal. Mach. Intell., vol. 27, no. 3, pp. 328–340, 2005.
[30] Klare, Brendan F., and Anil K. Jain. ”Heterogeneous face recognition using kernel prototype similarities.” IEEE transactions on pattern analysis and machine intelligence 35.6 (2013): 1410-1422.
[31] Zhao, Wenyi, et al. ”Face recognition: A literature survey.” ACM computing surveys (CSUR) 35.4 (2003): 399-458.
[32] Bhatt, Himanshu S., et al. Memetically optimized MCWLD for matching sketches with digital face images. IEEE Transactions on Information Forensics and Security 7.5 (2012): 1522-1535.
[33] Bhatt, Himanshu S., et al. On matching sketches with digital face images. Biometrics: Theory Applications and Systems (BTAS), 2010 Fourth IEEE International Conference on. IEEE, 2010.
[34] Yi, Dong, Zhen Lei, and Stan Z. Li. Shared representation learning for heterogeneous face recognition. Automatic Face and Gesture Recognition (FG), 2015 11th IEEE International Conference, and Workshops on. Vol. 1. IEEE, 2015.
[35] K. Zhang, Z. Zhang, Z. Li, and Y. Qiao, “Joint face detection and alignment using multitask cascaded convolutional networks,” IEEE Signal Process. Lett., vol. 23, no. 10, pp. 1499–1503, Oct. 2016.

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)