



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: V Month of publication: May 2021

DOI: <https://doi.org/10.22214/ijraset.2021.34206>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Speed & Torque Control of BLDC Motor by using Method of Sliding Movement of Stator Field

Chandrakant J. Sharma¹, Umesh Warate², Parul R Shingade³

¹Professor of Department of Electrical Engineering, KDK College of Engineering, Nagpur, India

^{2,3}Department of Electrical Engineering, KDK College of Engineering, Nagpur, India

Abstract: The development of electric motors is now growing rapidly. Demands to deliver a reliable and easy to drive in motor control causes Brushless Direct Current (BLDC) motor becomes a potential candidate. A BLDC motor drive is a potential option for an electric drive since it has a high reliability, simple design, and ability to work at high rotation per minute (RPM). This project aims for speed control of BLDC motor using change of position of stator field with respect to rotor in linear motion by sliding action controlled by solenoids and also has a inbuilt closed loop feedback system to adjust the speed accurately as compared to power semiconductor based electronic speed controllers which are costly and injects harmonics in the system.

I. INTRODUCTION

- A. BLDC motors are currently widely used in industry, especially in the automotive field. The development of electric vehicles for several decades brought the need for reliable electric motor actuators.
- B. The considerations of BLDC motors as actuators electric vehicle because this motor has a high resistance, the simple design and the ability to work at high speed.
- C. Old system uses power semiconductors-based bridges which is supplied with PWM signal, from a signal generator and a programed microcontroller.
- D. These systems are complex, costly, inefficient and injects harmonics.
- E. Mechanically sliding the stator field in a liner motion using a liner motion-based assembly designed for movement of stator within the outrunner rotor.
- F. This movement changes the magnetic flux linkages of stator field with respect to rotor which in turn controls speed and torque of BLDC motor.
- G. Use of closed loop feedback system taking feedback from laser-based tachometer to sense ongoing revolution per minute of motor and feeds back to microcontroller.
- H. The feedback is processed with PID system to adjust the speed precisely to speed demanded by adjusting position of stator field.
- I. Solenoids are used to move the stator and lock it in position in linear manner.

II. APPLICATION

- A. For latest type of electric vehicles which utilizes BLDC HUB Motor
- B. BLDC Motor Special for Outrunners.
- C. BLDC Motor with stator size greater than 20050 (200 mm Diameter, 50mm height).
- D. Robotics arms in production industry (car, bike, instruments, etc.).

III. HARDWARE

- A. 500-1000 W BLDC Motor, 36/48V, 360kV, 10/15A
- B. BLDC Motor Starter (Sensor/Sensor less) 500/1000 W, 36/48V
- C. Linear Motion Assembly
- D. Solenoid 12V, 3A
- E. DAC IC
- F. Laser Emitter 0.01mW, 3.3V
- G. Photo Diode
- H. BUCK Converters
- I. Microcontroller AT-Mega 2560
- J. Circuit BOX & Frame
- K. Power Supply Unit

IV. BLOCK DIAGRAM




Fig 1- block diagram

A. BLDC types of BLDC

For the speed control, bldc will match to the motor speed and give feedback to the command speed which has given and program. If there any error PID system will send signal to digital to analog converter which will in turn control the position of solenoid shaft connected to the linear moment assembly and hence stator start moving in and out to change the magnetic flux linkage and interchange speed and torque of bldc motor as per the command

B. BLDC Diagram

This the bldc block diagram and project design for our proposed system as on the left we can see the pictorial representation of our idea how our project look like which shows the front view of bldc motor construction, and on the left side shows the different part of bldc motor including stator core that is placed inside main core, outer side we can see rotor body with some red dash which are highly powered special kind of permanent magnets.

The complete assembly is the rotor which we can see on the outer side hence it is called as outer runner BLDC motor

On next pictorial design of our project side view is present where we can have the side how can green colour shows the solenoid are attached to the stator

V. METHODOLOGY

- Selection of suitable BLDC Motor with motor starter.
- Design & Fabrication of Main Circuit.
- Design & Fabrication of custom motor housing.
- Design & Fabrication of Stator & Rotor Bracket.
- Design & Fabrication of Linear Motion Assembly with Solenoid.
- Design & Fabrication of Mounting Frame.
- Assembly of BLDC Shaft with Tachometer System.
- Programming complete system.
- Complete assembly and the testing of Speed Control of BLDC Stator Position Vary.
- Rectifying errors if any & finding areas of improvement.

VI. CONCLUSION

- In our system
- We are using mechanical sliding the stator field in linear motion
- This changes the magnetic flux linkage of stator field w.r.to motor which in turn control the speed of bldc.
- Also we have use the feedback system which gives the accurate speed of the bldc.
- Hence by using this new method we can control the speed of motor with reliable and in cheap way.



REFERENCES

- [1] "Speed Control Implementation of BLDC Motor using Sliding Mode Two-Steps LMI Design", 2017 3rd International Conference on Science in Information Technology (ICSI Tech).(IEEE)
- [2] "Adaptive Sliding Mode Control of BLDC motor using Cuckoo Search algorithm", Proceedings of the Second International Conference on Inventive Systems and Control (ICISC 2018).(IEEE)
- [3] "Speed Control of BLDC Motor Using Neural Network Controller and PID Controller", Electrical Engineering Department Zeal College of Engineering and Research Pune, India 2019.(IEEE)
- [4] "PID Bidirectional Speed Controller for BLDC with Seamless Speed Reversal using Direct Commutation Switching Scheme", 2017 IEEE 8th Control and System Graduate Research Colloquium (ICSGRC 2017), 4 - 5 August 2017, Shah Alam, Malaysia.(IEEE)
- [5] "Design and Prototyping of 3-Phase BLDC Motor", Electrical Engineering Department, Universitas Indonesia, Depok 16424, Indonesia 2017.(IEEE)
- [6] "BLDC Motor Full-Speed Operation Using Hybrid Sliding Mode Observer", Advanced Electric Machines & Power Electronics Laboratory Department of Electrical Engineering Texas A&M University College Station 2015.(IEEE)



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)