iJRASET
International Journal For Research in Applied Science and Engineering Technology

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 9 **Issue:** V **Month of publication:** May 2021

**DOI:** https://doi.org/10.22214/ijraset.2021.34383

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue V May 2021- Available at www.ijraset.com

# Image Segmentation using Adaptive Machine Learning

Shivani Mundhe[1], Aayushee Sharma[2], Shalini Tripathi[3], Sana Haji[4]
[1, 2, 3, 4]*Computer Engineering, KC College Of Engineering and Management Studies And Research, Mumbai, Maharashtra, India.*

***Abstract:*** ***We represent a method for image segmentation using a single short detection (SSD) and deep neural network. The main objective of an image segmentation is to divide up an image into many segments for further analysis, so we can get the only essential or a piece of information. The partitioning the image will be based on some image features like colour, texture, pixel intensity value etc. Our approach discretizes the output space of bounding boxes into a set of default boxes over different aspect ratios and scales per feature map location. At prediction time, the network generates scores for the presence of each object category in each default box and produces adjustments to the box to better match the object shape. Additionally, the network combines predictions from multiple feature maps with different resolutions to naturally handle objects of various sizes. SSD is simple relative to methods that require object proposals because it eliminates proposal generation and subsequent pixel or feature resampling stages and encapsulates all computation in a single network. This makes SSD easy to train and straightforward to integrate into systems that require a detection component.***
***Keywords:*** ***Image Segmentation, single shot detector (SSD), CNN.***

## I. INTRODUCTION

The Project focuses on detection of image as an input and compares it with the model neural network data which is provided. The aim of the project is to detect the multiple objects inside of image at different positions which is detected by the algorithm using for loop. In this project there are fixed number of classes and variables are present. Which means you need to provide the type of object name that could be present in the input picture and included in the provided model. We are using python different - different methods or single shot detector (SSD) algorithm for better use. We summarize our contributions as follows: We introduce SSD, a single-shot detector for multiple categories that is faster than the previous state-of-the-art for single shot detectors (YOLO), and significantly more accurate, in fact as accurate as slower techniques that perform explicit region proposals and pooling (including Faster R-CNN).The core of SSD is predicting category scores and box offsets for a fixed set of default bounding boxes using small convolutional filters applied to feature maps. To achieve high detection accuracy, we produce predictions of different scales from feature maps of different scales, and explicitly separate predictions by aspect ratio.

These design features lead to simple end-to-end training and high accuracy, even on low resolution input images, further improving the speed vs accuracy trade-off. Experiments include timing and accuracy analysis on models with varying input size evaluated on PASCAL VOC, COCO, and ILSVRC and are compared to a range of recent state-of-the-art approaches.

## II. REVIEW OF LITERATURE

1) *K. Srinivasan (2017):* This method is reliable for calculating boundary region of broken images. Hence many images which are unknown information can adopt this method for boundary calculation.
2) *Dr. N. R. Anantha Narayanan (2019):* This paper focus on Indian based temples. Broken sculpture and ruined images in the temples are to be restored. Sculpture images are taken through photographs it is compared with similar type of images using adaptive segmentation along with machine learning.
3) *Rajeev Ranjan (2017):* We present a multi-purpose algorithm for simultaneous face detection, face alignment, pose estimation, gender recognition, smile detection, age estimation and face recognition using a single deep convolutional neural network (CNN). The proposed method employs a multi-task learning framework that regularizes the shared parameters of CNN and builds a synergy among different domains and tasks.
4) *Dweepna Garg (2018):* The accuracy in face detection using the traditional approach did not yield a good result. This paper focuses on improving the accuracy of detecting the face using the model of deep learning. The paper compares the accuracy of detecting the face in an efficient manner with respect to the traditional approach.

©IJRASET: All Rights are Reserved

5) *Xin Zheng (2018):* The method of determining *K* is optimized, and the loop is used to compare the number of connected domains that meet the requirements in the final step, and when they are equal, the *K* value is selected correctly. This innovation, compared with other traditional methods such as elbow method, can save a lot of code, save time and improve efficiency.
6) *Jun-Cheng Chen (2018):* We propose a unifying framework to simultaneously detect face, fiducial points, and head pose in real-time. In addition, since no single dataset contains all the required and best annotations, we develop a progressive training strategy to overcome the annotation discrepancy across different datasets. Extensive experiments on face detection, fiducial detection, and pose estimation benchmarks demonstrate the proposed approach can achieve comparable performance to a state-of-the-art system but runs 60 times faster. (i.e., 20 frames per second).
7) *Diego Oliva (2015):* We have studied the most important methods of image segmentation and how they are extended and improved using metaheuristic algorithms. Metaheuristic algorithms used in various fields of science and technology as the demand for new methods designed to solve complex optimization problems increases.
8) *David L. Donoho (2002):* We describe a four-level hierarchy of beamlet algorithms. The first level consists of simple procedures which ignore the structure of the beamlet pyramid and beamlet graph; the second level exploits only the parent-child dependence between scales; the third level incorporates collinearity and co-curvity relationships; and the fourth level allows global optimization over the full space of polygons in an image.
9) *Claudia Kuenzer (2020):* We have studied how Normalisation schemes such as batch normalisation is used to make supervised training of deep networks possible and faster.
10) *Sashuang Sun (2018):* The proposed method availably dealt with small similarly connected domains, which resulted in a more accurate final recognition result and a more stable and universal algorithm

## III. METHODOLOGY

First of all we provide input before that we must create a specific data set. and for the dataset, we must generate the proper database in which we transfer the proper dataset as image class through that the neural network will be generated which probably helps to train the data sets , which extension is .Proto model and .Cafe model.

A neural network is a series of algorithms that endeavour's to recognize underlying relationships in a set of data through a process that mimics the way the human brain operates. What that means when we pass the specific dataset the neural network go through the specific data set and identify the outlines of dataset and compare with another datasets.After all the single shot algorithm compare and prioritise the specific data set as (%) with neural network dataset outlines and then it will identify the specific type of data.High detection accuracy in SSD is achieved by using multiple boxes or filters with different sizes, and aspect ratio for object detection. It also applies these filters to multiple feature maps from the later stages of a network. This helps to perform detection at multiple scales.

1) *Additional Convolution Layers to Detect Objects:* To the base VGG network, we add additional convolutional layers for detection. Convolutional layers at the end of the base network decrease in size progressively. This helps with detection of objects at multiple scales. The convolutional model for detection is different for each feature layer. Prediction for the bounding boxes and confidence for different objects in the image is done not by one but by multiple feature maps of different sizes that represent multiple scales.

### A. *Project Design*

DFD




©IJRASET: All Rights are Reserved

Flowchart




## IV. CONCLUSION

This project introduces SSD, a fast single-shot object detector for multiple categories. A key feature of our model is the use of multi-scale convolutional bounding box outputs attached to multiple feature maps at the top of the network. This representation allows us to efficiently model the space of possible box shapes. We experimentally validate that given appropriate training strategies, a larger number of carefully chosen default bounding boxes results in improved performance.and also focused on CNN method for appropriate database and training the datasets.

## REFERENCES

[1] Jun-Cheng Chen∗ , Wei-An Lin∗ , Jingxiao Zheng, and Rama Chellappa, “A REAL-TIME MULTI-TASK SINGLE SHOT FACE DETECTOR” in 2018 IEEE.
[2] R. Ranjan, S. Sankaranarayanan, C. D Castillo, and R. Chellappa, “An all-in-one convolutional neural network for face analysis,” in IEEE International Conference on Automatic Face and Gesture Recognition (FG 2017), 2017, pp. 17–24.
[3] Dweepna Garg; Parth Goel; Sharnil Pandya; Amit Ganatra; Ketan Kotech, “A Deep Learning Approach for Face Detection using YOLO” in IEEE 2018.
[4] Xin Zhen, Qinyi lei, Run yao et al in their work “ Image segmentation based on adaptive K-means algorithm” Springer-Verlag December 2018
[5] Sashuang Sun, Huaibo Song,Dongjian He, Yan Long “An Adaptive segmentation method combining MSRCR and mean shift algorithm with K-means correction of green apples in natural environment”, Science Direct,December 2018.
[6] Diego Oliva,Mohamed Elsayed Abd Elaziz,Salvador Hinojosa “ Meta Heuristic Algorithms for Image Segmentation”,Springer, vol.[825], Jan 2015.
[7] Pei-Gee, Peter Ho represented their work in “Image Segmentation”, InTech Corporation,Janeza Trdine9,51000 Rijeka,Croatia, Feb 2011
[8] David L.Donoho,XiaMing Huo,“Beamlets and Multiscale Image Analysis ”, Springer-Verlag Berlin Heidelberg 2002.
[9] K.Srinivasan,Dr.N.R.AnanthaNarayanan, Dr.S.K. Srivatsa, “MultiScale Methods Using Beamlet to identify and make similarity between images” ,International Conference on Mathematical Research SCSVMV,vol[1], Aug,2016
[10] K.Srinivasan,Dr.N.R.AnanthaNarayanan, Dr.S.K. Srivatsa, ”Estimation of Boundary Region of images Using Contour Based Model” International Journal of Applied Engineering Research, ISSN No.973-4562,vol12,(24), pp:13990-13994,(2017) Research-India Publications.

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)