



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: VI Month of publication: June 2021 DOI: https://doi.org/10.22214/ijraset.2021.35111

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Result Analysis: Remotely Accessible Security System using IoT

Swagat Ahire¹, Prof. Pramod Patil², Tejas Patil³, Satyam Chaudhari⁴, Damini Pagar⁵ ^{1, 3, 4, 5}Students, ²Professor, Sandip Institute of Technology & Research Center, Nashik, India

Abstract: In the todays world a strong door locking system is that the first and most important thing to assure security of a home. Due to the increasing workload and daily travelling tasks most of the days people stays out of their houses. In such situations, identifying a visitor and getting remote access to their home is necessary. A smart door lock mechanism which may be completely monitored and controlled from a foreign location using smartphone is proposed during this paper. When a visitor presses bell/push button at the door, a Raspberry Pi with attached camera gets triggered and captures the image to check in database for identification. If found then door will simply open otherwise a notification will sent to the owner with OTP and visitor's image. Now depending upon owners will he/she can give access to visitor by giving system generated OTP. Keywords: Lock, IoT, Smart Bell, Raspberry PI, Home Security, etc.

I. INTRODUCTION

Opening and closing of doors is usually a tedious task, especially in places like shopping malls, hotels, airport, hospitals and theatres where a person is always required to open the door manually for visitors. For people in wheelchairs (physically disabled persons), it is very difficult to open the door. In the warehouses and other places where people mostly have their hands full on contributing to the safety and efficiency by making it simple for people to get around. Current system to open and close the door, the traditional way is to manually open and close the door. Using the mini- computer, 'Raspberry-pi', the smart doorbell, hence solves the problem of opening and closing of door automatically. This smart doorbell alerts you, when the bell is rung and permits you to see the visitors from your current location, anytime and anywhere. With the most important feature like you will be able to see live image of the visitor on your mobile device through internet. the system also has an face recognition component to differentiate known and unknown visitor.

A. Existing System

In existing systems, there is absence of many feature like face recognition and OTP mechanism. In this Project we have overcome that traditional security problems. Very few systems are available that meet the todays security goal but they are very expensive and difficult to use ,so we developed this system so anyone who needs security for their houses can use this system.

B. Problem Definition

To Develop a smart security system that provide stronger security from unauthorized access and can controlled and monitored remotely from any geographical location.

C. Purpose

To overcome the vulnerabilities of existing system and add some extra feature that meet today's security goals.

D. Goals and Objectives

The Goals and Objectives of the given system are as follows:

- 1) To provide security when the owner is not present in home.
- 2) To give access to the guest in absence of owner.
- 3) To alert the owner of house about the status of their homes.

E. Features

- 1) Face recognition
- 2) System can differentiate between known and unknown person.
- 3) Alert system.
- 4) Real time security.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

F. Flowchart of Proposed System



Fig – Flowchart

II. METHODOLOGY

The following figure describes about the systems architecture of this project. It describes about all the components and subcomponents on which the system consists of. Here, the system is designed using Camera module, Keypad, Lock mechanism, etc. So this is the description of overall architecture of the system where all the platforms are inter linked to perform a particular task. When guests hits the bell button on the door then the camera located in front of the door immediately get invoked. The camera captures the photo of guest and analyze it to determine whether the guest is known or unknown. If the guests are known then simply the door will opens and guest will have the access of house. But if the system determines that the guest are not known that is Unknown then one alert will goes to owner of the house containing photo of guest and one system generated OTP. Depending on the willness of house owner he/she can give access to guests by giving OTP, now guest has to enter the OTP received from owner and they will have access of house.





SYSTEM REQUIREMENTS

III.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

- A. Software Required
- *1*) Programming language Python
- 2) Libraries OpenCV, Tkinter

B. Area of Project

Internet of things, security, face recognition.

- C. Hardware Required
- 1) Raspberry-Pi
- 2) Camera
- 3) GSM Module
- 4) Buzzer
- 5) Keypad
- 6) Solenoid Lock
- D. Limitations
- 1) If proper distance not maintained in front of camera then system cant recognize person.
- 2) If proper light not present then camera not able to detect person.
- 3) If one of the component not working correctly then system tends to failure.

IV. RESULT

Our implemented system works correctly as per requirement and we have tested it for all the situations that has chances to occur in real life. It is able to differentiates known and unknown person and take actions accordingly.

The following figure shows the system implementation as per the requirement of his project.



V. CONCLUSION

The proposed system can be replacement to the traditional lock system as it has many feature like face recognition, OTP based verification to provide best security experience to the house owner. This system makes efficient use of all the hardware modules to improve overall performance of the system.it is able to work in any condition to provide best security experience. It gives maximum security from unauthorized access with maximum accuracy.

REFERENCES

- Ambika, Veeresh Pujari and Baswaraj Gadgey "Smart Bell Using IOT", Year: 2017 | Conference Paper | International Journal for Research in Applied Science & Engineering Technology Volume 5 Issue VI | Publisher: IJRET
- [2] Burak Sarp, Tolga Karalar, Huseyin Kusetogullari, "Real Time Smart DoorSystem for Home Security ", Year: 2015 | Conference Paper | Publisher: IRJET
- [3] M. Virginia, P. Vamsrikrishna, "Surveillance and monitoring System using Raspberry-Pi and simple CV", Year: 2016 | Conference Paper | Publisher: IEEE
 [4] "Automatic Door Lock System using pin on android phone" November 2018, https://www.academia.edu/37961774/IRJET L.
- [5] "Automatic Door Locking System", Year: 2016. Available: https://www.\\ijedr.org/papers/IJEDR1601082.pdf Advances in Face











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)