



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: VI Month of publication: June 2021

DOI: https://doi.org/10.22214/ijraset.2021.35271

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

### **Detecting Fake Covid 19 News**

Miss Himanshi Rathore<sup>1</sup>, Miss Sakshi Sharma<sup>2</sup>, Miss Pankhuri Sharma<sup>3</sup>, Prof. Ruchi Vyas<sup>4</sup>, Dr. Mayank Patel<sup>5</sup>

1. 2. 3UG Student, <sup>4</sup>Assistant Professor, <sup>5</sup>Professor & Head, Department of Computer Science & Engineering, Institute of Technical Studies Udaipur, Rajasthan 313001, India

Abstract: The fake news Detection program exists to help its users distinguish between useful information and baseless rumours. It helps one to verify it themselves. In the current coronavirus disease (COVID-19) pandemic, misinformation is particularly prevalent, leading to people believing false and potentially harmful statements and posts. The spread of panic and misunderstanding among the public can be reduced if fake news is detected quickly. This covid 19 fake news detection model is specifically built to identify fake news.

#### I INTRODUCTION

The Fake News Detection Program will help users to easily distinguish between fake and real news. Automatically detecting fake news poses challenges that defy existing content-based analysis approaches. One of the main reasons is that often the interpretation of the news requires the knowledge of political or social context or 'common sense, which current natural language processing algorithms are still missing. This project aims to detect COVID 19 Fake News across social media platforms to make people aware of the facts about Covid-19, be it home remedies, vaccines, symptoms, or any other form of treatment.

We aim to give users a very simple and easy source to detect whether a given news article is real or not, leading to conscious efforts to discontinue spreading it, thus making the users realize what to believe in.

#### II EXISTING SYSTEM

In the existing system, the user cannot trace out if the information displayed before him is counterfeit or not. There is no way of checking its authenticity until and unless one searches the inter-webs for it. It may not seem like a cumbersome task at first. But we should keep in mind we are bombarded with thousands of pieces of information every day and doing the above for every piece of information is exhausting. Also, the news may be true in some other perception but we aim to know if it is reliable in the current scenario or not.

#### III PROBLEM STATEMENT

COVID-19 brought the entire world to a halt. People who were paranoid and scared began sharing home remedies for avoiding this disease. Numerous home remedies for the same can be found on social media platforms such as Twitter and WhatsApp. The world came to a halt as a result of COVID-19. People who were paranoid and terrified started sharing home remedies for avoiding this disease. On social media, you can find a plethora of home remedies for the same.

But the question is, which of these remedies works? Aside from that, the internet was flooded with countless COVID-19 symptoms, raising the question of what the actual symptoms are. Everything about it is ambiguous.

#### IV TECHNOLOGY STACK

#### A. Pandas

A fast and efficient DataFrame object with integrated indexing for data manipulation. Reading and writing data between in-memory data structures and various formats, including CSV and text files, Microsoft Excel, SQL databases, and the fast HDF5 format. Data sets can be reshaped and pivoted in a variety of ways. Intelligent label-based slicing, fancy indexing, and large data set subsetting, among other things.

#### B. Numpy

NumPy is a Python library that provides an n-dimensional array, which is a simple yet powerful data structure. This is the foundation upon which almost all of Python's data science toolkit's power is built.

NumPy extends the computational power of languages such as C and Fortran to Python, a language that is much easier to learn and use. With this power comes simplicity: a NumPy solution is often clear and elegant.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

#### C. Sklearn

Scikit-learn is probably the most useful library for machine learning in Python. The sklearn library contains a lot of efficient tools for machine learning and statistical modelling including classification, regression, clustering and dimensionality reduction.

#### D. Re

A RegEx, or Regular Expression, is a sequence of characters that forms a search pattern.

RegEx can be used to check if a string contains the specified search pattern. Python has a built-in package called re, which can be used to work with Regular Expressions.

#### E. NLTK

The Natural Language Toolkit, or more commonly NLTK, is a suite of libraries and programs for symbolic and statistical natural language processing (NLP) for English written in the Python programming language. NLTK includes graphical demonstrations and sample data. It is accompanied by a book that explains the underlying concepts behind the language processing tasks supported by the toolkit.

#### V. HIGHLIGHTS OF THE MODEL

#### A. Importing all the Required Libraries

```
In [1]: import nltk
         import pandas as pd
         import numpy as np
         import re
         import string
         from nltk.corpus import stopwords
         from nltk.tokenize import word_tokenize
         from sklearn.metrics import classification_report
         nltk.download('stopwords')
          stop_words = set(stopwords.words('english'))
         nltk.download('punkt')
         Initk datal Downloading package stopwords to
         [nltk_data] C:\Users\HP\AppData\koamung waten.

fnltk_data] Package stopwords is already up-to-date!
                          C:\Users\HP\AppData\Roaming\nltk_data...
         [nltk_data] Downloading package punkt to
                          C:\Users\HP\AppData\Roaming\nltk_data...
         [nltk_data] Package punkt is already up-to-date!
Out[1]: True
```

#### B. Loading The Fake News Dataset And Dropping Unnecessary Columns From The Dataset

```
In [3]: df_text = pd.read_csv('news.csv', encoding='latin-1')
           * Uwe have textual data, but computers work on numbers. So first is required to convert them to numbers using encoding='latin-1'
          #latin-1 is a superset of ASCII
         df_text.columns = ['id', 'title', 'tex
df_text.drop(['id', 'title'], axis=1)
                                       'title', 'text', 'label']
Out[31:
                                                           text label

    Daniel Greenfield, a Shillman Journalism Fello... FAKE

                    Google Pinterest Digg Linkedin Reddit Stumbleu... FAKE

    U.S. Secretary of State John F. Kerry said Mon... REAL

             3 â□□ Kaydee King (@KaydeeKing) November 9, 2016... FAKE
                     It's primary day in New York and front-runners... REAL
           6330
                    The State Department told the Republican Natio... REAL
           6331 The âDDPâDD in PBS Should Stand for âDDPlutocr...
                    Anti-Trump Protesters Are Tools of the Oligar... FAKE
           6333 ADDIS ABABA, Ethiopia âDDPresident Obama conve... REAL
           6334 Jeb Bush Is Suddenly Attacking Trump, Here's W... REAL
          6335 rows × 2 columns
```



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

C. The data must then be cleaned. It's important to remember that we're teaching a computer to tell the difference between what's real and what's not. Right now, we have text data, but computers work with numbers. So, first, we must convert them to numbers, and then we must ensure that we are only converting texts that are required for comprehension.

The remaining symbols, which are punctuations, must be removed next. Likely, the news isn't true if there are a lot of punctuations, such as overuse of exclamations. The words must then be tokenized and stemmed to their root. The process of converting each sentence into a list of words or tokens is known as tokenization. Tokens are converted into meaningful numbers. This is also referred to as feature extraction.

#### D. The machine learning pipeline is the next step.

We need to get the data into X and Y, just like in a typical ML pipeline. To do so, we use X as the TF-IDF vectoriser's output matrix, which needs to be flattened. This encoder converts label texts to numbered targets. Assume we have a list of labels that looks like this: ['real,' 'fake,' 'real'].

After the training and testing splits are completed. To accomplish this we imported the train test split function and used sklearn's preprocessing package.

```
In [8]: from sklearn.feature_extraction.text import TfidfVectorizer
    tf_vector = TfidfVectorizer(sublinear_tf=True)
    tf_vector.fit(df_text["text"])

Out[8]: TfidfVectorizer(sublinear_tf=True)

In [9]:    X_text = tf_vector.transform(df_text["text"].ravel())
    y_values = np.array(df_text["label"].ravel())

In [10]: from sklearn import preprocessing
    le = preprocessing.LabelEncoder()
    le.fit(y_values)
    le.transform(y_values)

Out[10]: array([0, 0, 1, ..., 0, 1, 1])

In [11]: from sklearn.model_selection import train_test_split
    X_train, X_test, y_train, y_test = train_test_split(X_text, y_values, test_size=0.15, random_state=120)
```

#### E. Using Logistic Regression for Fake news Detection

```
In [12]: # Using Logistic Regression
         from sklearn.metrics import accuracy score
         from sklearn.linear_model import LogisticRegression
         model = LogisticRegression(solver="lbfgs")
         model.fit(X_train, y_train)
         y_predict = model.predict(X_test)
         print(accuracy_score(y_test, y_predict))
         print(classification_report(y_test, y_predict))
         0.9274447949526814
                     precision recall f1-score support
                 FAKE
                           0.90
                                     0.95
                                              0.93
                REAL
                                              0.93
                                                         951
            accuracy
                          0.93
                                              0.93
                                                         951
            macro avg
         weighted avg
                          0.93
                                     0.93
                                              0.93
                                                         951
```



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

#### F. Function to Detect Fake News

```
In [13]: def output_label(n):
    if n == "FAKE":
        return "Fake News"
    elif n == "REAL":
        return "Real News"

def manual_testing(news):
    testing_news = {"text":[news]}
    new_def_test = pd.DataFrame(testing_news)
    new_def_test["text"] = new_def_test["text"].apply(wordopt)
    new_x_test = new_def_test["text"]

    new_xv_test = tf_vector.transform(new_x_test)
    pred_LR = model.predict(new_xv_test)

    return print("\n\nLR Prediction: {}".format(output_label(pred_LR[0])))
```

#### G. Function to Take Input From the User

```
In [*]: news = str(input())
manual_testing(news)
```

#### H. Testing the Model

```
news = str(input())
manual_testing(news)

Project Veritas just released yet another video of the CNN producer calling voters stupid as sh*t and even mocking on of their top news anchors Chris CuomolThe undercover reporter stroked Carr s ego saying he had just as much gravitas as Cuomo and he responded saying. Just can t stand the guy when he talks, we re like shut up. The Veritas reporter asked for clarification as s to be a so that the say of the control of the cont
```

The main goal of this project is to address the problems associated with false news detection while also developing a brand new innovative smart system that can convince the institution. In this project, a smart web app will be developed that can identify the source of each piece of news and then record the information into a database system. With this, efforts are being made to automate the task of detecting fake news. The most common of these actions is the blacklisting of untrustworthy sources and authors. Although these tools are useful, to produce a progressive complete end-to-end solution, we must represent more difficult cases in which reliable sources and authors are responsible for the dissemination of fake news. The goal of this project is to create a model that can be used to recognise language patterns that can be used to classify fake and real news of covid-19 using ML (machine learning) techniques. Fake news is now such a major issue that it is affecting our society as well as our facts and opinions. AI and machine learning techniques can be used to solve the problem at hand



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

#### VI ACKNOWLEDGMENT

This project demanded a huge amount of research work and dedication which would not have been possible without the support of many individuals and organization. Therefore, we would like to extend our sincere gratitude to all of them. We are also grateful to Prof. (Dr Vikas Mishra), Director, GITS for supporting and motivating us to do quality work. Finally, we are thankful to Dr Mayank Patel (HOD CSE) for helping us in implementing the project.

#### REFERENCES

- [1] <a href="https://www.who.int/health-topics/coronavirus#tab=tab\_1">https://www.who.int/health-topics/coronavirus#tab=tab\_1</a>
- [2] <a href="https://www.who.int/emergencies/diseases/novel-coronavirus-2019">https://www.who.int/emergencies/diseases/novel-coronavirus-2019</a>
- [3] https://en.wikipedia.org/wiki/Coronavirus\_disease\_2019
- [4] https://en.wikipedia.org/wiki/COVID-19\_pandemic
- [5] https://www.jhsph.edu/covid-19/projects-and-initiatives/
- [6] https://data-flair.training/blogs/advanced-python-project-detecting-fake-news/









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



## INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)