



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: VI Month of publication: June 2021

DOI: https://doi.org/10.22214/ijraset.2021.35837

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

Gesture Vocalizer and its Visualization

Sruthi Samhitha Parimi¹, Parimi Nissy Chandra², Shivakoti Lahari Priya³, Mr. N. Srinivas Reddy⁴, Dr. Shruthi Bhargava Choubey⁵

^{1, 2, 3}Student, ^{4, 5}Professor, Dept. of Electronic and Communication, Sreenidhi Institute of Science and Technology, Telangana, India

Abstract: People have the voice ability for communicating among one another. Tragically, not every person has the ability to talk and hear. Gesture based communication utilized among the local area of individuals who are distinctive abled as the methods for correspondence. Communication through signing is a motion portrayal that includes concurrent joining hand shapes and development of the hands, arms or body, and looks to communicate. The people who can't talk utilizes the gesture based communications to speak with other individual vocally hindered individual and even with other ordinary individuals who knows the implications of gesture based communications of gesture based communications to others who can talk and do comprehend the gesture based communications. In any case, it's anything but consistently workable for a person to associate with constantly to decipher the communications via gestures and not every person can gain proficiency with the communications through signing. In this way, another option is that we can utilize a gadget Gesture Vocalizer as an arbiter. The Gesture Vocalizer can take the motions a contribution from the vocally impeded individual and interaction it's anything but a literary and sound type of yield.

Keywords: Flex sensors, Accelerometer, Arduino, Python, Jupyter Notebook, Tensorflow.

I. INTRODUCTION

A. Deaf-Dumb Hand Gestures

In India, there are 22 official languages and 415 living languages. When it comes to communicating between villages, groups, and states, such variation in languages poses a barrier. The Deaf and Mute communities in India utilise Indian Sign Language (ISL) as one of their living languages. The total percentage of population of India that is handicapped with hearing cumulates to nearly 1.3 million people out of the total 21.9 million people with disabilities. Previously, India's educational system was based on the oral-aural approach. The situation is improving as more Indian Sign Language is used. When it comes to communicating between villages, groups, and states, such variation in languages poses a barrier. Indian Sign Language (ISL) is a live language in India that is spoken by Deaf and Mute people. Previously, Indian educational system was based on the oral-aural approach. The situation is improving as more Indian Sign Language is used.

B. Gesture Vocalizer

People have the voice capacity for cooperation and correspondence among one another. Lamentably, not every person has the capacity of talking and hearing. Communication via gestures utilized among the local area of individuals who can't talk or hear as the methods for correspondence. Communication through signing is a motion portrayal that includes at the same time joining hand shapes, direction and development of the hands, arms or body, and looks to communicate fluidly with a speaker's musings. Individuals who can't talk utilizes the communications via gestures to speak with other individual vocally weakened individual and even with other typical individuals who knows the implications of gesture based communications or a translator is expected to decipher the implications of gesture based communications to others who can talk and don't have the foggiest idea about the implications of gesture based communications.

The communication gap between -special person and normal person is one of the main obstacles that this unique person faces. Deaf and dumb persons have a hard time communicating with normal people. This enormous challenge makes them uneasy, and they believe they are being discriminated against in society. It's anything but consistently workable for a person to associate with constantly to decipher the gesture-based communications and not every person can get familiar with the gesture-based communications. On account of a breakdown in correspondence Deaf and moronic individuals accept they can't impart, and therefore, they can't pass on their feelings. In this manner, another option is that we can utilize a PC or an advanced mobile phone as an arbiter. The HGRVC (Hand Gesture Recognition and Voice Conversion) innovation finds and tracks the hand movements of hard of hearing and unable to speak people so they can speak with others. The PC or a PDA could take a contribution from the vocally disabled individual and give its text based just as and sound type of yield.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

II. VOCALIZER IMPLEMENTATION

A. Gesture Vocalizer Implementation


Gesture Vocalizer is a technology that aims to improve communication between the dumb, deaf, and blind groups, as well as between them and the general public. This system can be adjusted to serve as a "smart device" on the go. When we narrow this down to the intricate detailing of the system and the actual process, there are two procedures or way of approach to this problem that can be grouped into two categories; hardware version and software version. These versions have been segregated into such based on the input and the processing that takes place on the gestures recorded. The hardware version is called so based on the input that is taken directly from the sensors that are connected directly to the hand of the gesturing person. From the hand, the gestures are recognized and processed to convert them to normal speech. The software version is considered to be a more hassle-free version where the gestures are recorded or collected as a series of images and these images form the foundation for the conversion of the hand gestures.

B. Hardware version of the Implementation


The equipment adaptation of the execution is fundamentally intended to limit the correspondence hole between the imbecilic individuals and the typical one. With this, the idiotic individuals can utilize the information gloves which is utilized to perform communication via gestures and it will be changed over into voice so ordinary individuals can without much of a stretch comprehend and furthermore show it on LCD so that individuals can peruse it on the screen. Magic glove or Data glove is nothing but the glove to which the flex sensors and other components are connected. And the magic glove converts the gestures to voice by recognizing the movement of the fingers. It consumes less power and is flexible to users. Anyone can use this system with basic knowledge.

The proposed system is mobile and emphasizes two-way communication. The system's main purpose is to translate hand motions into aural speech so that mute and non-mute persons can communicate. As a data glove, there will be 5 flex sensors and an accelerometer. Each flex sensor will be attached to a different pin on the Arduino UNO controller. The flex sensors will provide data to the controlling element, which will show the output on an LCD display and transform the text into speech via a speaker.

The flow chart depicts how the system will respond in a sequential fashion. As soon as the system is turned on, the sensor will detect data via a hand gesture. If the sensed data sign is recognised, the text output will be shown, and the text output will be converted to an audio output. If the sensed data isn't recognised, the process will start all over again. This process will be repeated until the user's requirements are met.



Hardware block diagram






ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

C. Software Version of the Implementation

Hand motions can be detected with the use of a web camera. With the help of pre-processing, the images are then converted to normal size. This project's goal is to create a system that can translate hand motions into text. The main goal of this project is to enter the images into the database and then convert them to text using database matching. Hand mobility is monitored during the detection process. The technology produces text output, which aids in the communication gap between deaf-mutes and the general public.



There have been numerous implementations of hand gesture recognition systems. There are two basic methods for recognizing hand gestures: using a hardware device or using a video of a captured hand gesture. Both approaches have come a long way from the beginning of gesture recognition techniques. Hand gesture recognition using hardware is accomplished in a variety of ways, with the user interacting with the hardware and each gesture being detected as a command to the system. Many modern applications use these systems, such as Google's Glass project, smart watches with gesture recognition using gyroscopes and accelerometers, laptop touchpads, and so on. To classify the motions, these applications use a variety of methodologies, including rule-based approaches, machine learning approaches, and so on.


III. OUTPUTS AND VISUALIZATION


A. Hardware





B. Software







International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VI Jun 2021- Available at www.ijraset.com

IV. CONCLUSION

This examination presents another technique for hand signal distinguishing proof in this investigation. The foundation deduction approach is utilized to recognize the hand area from the scenery. The palm and fingers are portioned after that. The fingers in the hand picture are found and perceived dependent on the division. Hand motion acknowledgment is performed utilizing a straightforward guideline classifier. On an informational collection of 1300 hand photos, the exhibition of our strategy is tried. The consequences of the investigations propose that our strategy works adequately and is appropriate for continuous applications. Besides, on a picture assortment of hand developments, the recommended procedure beats the cutting edge FEMD.

The proposed technique's presentation is altogether reliant "on the consequences of hand location. On the off chance that there are moving articles with a shading that is like that of the skin, the things are distinguished because of the hand identification and decrease the hand signal acknowledgment execution. AI calculations, then again, can recognize the hand from the setting. ToF cameras give profundity data that can help upgrade hand discovery execution. To address the confounded foundation issue and improve the heartiness of hand distinguishing proof, AI calculations and ToF cameras might be applied in future exploration.

Currently, research efforts have primarily concentrated on recognizing static ISL indications from pictures or video sequences captured under controlled conditions. The dimensionality of the sign recognition process will be minimized by employing the LDA method. Noise will be decreased and with excellent accuracy as a result of dimensionality reduction. This project will be improved in the future by determining the numbers that will be displayed in words.

We attempted to construct this system by combining numerous image processing approaches and fundamental picture features. The recognition of gestures has been accomplished using LDA algorithms. Remembering that every God creature has value in society, let us endeavor to incorporate hearing challenged persons in our daily lives and live together.

BIBLIOGRAPHY

- [1] A. D. Bagdanov, A. D. (2012). Real-time hand status recognition from RGB-D imagery. Proceedings of the 21st International Conference on Pattern Recognition (ICPR '12).
- [2] C.-S. Lee, S. Y. (2012). Articulated hand configuration and rotation estimation using extended torus manifold embedding. Proceedings of the 21st International Conference on Pattern Recognition.
- [3] M. Elmezain, A. A.-H. (2010). A robust method for hand gesture segmentation and recognition using forward spotting scheme in conditional random fields). Proceedings of the 20th International Conference on Pattern Recognition.
- [4] M. R. Malgireddy, J. J. (2010). A framework for hand gesture recognition and spotting using sub-gesture modeling. Proceedings of the 20th International Conference on Pattern Recognition.
- [5] Z. Zafrulla, H. B. (2011). American sign language recognition with the kinects. Proceedings of the 13th ACM International Conference on Multimodal Interfaces.

3268









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)